

**RESTRICTED USE PESTICIDE**

DUE TO EYE AND SKIN CORROSIVITY HAZARD

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's Certification.



**FIFRA 24(c) SLN**  
**For distribution and use only within**  
**the state of Arizona**

**FIFRA 24(c) Special Local Need Label (SLN)**

**TO CONTROL LYGUS AND THRIPS IN ALFALFA GROWN FOR SEED**  
**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF ARIZONA**

***DIBROM<sup>®</sup> 8 EMULSIVE***

**NALED INSECTICIDE**

EPA Reg. No. 5481-479

EPA SLN No. AZ-210502

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER — PELIGRO**

**FOR AGRICULTURAL AND COMMERCIAL USE ONLY. NOT FOR HOMEOWNER USE.**

Expiration Statement: This label is valid until otherwise amended, withdrawn, cancelled or suspended and is valid only until 12/31/2026.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

**Do not apply this product through any type of irrigation system.**

Apply in 10 to 20 gallons if sprayed by ground equipment or in 3 to 10 gallons if sprayed by air.

Insecticidal activity may be reduced when the spray solution has a pH of 6.0, or higher. For optimal insecticidal activity, the pH of the spray solution must be corrected to within the range of pH 5.0 to 6.0 by the addition of a suitable buffering or acidifying agent, before adding DIBROM to the spray tank.

Repeat applications may be made on 7 day intervals.

Use of this product according to this labeling is deemed a non-food use and as such is not to be used on fields producing alfalfa for livestock feed. DO NOT feed or graze alfalfa treated with DIBROM. DO NOT cut treated alfalfa for hay or for forage, or use harvested seed for sprouting. No portion of the treated field, including seed, seed screenings, hay, forage or stubble may be used for human or animal feed.

### **Additional Precautionary and Use Restrictions**

Naled is an organophosphate insecticide with known hazards to aquatic (fish and invertebrates) and terrestrial (birds and mammals) wildlife as well as pollinators and human bystanders. These hazards can be reduced by following all label requirements and mitigations.

For an alfalfa crop being grown for seed that has DIBROM applied:

- Do not cut current year's treated alfalfa seed crop for hay or forage. (12 months)
  - Do not graze current year's treated alfalfa seed crop. (12 months)
  - Do not use treated alfalfa seed for sprouting.
1. For purposes of pesticide registration in the State of Arizona, all alfalfa seed crop fields may be considered non-food and non-feed sites of pesticide use, provided that the following conditions are met:
    - a. All seed screenings shall be disposed of in such a way that they cannot be distributed or used for food or feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the State forthwith upon request. Disposal records shall consist of documentation from a controlled dump site incinerator or other equivalent disposal site and shall show the amount of material disposed of, its grower and the date of disposal.
    - b. No portion of the seed alfalfa plant including, but not limited to, green chop, hay, pellets, meal, whole seed and cracked seed, may be used or distributed for food or feed purposes.
    - c. All alfalfa seed conditioned in the State of Arizona shall bear a tag stating "Seed is not for human consumption or use as animal feed."
    - d. No alfalfa seed conditioned in the State of Arizona may be distributed for human consumption or animal feed.
  2. It is the grower's responsibility to notify the processing plant of any seed treated with DIBROM 8, the bag tagging requirement and recordkeeping requirements.
  3. Violation of any condition listed in subsection (1 or 2) of this section is a violation of the Use Directions contained in the label and is prohibited.

### **Bee Exposure**

DO NOT expose bees to direct DIBROM application. DIBROM may be toxic to bees up to 12 hours after treatment. To minimize bee hazard, applications should be made at night before 11 PM. DO NOT apply if weather conditions favor dew formation the night of application. If bees have been brought in for pollinating, this product must be applied before the bees are brought in and then only after pollinators have been removed. DO NOT apply during the main bloom period if another seed crop within 1/2 mile is being pollinated by bees.

### **THREATENED AND ENDANGERED SPECIES**

Special local needs (SLN) labels are important to states like Arizona with niche industries and significant economic risks due to local pest problems. Our stewardship of this important labeling process is important and must also consider the potential off-target effects of any pesticide used in Arizona. This includes any potential harm to threatened or endangered (TE) species in our state. Please carefully consider the use of this pesticide and obtain as much information as you can to help ensure your application will have no impacts on TE species.

Seed Crop	Pest	Rate (pints per acre)	Restrictions
Alfalfa (grown for seed)	Lygus	1 to 1-1/2 (0.9 to 1.4 lbs./a.i.)	<ul style="list-style-type: none"> <li>• Do not apply more than three (3) applications per year.</li> <li>• Do not graze or feed treated alfalfa. No portion of the seed plant may be used or distributed for food or feed.</li> <li>• Treated alfalfa seed is not to be used for sprouting.</li> <li>• Do not apply during the main bloom period if another seed crop within ½ mile is being pollinated by bees.</li> <li>• DO NOT expose bees to direct DIBROM application. Remove alfalfa leafcutting bee shelters during the application. Do not move bees into the treatment area for at least 12 hours after application. Bee kills may result from applications of 1 pt./acre (0.9 lb. a.i./acre) or more to blooming alfalfa seed, even if all precautions are followed.</li> <li>• To minimize bee hazard during bloom, applications should be made at night before 11 PM. DO NOT apply if weather conditions favor dew formation the night of application.</li> </ul>
	Thrips	1/2	

**24(c) Registrant:**

AMVAC Chemical Corporation  
4695 MacArthur Court, Suite 1200  
Newport Beach, CA 92660 U.S.A  
1-888-462-6822