

RESTRICTED USE PESTICIDE

**DUE TO TOXICITY TO NON-TARGET INVERTEBRATES, MAMMALS, AND AQUATIC ORGANISMS
FOR SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT
SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S
CERTIFICATION.**

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, North Carolina 27419-8300
SCP 1611A-S1 0918

GROUP 6 INSECTICIDE

Divanem™

Nematicide

This supplemental label expires on 9/18/2020 and must not be used or distributed after this date.

Active Ingredient:	
Abamectin*:	8.0%*
Other Ingredients:	92.0%
Total:	100.0%

*CAS No. 71751-41-2

Divanem™ is formulated as a suspension concentrate and contains 0.7 lb abamectin per gallon.

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No. 100-1611

All applicable directions, restrictions and precautions on the EPA registered label are to be followed. Before using Divanem™ as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label.

This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



DIRECTIONS FOR USE

Golf Course Turfgrass

Turfgrass (including all cultivars, varieties, and/or hybrids)			
Golf course greens, tees, fairways, and professional and collegiate sports fields			
Pest	Rate (fl oz/A)	Application Timing	Use Directions
Turf-Parasitic Nematodes (including sting, lance, root-knot, and ring)	3.125 – 6.25	Apply at this rate on a 14- to 21-day interval.	Apply in the early morning while grass is wet with dew or irrigate the area prior to application with 0.1 inches of water. Spray onto wet turf.
	6.25 – 12.2	Apply at this rate on a 21- to 28-day interval.	<p>Irrigate with 0.1 to 0.5 inches of water beginning within 1 hour of application to move Divanem through the thatch. For best results, irrigate before the spray droplets have dried on the turf.</p> <p>Apply in 2 gallons of water per 1,000 square feet of turf. When lower application volumes are used, irrigating in should begin as soon as possible after application.</p> <p>Combination treatments of Divanem and a fungicide, such as Heritage Action, Heritage Fungicide, or Heritage TL, are recommended to reduce fungal infections following nematode feeding. Heritage Action, Heritage Fungicide, or Heritage TL should be watered in with Divanem.</p> <p>Divanem is also recommended in combination with a foliar fungicide program which includes Daconil Action. Daconil Action should be applied separately and not watered in.</p> <p>Directions For Use and Use Restrictions must be followed for all products being applied.</p>
USE RESTRICTIONS			
<p>1) Maximum Single Application Rate: 0.067 lb abamectin/A (12.2 fl oz Divanem/A)</p> <p>2) Minimum Application Interval: 14 days</p> <p>3) Maximum Annual Rate: 0.27 lb abamectin/calendar year (50 fl oz Divanem/A/calendar year)</p>			

**CURATIVE SPOT TREATMENTS ON GOLF COURSE GREENS, TEES AND
FAIRWAYS ONLY**

Curative spot treatments are prescribed for controlling nematodes over smaller areas where outbreaks are severe or expected to become severe. To make a curative spot treatment apply the highest prescribed dose of Divanem [12.2 oz] and repeat up to 4 times at the prescribed intervals. For curative spot treatments treat no more than 10,000 sq ft per acre per year.

Curative Spot Treatment Use Restrictions:

- **DO NOT** apply when heavy rainfall is forecast.
- **DO NOT** apply within 25 feet of aquatic habitats (such as, but not limited to, lakes; reservoirs; rivers; permanent streams; marshes or ponds; estuaries; and commercial fish farm ponds).

Divanem™ and the Syngenta logo are trademarks of a Syngenta Group Company

©2018 Syngenta

SCP 1611A-S1 0918