

DIVIDEND® XL RTA®

Date: 4/9/2015
Replaces: 1/18/2012

1. PRODUCT IDENTIFICATION

Product identifier on label: **DIVIDEND® XL RTA®**
Product No.: A9797C
Use: Fungicide
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Inhalation: Category 4
Specific Target Organ Toxicity: Repeated Category 2
Specific Target Organ Toxicity: Respiratory Irritation Category 3
Eye Damage/Irritation: Category 2B
Carcinogenicity: Category 1A

Signal Word (OSHA): Danger

Hazard Statements: Causes eye irritation
Harmful if inhaled
May cause respiratory irritation
May cause cancer
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe mist, vapors, spray.
Wash hands and face thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice.

DIVIDEND® XL RTA®

Date: 4/9/2015
Replaces: 1/18/2012

If exposed or concerned: Get medical advice/attention.
Call a poison center, doctor or Syngenta if you feel unwell.
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Crystalline Silica, Quartz and Cristobalite	Crystalline Silica, Quartz and Cristobalite	14808-60-7	Trade Secret
Ethylene Glycol	Ethylene Glycol	107-21-1	<30.0%
Kaolin Clay	Kaolin Clay	1332-58-7	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<66.52%
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	Difenoconazole	119446-68-3	3.21%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	0.27%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation
Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.
Treat symptomatically.

DIVIDEND® XL RTA®

Date: 4/9/2015
Replaces: 1/18/2012

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO₂ extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Crystalline Silica, Quartz and Cristobalite	10 mg/m ³ /(%SiO ₂ +2) (respirable dust)	0.025 mg/m ³ (respirable silica)	0.05 mg/m ³ (respirable dust)	NIOSH
Ethylene Glycol	Not Established	100 mg/m ³ (ceiling) [aerosol]	Not Established	Not Applicable
Kaolin Clay	15 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable)	2 mg/m ³ TWA (respirable)	10 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable)	NIOSH
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable

DIVIDEND® XL RTA®

Date: 4/9/2015
Replaces: 1/18/2012

Difenoconazole	Not Established	Not Established	5 mg/m ³ TWA	Syngenta
Mefenoxam	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark red liquid

Odor: Slight paint odor

Odor Threshold: Not Available

pH: 7.4 (1% suspension in water)

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 210°F

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Difenoconazole 2.5 x 10⁻¹⁰ mmHg @ 77°F (25°C)

Mefenoxam 2.5 x 10⁻⁵ mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.096 g/ml ; 9.15 lbs/gal

Solubility (ies): Difenoconazole 15 mg/l @ 77°F (25°C)

Mefenoxam 26 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

DIVIDEND® XL RTA®

Date: 4/9/2015
 Replaces: 1/18/2012

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
 Chemical stability: Stable under normal use and storage conditions.
 Possibility of hazardous reactions: Will not occur.
 Conditions to Avoid: None known.
 Incompatible materials: None known.
 Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation, Respiratory irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 5050 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2020 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 3.1 mg/l air - 4 hours
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Difenoconazole: None observed.
 Mefenoxam: None observed.

Chronic/Subchronic Toxicity Studies

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.
 Mefenoxam: Liver effects at high dose animal tests.

Carcinogenicity

Difenoconazole: Did not show carcinogenic effects in animal experiments.
 Mefenoxam: None observed.

Chemical Name	NTP/IARC/OSHA Carcinogen
Crystalline Silica, Quartz and Cristobalite	IARC 1; ACGIH A2
Ethylene Glycol	No
Kaolin Clay	No
Other ingredients	No

DIVIDEND® XL RTA®

Date: 4/9/2015

Replaces: 1/18/2012

1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]- No

(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester No

Other Toxicity Information

None

Toxicity of Other Components

Crystalline Silica, Quartz and Cristobalite

Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.

Ethylene Glycol

Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and mice. Exposure to high concentrations of mists or aerosols may result in effects on the hematopoietic system and central nervous system with headache, dizziness and drowsiness. Severe kidney damage results from swallowing large amounts of ethylene glycol.

Kaolin Clay

May cause eye and respiratory tract irritation. Long-term exposure to high concentrations of this dust may produce x-ray evidence of dust in the lungs. Continued long-term exposure may affect respiratory function in some individuals.

Other ingredients

Not Applicable

Target Organs

Active Ingredients

Difenoconazole: Brain, liver, kidney, gastrointestinal tract

Mefenoxam: Liver

Inert Ingredients

Crystalline Silica, Quartz and Cristobalite: Respiratory tract

Ethylene Glycol: Blood, kidney, CNS

Kaolin Clay: Eye, respiratory tract, lung

Other ingredients: Not Applicable

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Difenoconazole:

- Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l
- Green Algae 72-hour EbC50 0.032 mg/

Mefenoxam:

- Fish (Rainbow Trout) 96-hour LC50 > 121 ppm
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm
- Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

DIVIDEND® XL RTA®

Date: 4/9/2015
Replaces: 1/18/2012

Environmental Fate

Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.
Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.
Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Cargo Tanks:

Proper Shipping Name: RQ, Environmentally Hazardous Substance, Liquid, N.O.S. (Ethylene Glycol)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks and shoes, and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling.

EPA Registration Number(s):

DIVIDEND® XL RTA®

Date: 4/9/2015
 Replaces: 1/18/2012

100-826

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Ethylene Glycol <30.0% (CAS No. 107-21-1)

California Proposition 65:

This product contains a chemical known to the State of California to cause cancer.

CERCLA/SARA 304 Reportable Quantity (RQ):

Report product spills > 1,800 gal. (based on ethylene glycol [RQ = 5,000 lbs.] content in the formulation) (CERCLA)

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 2*
 Flammability: 1
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 7/31/1996

Revision Date: 4/9/2015

Replaces: 1/18/2012

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.