

Date Issued: 09/19/2023 Supersedes: 08/07/2020

## **DREXEL SULFUR 80 WDG**

# **SECTION 1: MATERIAL IDENTIFICATION**

Product Name: Drexel Sulfur 80 WDG

**EPA Reg. No.:** 19713-674

Product Usage: Fungicide, Insecticide, Miticide

Manufacturer: Drexel Chemical Company
Address: 1700 Channel Avenue

PO Box 13327

Memphis, Tennessee, 38113-0327, USA

901-774-4370

Emergency TelephoneCHEMTREC800-424-9300Numbers:DREXEL CHEMICAL COMPANY901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Refer to SECTION 15: REGULATORY INFORMATION for explanation.

## **SECTION 2: HAZARD IDENTIFICATION**

(As defined by the OSHA Hazard Communication Standard, 29)

Label Elements: Signal Word:

WARNING





Classifications:

Hazard Class: <u>Toxicity Study:</u> <u>Category:</u>

Acute Toxicity, Inhalation Category 4
Serious eye damage / Irritation Category 2B
Flammable solid Category 2

Hazard Statements: H Code: Statement:

H228 Flammable solid
H332 Harmful if inhaled
H320 Causes eye irritation

HNOC (Hazard not otherwise classified): None available / Not applicable

**Precautionary Statements:** 

<u>Prevention:</u> If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Avoid release into the environment.

Drexel Sulfur 80 WDG Page 1 of 9



Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

In case of inadequate ventilation, wear respiratory protection.

Response:

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do so. Continue rinsing. Get immediate medical advice/attention.

If Swallowed: Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or

doctor if you feel unwell.

If on Skin or Clothing: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If exposed or concerned: None available, get medical attention.

Storage: Store in a cool, dry, well ventilated and secure area designated specifically for pesticides

and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food,

foodstuffs, drugs or potable water supplies.

<u>Disposal:</u> If wastes and/or containers cannot be disposed of according to the product label

directions, disposal of this material must be in accordance with your local or area

regulatory authorities.

## **SECTION 3: COMPOSITION INFORMATION**

Chemical Name: Active Ingredient:	Synonym:	CAS No.:	EC No.:	RTECS:	<u>% By Wt.:</u>
Sulfur	Elemental Sulfur	7704-34-9	231-772-6	WS4250000	80.0%
Inert Ingredients:	N/A	N/A	N/A	N/A	20.0%

## **SECTION 4: FIRST-AID MEASURES**

Have the product container, label and / or Safety Data Sheets (SDS) with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a

poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip

a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious

person.

Skin/Clothing Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20

minutes. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center

or doctor for further treatment advice.

Indication of Medical Attention and Special Treatment Needed:

None / Treat symptomatically.

Drexel Sulfur 80 WDG Page 2 of 9



## **SECTION 5: FIRE FIGHTING MEASURES**

Fire Fighting Media: Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this

product. Do not use water jet, as this may spread burning material. Contain all runoff.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight

the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water

to prevent environmental damage and excessive waste runoff.

**Special Protective Equipment** 

for Firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up

situations, refer to the relevant sections.

Specific Fire Hazards: Will ignite when exposed to heat, flame and other sources of ignition. Dusts may form

explosive mixtures with air; avoid using heavy water streams. Thermal decomposition

during a fire can produce fumes and irritating gases.

Flammability classification (OSHA 29 CFR 1910.1200): N/A

Flash point: N/A

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

**Hazardous Combustion** 

Products:

Sulfur dioxide, hydrogen sulfide and other unknown hazardous materials.

#### National Fire Protection Association:

NFPA:		<u>Health</u>		<u>Fire</u>		<u>Reactivity</u>	
		2		1		0	
	Ratings:	4-Extreme	3-High	2-Moderate	1-Slight	0-Insignificant	

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions:**

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

## **Environmental Precautions:**

Do not flush into surface water or sanitary sewer system. Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

# Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

Drexel Sulfur 80 WDG Page 3 of 9



Small spills:

Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Should be damped-off and pumped into containers. Soak up remainder with absorbent material and dispose of in accordance with local regulations. Prevent entry into waterways, sewers, basements or confined areas.

Large spills:

Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Should be damped-off and pumped into containers. Soak up remainder with absorbent material and dispose of in accordance with local regulations. Prevent entry into waterways, sewers, basements or confined areas. Contact Drexel Chemical Company for clean-up assistance. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers, basements or confined areas.

### **SECTION 7: HANDLING AND STORAGE**

#### KEEP OUT OF REACH OF CHILDREN

Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not

swallow. Avoid breathing dust. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Do not reuse

this container. Refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat

sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Keep away from unauthorized access. Do not store below  $0^{\circ}$ C temperature. Do not store near

children, food, foodstuffs, drugs or potable water supplies. Always use oldest stock first.

Incompatible

With Strong oxidizing agents.

material:

# **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Occupational Exposure Limits:**

Components:	OSHA PEL	ACGIH TLV	OTHER	
Elemental Sulfur	N/A	5mg/m <sup>3</sup>	N/A	

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Engineering Controls:**

Ventilation:

Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

## **Personal Protection:**

Eye/Face Protection: Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.

Drexel Sulfur 80 WDG Page 4 of 9



**Ingestion:** Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash

hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.

Hand Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include:

Protection: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

**Skin** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, **Protection**: boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area.

boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands,

should be removed and disposed of properly.

**Respiratory** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or **Protection**: guidelines. When handling in enclosed areas, when large quantities of dusts are generated or prolonged

guidelines. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for

pesticides (MSHA/NIOSH approval number prefix TC-14G).

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property Reported Value

Physical State Solid
Appearance / Color Yellow
Odor Slight Sulfur
Odor threshold Not available

pH 5.0 – 7.0 (5% dilution)

Melting point Not available Not available Freezing point **Boiling point** Not available Flash point Not available **Evaporation rate** Not available Flammability Not available Upper flammability/explosive limits Not available Lower flammability/explosive limits Not available Not available Vapor pressure Vapor density Not available Relative density 28.5 lbs. / ft.3 Solubility in water Disperses Solubility in organic solvents Not available Partition coefficient (n-octanol/water) Not available Not available Auto-ignition temperature Decomposition temperature Not available Viscosity Not available Explosive properties Not available Oxidizing properties Not available **Dissociation Constant** Not available

Property Note: The physical properties and reported values are typical values based on materials tested but may vary from sample to sample. Thus, typical values should not be construed as a guaranteed analysis of any specific lot/ batch or specification items.

Drexel Sulfur 80 WDG Page 5 of 9



# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Thermally stable at typical use temperatures and in closed containers.

**Chemical Stability:** Stable under recommended storage conditions.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: High temperatures, sparks, flame and other sources of ignition, and dust

generation.

**Incompatible Materials:** Avoid contact with strong oxidizing agents, Ammonium Nitrates.

Hazardous Decomposition Products: Decomposition products can include but are not limited to: Sulfur oxides

(including sulfur dioxide) and hydrogen sulfide.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Acute Toxicity:** 

Potential routes of exposure/potential health effects: Eye contact. Inhalation.

 Acute Oral:
 LD<sub>50</sub> (Rat):
 >5000 mg/kg

 Acute Dermal:
 LD<sub>50</sub> (Rat):
 >2000 mg/kg

 Acute Inhalation:
 LC<sub>50</sub> (Rat):
 >2.56 mg/L

Eye Irritation: (Rabbit): Moderately irritating

Skin Irritation:(Rabbit):Non-irritatingSkin Sensitization:(Guinea Pig):Non-sensitizer

**Chronic Toxicity:** At low levels generally recognized as safe.

**Carcinogenicity:** Not likely to be carcinogenic in humans.

Mutagenicity: No data available

Teratogenicity: No data available

Reproductive Toxicity: No data available

**Developmental Toxicity:** No data available

Specific target organ toxicity- single exposure: No data available / Not classified

Specific target organ toxicity- repeated exposure: No data available / Not classified

Other Hazards Effects: No data available

## **SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL FATE:** 

Sulfur Non-toxic to bees and birds. Practically non-toxic to aquatic organisms.

**ECO-ACUTE TOXICITY Aquatic Toxicity:** 

Arthropod Toxicity: Bees, Acute LD<sub>50</sub> Non-toxic to bees

Bird Toxicity: Mallard Duck, LD<sub>50</sub> No data available

Bobwhite Quail, LD<sub>50</sub>,8d >5,620 ppm

Drexel Sulfur 80 WDG Page 6 of 9



**Persistence and**Sulfur is a component of the environment and there is a natural cycle of oxidation and reduction degradability: reactions which transforms sulfur into both organic and inorganic products. Elemental sulfur is

reactions which transforms sulfur into both organic and inorganic products. Elemental sulfur is slowly converted to sulfate in soil by the action of autotrophic bacteria. Elemental sulfur leaches

socil as sulfate at a class rate

in soil as sulfate at a slow rate.

**Bioaccumulation:** Sulfur is a component of the environment and there is a natural cycle of oxidation and reduction

reactions which transforms sulfur into both organic and inorganic products. Elemental sulfur is slowly converted to sulfate in soil by the action of autotrophic bacteria. Elemental sulfur leaches

in soil as sulfate at a slow rate.

Mobility in soil: Sulfur is a component of the environment and there is a natural cycle of oxidation and reduction

reactions which transforms sulfur into both organic and inorganic products. Elemental sulfur is slowly converted to sulfate in soil by the action of autotrophic bacteria. Elemental sulfur leaches

in soil as sulfate at a slow rate.

Other adverse effects: Do not contaminate water supplies, lakes, streams, ponds or drains with this product.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## **SECTION 14: TRANSPORT INFORMATION**

**DOT:** Not Regulated;

Solid sulfur is not regulated if transported in non-bulk packaging (less than 400kg per package) or if formed to a specific shape, such as prills, granules, pellets, pastilles, or

flakes (49 CFR 172.102, special provision 30).

All shipments of powdered sulfur regardless of package size:

IMDG: UN 1350, Sulphur (Sulfur), 4.1 (flammable solid), PG-III

IATA / ICOA: UN 1350, Sulfur, 4.1, PG-III

UN Identification No.: UN1350
Proper Shipping Name: Sulfur (Sulphur)

Hazard Class: 4.1
Packing Group: III

**Reportable Quantity:** Not applicable **Environmental Hazard:** Not applicable

Freight Description: Agricultural Fungicide, solid, n.o.s.

ERG Guide No.: 133

Transport Information Note: Not applicable

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Drexel Sulfur 80 WDG Page 7 of 9



# **SECTION 15: REGULATORY INFORMATION**

**OSHA Hazard Communication** 

Standard:

This product contains hazardous components as defined under the criteria of the

Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.

Pesticide Registration: This product is a pesticide registered by the Environmental Protection Agency (EPA) and is

subject to certain FIFRA labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for

safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

**EPA Reg. No.:** 19713-674 **FIFRA Label Signal Word:** CAUTION

FIFRA Label Information: KEEP OUT OF REACH OF CHILDREN
Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye

irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**EPCRA SARA Title III Classification:** 

Section 302: Extremely Hazardous Substance Notification: This material is not known to contain any

Extremely Hazardous Substances.

Sections 311 and 312: Immediate (Acute) Health Hazard: Yes

Delayed (Chronic) Health Hazard: No

Fire Hazard: No Reactive Hazard: No

Sudden Release of Pressure Hazard: No

Section 313 Toxic Release Inventory (TRI): This material does not contain any chemical components with known

CAS numbers that exceed the threshold reporting levels established

by SARA Title III, Section 313.

CERCLA Reportable Quantity (RQ): Not listed / Not available
SARA 304 Reportable Quantity (RQ): Not listed / Not available

RCRA Hazardous Waste Classification (40 CFR 261): Not listed / Not available

**US EPA Toxic Substances Control Act (TSCA):** All components of this product are on the TSCA Inventory or are

exempt from TSCA Inventory requirements under 40 CFR 720.30.

Listed as causing:

California Proposition 65 (Safe Drinking Water and

Toxic Enforcement Act of 1986): Elemental Sulfur Listing date: Not listed

Listing basis: Not listed

Not Listed

# **SECTION 16: OTHER INFORMATION**

Date Issued: September 19, 2023 Date Supersedes: August 07, 2020 Revision: 2

**For all non-emergency questions** 1700 Channel Avenue Phone: 901-774-4370 **about this product, please contact:** PO Box 13327 Fax: 901-774-4666

Memphis, Tennessee 38113-0327, USA Website: www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and

Drexel Sulfur 80 WDG Page 8 of 9



may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Drexel Sulfur 80 WDG Page 9 of 9