



Drexel®

Trifluralin Technical

For Manufacturing Use Only.

ACTIVE INGREDIENT:

Trifluralin	98.8%
OTHER INGREDIENTS:	1.2%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See FIRST AID Below

EPA Reg. No. 19713-683

Net Content:

EPA Est. No. XXXXX-XXX-X

_____ Lbs. (____ Kg)

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for medical emergency.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into a herbicide for the following uses:

- 1) Crops including Alfalfa, Almond, Asparagus, Barley, Beans (mung, sprouts), Carrot, Celery, Chicory/Endive, Christmas tree plantations, Citrus (Group 10), Corn (Field), Cotton, Cottonwood trees grown for pulp, Durum, Flax, Forage legumes, Grain sorghum, Grapes, Hops, Kenaf, Nut trees (Group 14), Oilseeds (Crop Group 20), Okra, Peanuts, Pepper, Peppermint, Soybean, Spearmint, Stone fruits (Group 12), Sugarcane, Turnip greens, Vegetables [Root and Tuber (except Carrot), Group 1; Leaves of Root and Tuber, Group 2; Bulb, Group 3; Brassica leafy, Group 5; Legumes, Group 6; Foliage of Legumes, Group 7; Fruiting, Group 8; Cucurbits, Group 9], Vineyards, and Wheat; Ornamentals, Ground covers, Nursery stock; Turf; Noncropland areas, Under paved surfaces, Rights-of-way.
- 2) Inhibition of plant root encroachment in the following areas: Bike / Golf cart paths, Building foundations, Burial vaults / Tombstones, Concrete / Asphalt cracks, Curbs, Dams / Levees*, Gas pipelines, Irrigation systems**, Landfills, Roads, Sewer pipes, Utility substations, Waste burial sites, Septic fields, Sidewalks, Swimming pools, Tennis courts.
*The biobarrier product must be placed in a minimum of 6 feet from the body of water.
**Use in irrigation system components is limited to crops for which Trifluralin formulated products are registered as soil applied treatment.
- 3) Uses for which U.S. EPA has accepted the required data and / or citations of data that the formulator has submitted in support of registration.

This product may be used for treatment of integral drip irrigation system filters to protect system components.

Manufactured For:

Drexel Chemical Company

P.O. Box 13327, Memphis, TN 38113-0327

SINCE 1972

The DREXEL logo is a registered trademark of Drexel Chemical Company.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a secured area preferably cool and dry. Open containers in a well ventilated area. Keep container tightly closed when not in use. Store only in original container unless it is damaged and requires to be replaced. In such case, clearly label contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or in an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable Container (flexible-bag-all weights): Nonrefillable container. Do not reuse or refill this container. Completely empty bag into manufacturing equipment by shaking and tapping sides and bottom to loosen clinging particles. Then offer for recycling if available or dispose of empty bag in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid-fifty lbs. or less): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid-greater than fifty lbs.): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container one-fourth full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refillable Container: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

WARRANTY—CONDITIONS OF SALE

Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the "DIRECTIONS FOR USE". Manufacturer makes no other warranties, expressed or implied, including fitness or merchantability. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale and is accepted as such by the Buyer.

The Drexel logo is a registered trademark of Drexel Chemical Company.