DEPOSITION AID, CANOPY PENETRATION AGENT, DRIFT REDUCTION AGENT READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

Drift-fiant

PRINCIPAL FUNCTIONING AGENTS:

Phosphatidylcholine, modified seed oil, alkyl amine ethoxylate

Constituents Ineffective as Spray Adjuvants

Total

WA Reg. No. 999710-12002 CA Reg. No. 1051151-50002-AA All ingredients are exempt from tolerance requirements under 40 GFR 180. KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

HAZARD STATEMENTS: Harmful if inhaled. Causes eye irritation. Causes mild skin irritation. May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS: Avoid breathing mist / vapors / spray. Use only outdoors or in a well-vernilated area. Wash thoroughly with scap and water after handling. Do not eat, drink or smoke after using this product. Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Specific treatment see First Aid section on this label or Safety Data. Sheet. Store locked up. Dispose of contents / container according to instructions in the Storace and Disposal section on the label.

PERSONAL PROTECTIVE EQUIPMENT: Wear protective eyewear (goggles or face shield), protective clothing, protective gloves.

FIRST AID:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing if eye irritation persists get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention. Call a poison control center / doctor if you feel unwell.

IF SWALLOWED Call a poison control center/doctor. If you feel unwell, Rinse mouth.

ENVIRONMENTAL HAZARDS

Use this product only as specified on label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

The same precautions should be observed in equipment stored after use. If DRIFT-FIANT concentrate contacts equipment, flush thoroughly with water.

GENERAL INFORMATION

DRIFT-FIANT[™] actes as a deposition agent for use with Herbicides, Desiccants, Foliar nutrients, Insectides, and Fungicides. DRIFT-FIANT[™] induces more spray droplets into the ideal size droplets. Lienhances a more accurate spray pattern by providing a more appropriate overlap. The number of fines and extra large droplets are reduced. Proper judgment and sound application technology must always be followed when spraying pesticides.

0.1%

100.0%

DIRECTIONS FOR USE

USE THIS PRODUCT ONLY AS SPECIFIED ON LABEL.. DRIFT-FIANTTM should be added to the spray mixture after all other spray components have been added to the spray mixture. DRIFT-FIANTTM adjuvant can be used at rates of 1-2 pints per 100 galong of spray mixture in most agricultural uses. Most applications with Aqueous Solution (AS), glyphosate, use rate 1-2 pints/100 galons of spray solution. Dy Flowables (DF) and Wettable Powder (WP) Wettable Powder (WP) work well with 1 pr/100 galons of spray solution. Emulsifiable Concentrate (EC) use rates can be increased to zbrs/100 galons of spray solution. Most crops have shown excellent safety to this product. However, before treating a large area of a horticultural crop test a small area first for crop safety. DONOT EXCEED A RATE OF 1% OF FINAL SPRAY VOLUME WITH THIS PRODUCT. NOT FOR AQUATIC USE.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. STORAGE: Do not store at temperatures above 140°F. DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <u>www.acrecyle.org</u>. Decontaminated containers may also be disposed of in a sanitary landfill.

NET CONTENTS: 1 GALLON (9.46 LITERS) 2.5 GALLONS 2.25 GALLONS (5 GALLONS) 30 GALLONS (113.4 LITERS) // Weight: 8.6 lbs./gailon // Lot #______ Manufactured for: AgraSyst, Inc., 16417 No. Napa Ln., Spokane, WA 99208 – Phone: 509.467.2167



ATTENTION

Extreme care must be used when applying any pesticide to prevent injury to desirable plants and crops. A pesticide product may kill, seriously injure or reduce yields of many desirable forms of vegetation including flowers, fruits, grapes, tomatoes, ornamentals, vegetables, cotton, soybeans, tobacco, beans and other desirable non-target plants. Minute quantities of spray may cause severe plant response. Read and follow Spray Drift Management section of the pesticide label. It is suggested to use a smoke generator or other means at or near the application site for the detection of air movement, air stability, or temperature inversions. An adjuvant or surfactant only may decrease, but not prevent, the likelihood of spray drift.

SPRAY DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (.e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

DROPLET SIZE

When applying sprays that contain a pesticide as the sole active ingredient, or when applying sprays that contain that pesticide mixed with active ingredients that require a Coarse or coarser spray, apply only as a coarse or coarser spray (ASAE standard 572) or a volume mean diameter of 385 microns or greater for spinning atomizer nozzles. When applying sprays that contain a pesticide mixed with other active ingredients that require a Medium or more fine spray, apply only as a Medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

WIND SPEED

Do not apply at wind speeds greater than 10 mph, or the maximum permitted by state law. Only apply the pesticide product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind. If applying a Medium spray, leave one swath unsprayed at the downwind edge of the treated field.

TEMPERATURE INVERSIONS

If applying at wind speeds less than 3 mph (or the minimum permitted by state law), the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

SUSCEPTIBLE PLANTS

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Review the pesticide label for a list of susceptible crops. Small amounts of spray drift that might not be visible may injure susceptible plants.

OTHER STATE AND LOCAL REQUIREMENTS

Applicators must follow all state and local pesticide drift requirements regarding application of all pesticides. Where states have more stringent regulations, they must be observed.

EQUIPMENT

All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

ADDITIONAL REQUIREMENTS FOR AERIAL APPLICATIONS

The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter. Release spray at the lowest height consistent with efficacy and flight safety. Do not release spray at a height greater than 10 feet above the crop canopy unless a greater height is required for aircraft safety. This requirement does not apply to forestry or rights-of-way applications. When applications are made with a crosswind, the swath will be displaced downwind. The applicator must compensate for this by adjusting the path of the aircraft upwind.

ADDITIONAL REQUIREMENTS FOR GROUND BOOM APPLICATION:

Do not apply with a nozzle height greater than 4 feet above the crop canopy.

LIMITATION OF LIABILITY: In the event of a dispute between Buyer and AgraSyst, or a dispute involving any third party, AgraSyst shall not be liable to Buyer or any third party for special, incidental, or consequential damages, or for damages in the nature of penalities or for punitive damages. AgraSyst shall not be liable to Buyer, its licensees, employees, servants, or agents, by way of indemnification or contribution, or to customers of Buyer, if any, or any third party, for any dames, sums of money, loss of profits, claims or demands whatsoever, resulting from or by reason of, or arising out of the use or misuse, or the failure to follow warnings or instructions for use, of the goods sold by AgraSyst to Buyer's or user's exclusive remedy, and AgraSys's total liability to Buyer or user shall be for damages not exceeding the purchase price of the goods with respect to which such claims are made.

WARRANTY DISCLAIMER: The goods sold to you under this Contract are furnished "as is" by AgraSyst. Except as specifically agreed in writing, AgraSyst makes no warranties, guarantees, or representations of any kind to Buyer or user, or to any third party, either express or implied, orally or in writing, or by usage of trade, statutory or otherwise, with regards to the goods sold for any particular trade usage.