

DRYACIDE® 100
Grain Storage Insecticide
FOR COMMERCIAL AGRICULTURAL USE ONLY

Dryacide® 100 consists of the skeletal remains of fresh water diatoms. This product is intended for use as a post-harvest treatment to control insects in stored grains (including wheat, barley, oats, rye, corn, beans, peas, rice, sorghum) peanuts, seeds and feeds.

ACTIVE INGREDIENT:

Silicon Dioxide	88.25%
Other Ingredients	<u>11.75%</u>
Total	100.00%

READ ENTIRE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
<ul style="list-style-type: none"> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-877-424-7452 for further medical information. 	

See [Front] [Side]/[Back] Panel for Precautionary Statements,
Directions for Use and Storage and Disposal

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Use adequate ventilation and avoid breathing dust. For prolonged exposure to dust, use a suitable dust mask approved by NIOSH/MSHA. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Reg. No. 69261-3-1381

EPA Est. No.

Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164-0589

NET CONTENTS

1/0123/9

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GRAIN TREATMENT: Apply one to two pounds per ton of grain (28 to 56 pounds per 1,000 bushels) during storage to prevent insect damage to grain. For best results, treat grains and seed immediately after harvest. DRYACIDE® 100 provides effective control of stored grain insects, including Granary Weevils, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Rusty Grain Beetles, Merchant Grain Beetles, Hide Beetles, Litter Beetles, and Grain and Mold Mites. Direct contact with dust is necessary for control. Use the higher rate for applications to corn. Optimal performance is achieved with low grain moisture. Adjust the moisture content of the grain or seed treated by using aeration to no more than 12% by weight. Thoroughly mix DRYACIDE® 100 with grain. Product may be dispensed into the grain either at the bottom of an elevator leg or as it is being moved into storage by auger or conveyor belt. Seal bin for storage. It is wise to check the status of stored grains regularly.

IMPORTANT: When treating the entire grain mass, treated grain will have a dry appearance; its movement speed may be reduced and the grade and test weight may be lowered. To minimize these effects, a layer treatment is recommended. Milling, baking, nutritive and germination qualities of grain or seed are not affected by this treatment.

LAYER TREATMENT: As an alternative to treating the entire grain mass, apply one to two pounds per ton (28 to 56 pounds per 1,000 bushels), treating only the top 2-3 feet of grain at the time of storage. A mechanical dust applicator is recommended, taking care to achieve even distribution. For best results, combine layer treatment technique with an empty bin treatment prior to storage of grain.

SURFACE TREATMENT: As a top-dressing treatment, apply two to three pounds of DRYACIDE® 100 per 1,000 square feet of grain surface area. For best results, use a surface treatment is recommended in combination with the layer treatment technique described above. Indian Meal Moth populations are suppressed using this technique. Apply to the surface of grain at the rate of one to three pounds per 1,000 square feet at the first sign of moths. Repeat treatment as necessary for control.

PEANUT (IN SHELL) TREATMENT:

Apply two pounds per ton (28 to 56 pounds per 1,000 bushels), treating only the top 2-3 feet of peanuts at the time of storage. A mechanical dust applicator is recommended, taking care to achieve even distribution. For best results, combine layer treatment with an empty bin treatment prior to storage of peanuts.

EMPTY BIN TREATMENT: Empty bins, bulk grain storage areas, peanut warehouses and storage areas, grain handling equipment and transportation vehicles can be protected from stored grain insects by dusting walls, floors, and other surfaces where insects hide or crawl. Apply at the rate of one to three pounds per 1,000 square feet of surface area, using mechanical dust applicator or power equipment suitable for the application of dusts. Distribute dust evenly and apply thoroughly to cracks and crevices and other areas where insects may hide or crawl. Repeat treatment after grain has been removed from storage. DRYACIDE® 100 can also be applied as a slurry treatment to empty bins and bulk grain storage areas. Mix 1.5 lbs. of DRYACIDE® 100 per gallon of water and apply 1.5 gallons of finished spray per 1,000 sq. ft. Apply evenly for thorough coverage to the point of runoff.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE Store in original container in a dry location.

DISPOSAL Non-refillable container. Do not re-use or refill this container. Offer for recycling or reconditioning, or dispose of according to procedures approved by state and local authorities.

IN CASE OF SPILL: Dampen with water and sweep. Waste resulting from the use of this product may be disposed of onsite or at a local sanitary landfill.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Dryacide® is a registered trademark of Winfield Solutions, LLC.