

**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DuPont™ Classic® Herbicide  
Tradename/Synonym : Chlorimuron Ethyl 25DF Herbicide  
Classic 25DF  
Classic 25PX  
B10048070  
DPX-F6025  
CHLORIMURON ETHYL (Ethyl 2-[[[(4-chloro-6-methoxypyrimidin-2-yl)amino]carbonyl]amino]sulfonyl]benzoate)

MSDS Number : 130000023963

Product Use : Herbicide

Manufacturer : DuPont  
1007 Market Street  
Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)  
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)  
Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

**SECTION 2. HAZARDS IDENTIFICATION**

## Emergency Overview

## Caution

May irritate eyes, nose, throat or skin. May be harmful if absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

## Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

## Carcinogenicity


**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

Material	IARC	NTP	OSHA
----------	------	-----	------

Titanium dioxide	2B		
------------------	----	--	--

Quartz	1	X	
--------	---	---	--

Quartz : DuPont has classified this material as a probable human carcinogen.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Chlorimuron ethyl	90982-32-4	25 %
Inert Ingredients		75 %

Present as an impurity in the clay component of this product:

Titanium Dioxide		<1 %
Quartz		<1 %

**SECTION 4. FIRST AID MEASURES**

- Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

- Inhalation : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- Ingestion : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
For medical emergencies involving this product, call toll free 1-800-441-3637.  
See Label for Additional Precautions and Directions for Use.

**SECTION 5. FIRE-FIGHTING MEASURES**

## Flammable Properties

- Autoignition temperature : 330 °C (626 °F)
- Lower explosion limit : 0.212 g/l
- Fire and Explosion Hazard : Under severe dusting conditions, this material may form explosive mixtures in air.
- Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)
- Unsuitable extinguishing media : High volume water jet, (contamination risk)
- Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear suitable protective equipment.  
If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Use water spray. Runoff from fire control may be a pollution hazard. Control Runoff.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Spill Cleanup : Dike spill. Prevent further leakage or spillage. Shovel or sweep up. Dispose of in an approved container. Take special care to avoid contamination of

**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

equipment and facilities during cleanup procedures and disposal of wastes. For minor spills, leaks, etc., follow all precautions indicated on the label and clean up immediately. If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash the outside of gloves before removing. Wash thoroughly and put on clean clothing.
- Handling (Physical Aspects) : Avoid dust formation.
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep out of the reach of children.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Engineering controls : Use only with adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.
- Personal protective equipment  
Skin and body protection : Applicators and other handlers must wear:  
Long sleeved shirt and long pants  
Chemical resistant gloves made of any waterproof material  
Polyvinylchloride  
Shoes plus socks



**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical resistant gloves made of any waterproof material
- Polyvinylchloride
- Shoes plus socks

**Protective measures** : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated.

**Exposure Guidelines**  
**Exposure Limit Values**

**Chlorimuron ethyl**

AEL *	(DUPONT)	10 mg/m3	8 & 12 hr. TWA	Total dust.
AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA	Respirable dust.

**Titanium dioxide**

PEL:	(OSHA)	15 mg/m3	8 hr. TWA	Total dust.
TLV	(ACGIH)	10 mg/m3	TWA	
AEL *	(DUPONT)	10 mg/m3	8 & 12 hr. TWA	Total dust.
AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA	Respirable dust.

**Quartz**

PEL:	(OSHA)	2.4millions of particles per cubic foot of air	TWA	Respirable.
		Remarks		The exposure limit is calculated from the equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.
PEL:	(OSHA)	0.1 mg/m3	TWA	Respirable.
		Remarks		The exposure limit is calculated from the equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.
PEL:	(OSHA)	0.3 mg/m3	TWA	Total dust.
		Remarks		The exposure limit is calculated from the equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.

**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

TLV	(ACGIH)	0.025 mg/m3	TWA	Respirable fraction.
AEL *	(DUPONT)	0.02 mg/m3	8 hr. TWA	Respirable dust.
AEL *	(DUPONT)	0.01 mg/m3	12 hr. TWA	

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form	: solid, granules
Color	: ivory
Odor	: none
Bulk density	: 41 - 45 lb/ft <sup>3</sup> loose
Water solubility	: dispersible

**SECTION 10. STABILITY AND REACTIVITY**

Stability	: Stable at normal temperatures and storage conditions.
Incompatibility	: None reasonably foreseeable.

**SECTION 11. TOXICOLOGICAL INFORMATION**

DuPont™ Classic® Herbicide	
Inhalation 4 h LC50	: > 5.6 mg/l , rat
Dermal LD50	: > 2,000 mg/kg , rabbit
Oral LD50	: > 5,000 mg/kg , rat
Skin irritation	: No skin irritation, rabbit
Eye irritation	: slight irritation, rabbit
Sensitisation	: Did not cause sensitization on laboratory animals., guinea pig

Chlorimuron ethyl



**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Dermal  
rabbit  
No toxicologically significant effects were found.

Oral  
multiple species  
Liver effects, altered blood chemistry, Abnormal decrease in number of red blood cells, Reduced body weight gain

Carcinogenicity : Animal testing did not show any carcinogenic effects.

Mutagenicity : Did not cause genetic damage in animals.

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Titanium Dioxide

Carcinogenicity : Based upon all available study results, DuPont scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Quartz

Repeated dose toxicity : Inhalation  
Fluid retention in lungs (pulmonary oedema), lung effects, Inflammation, Chronic lung disease, Fibrosis

**SECTION 12. ECOLOGICAL INFORMATION**

Aquatic Toxicity

Chlorimuron ethyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l


**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 100 mg/l

72 h EC50 : Algae 1 ppb

48 h EC50 : Daphnia magna (Water flea) > 1,000 mg/l

**Toxicity to other organisms**

Chlorimuron ethyl  
LD50

: Anas platyrhynchos (Mallard duck) 2,510 ppm  
Oral

LC50 : Colinus virginianus (Bobwhite quail) > 5,620 ppm  
Dietary

LC50 : Anas platyrhynchos (Mallard duck) > 5,620 ppm  
Dietary

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal : Container Refilling and Disposal:  
Refer to the product label for instructions.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

**SECTION 14. TRANSPORT INFORMATION**




**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorimuron ethyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorimuron ethyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Chlorimuron ethyl)

Not regulated as a hazardous material by DOT.

**SECTION 15. REGULATORY INFORMATION**

SARA 313 Regulated Chemical(s) : Chlorimuron ethyl

Title III hazard classification : Acute Health Hazard: Yes  
Chronic Health Hazard: No  
Fire: No  
Reactivity/Physical hazard: No  
Pressure: No

EPA Reg. No. : 352-436  
In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous

**DuPont™ Classic® Herbicide**

Version 2.2

Revision Date 11/19/2010

Ref. 130000023963

Substances): Kaolin , Sucrose , 1,2-Benzisothiazol-3(2H)-one 1,1-dioxide

**SECTION 16. OTHER INFORMATION**

	NFPA	HMIS
Health :	1	1
Flammability :	1	1
Reactivity/Physical hazard :	0	0

™ Trademark of E.I. du Pont de Nemours and Company.

® Registered trademark of E.I. du Pont de Nemours and Company

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.