



**DuPont Crop
Protection**

SUPPLEMENTAL LABELING

**DUPONT™ CORAGEN®
INSECT CONTROL WITH ACTIVE INGREDI-
ENT RYNAXYPYR®
FOR FOLIAR INSECT CONTROL
ON THE GREEN ONION SUBGROUP OF THE
BULB VEGETABLE CROP GROUP**

DUPONT™ CORAGEN® INSECT CONTROL

EPA Reg. No. 352-729

This supplemental label expires on 8/15/17 and must not be used or distributed after this date.

FOR FOLIAR INSECT CONTROL ON THE GREEN ONION SUBGROUP OF THE BULB VEGETABLE CROP GROUP

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application. Read the label affixed to the container for CORAGEN® before applying. Use of CORAGEN® according to the labeling is subject to the use precautions and limitations imposed by the label affixed to the container for CORAGEN®. See Federal Section 3 label accompanying product for full resistance management instructions.

APPLICATION

Apply at the specified rates when insect populations reach locally determined economic thresholds. Consult the cooperative extension service, professional consultants or other qualified authorities to determine appropriate threshold levels for treatment in your area. Apply follow-up treatments of CORAGEN®, as specified, to keep pest populations within threshold limits. Refer to the Resistance Management section of the Federal Section 3 label for further guidance on follow-up treatments. See individual crop sections of this label for specific minimum spray intervals.

Use sufficient water to obtain thorough, uniform coverage.

IMPORTANT

Before using CORAGEN®, read and follow all applicable directions, restrictions, and precautions on the EPA-registered label. This supplemental label contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully. Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

© 2014 E. I. du Pont de Nemours and Company, Crop Protection, 1007 N. Market St., Wilmington, Delaware 19898

Crop	Application Method	Target Pest	DUPONT™ CORAGEN® RATE		Last Application (Days to Harvest)	REI (Hours)
			Lb ai per acre	fluid ounces product per acre		
Bulb Vegetables: including	FOLIAR	Beet armyworm Western yellowstriped armyworm	0.045 - 0.065	3.5 - 5.0	1	4
Chive, fresh leaves; Chive, Chinese, fresh leaves; Daylily, bulb; Elegans hosta; Fritillaria, bulb; fritillaria, leaves; Garlic, bulb; Garlic, great-headed, bulb; Garlic, serpent, bulb; Kurrat; Lady's leek; Leek; Leek, wild; Lilly, bulb; Onion, Beltsville bunching; Onion, bulb; Onion, chinese, bulb; Onion, fresh; Onion, green; Onion, macrostem; Onion, pearl; Onion, potato, bulb; Onion, tree, tops; Onion, Welsh, tops; Shallot, bulb; Shallot, fresh leaves; cultivars, varieties, and/or hybrids of these	<p>USE RESTRICTIONS</p> <p>Make no more than 4 applications per acre per crop.</p> <p>Minimum interval between treatments is 7 days.</p> <p>Do not apply more than 15.4 fl oz CORAGEN® or 0.2 lb a.i. of chlorantraniliprole containing products per acre per crop.</p> <p>Do not apply more than 46.2 fl oz CORAGEN® or 0.6 lb a.i. of chlorantraniliprole containing products per acre per year; in NY do not apply more than 15.4 fl oz CORAGEN® or 0.2 lb a.i. of chlorantraniliprole containing products per acre per year.</p>					