

**SPECIAL LOCAL NEED
24(C)LABELING**

**DuPont Crop
Protection**

**DUPONT™ LANNATE® LV
INSECTICIDE
RADISH
STATE OF FLORIDA**

RESTRICTED USE PESTICIDE

DUE TO HIGH ACUTE TOXICITY TO HUMANS

For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.

SUPPLEMENTAL LABELING FOR DISTRIBUTION AND USE ONLY WITHIN FLORIDA

DUPONT™ LANNATE® LV INSECTICIDE

EPA Reg. No. 352 -384

FOR CONTROL OF BEET ARMYWORM ON RADISH IN THE STATE OF FLORIDA

KEEP OUT OF REACH OF CHILDREN

DANGER

PELIGRO



POISON

CONTAINS METHOMYL

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand this label, find someone to explain it to you in detail.)

Active Ingredient By Weight

Methomyl ((S-methyl-N-

[(methylcarbamoyl)oxy]thioacetimidate)) 29%

Inert Ingredients 71%

TOTAL 100%

DIRECTIONS FOR USE

It is a violation of State and Federal law to use this product in a manner inconsistent with its labeling. Persons using this product must comply with all applicable directions, restrictions, and precautions found on this labeling and that of the label of the federally registered product upon which this amendment is based.

IMPORTANT

BEFORE USING LANNATE® LV, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully. This labeling must be in the possession of the user at the time of pesticide application.

LANNATE® LV insecticide is recommended for use on radish to control beet armyworm in Florida.

Do not apply more than 12 pints of product per acre per crop.

Do not apply more than 8 applications per crop.

HOW TO USE

Apply 1 1/2 pts. LANNATE® LV per acre by air or ground in sufficient water (use a minimum of 3 gals. per acre by air) to obtain thorough coverage. Repeat at 5- to 7-day intervals as needed.

Note: Do not apply within 3 days of harvest.

Do not apply this product through any type of irrigation system.

Reentry into treated areas is prohibited for 48 hours unless personal protective clothing and equipment specified on the LANNATE® LV product label for early reentry are worn.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

24(c) Registrant, DuPont Crop Protection, Wilmington, DE

(Replaces H-65219)

For product information call 1-888-6-DUPONT

© 2006 E. I. du Pont de Nemours and Company, Crop Protection Products, Wilmington, Delaware 19898