

**SPECIAL LOCAL NEED
24(C)LABELING**

**DuPont Crop
Protection**

**DUPONT™ LANNATE® SP
INSECTICIDE
NECTARINES/PEACHES
STATE OF VIRGINIA**

RESTRICTED USE PESTICIDE

DUE TO HIGH ACUTE TOXICITY TO HUMANS.

For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Direct supervision for this product requires the certified applicator to review federal and supplemental label instructions with all personnel prior to application, mixing, loading, or repair or cleaning of application equipment.

DUPONT™ LANNATE® SP INSECTICIDE

(EPA Reg. No. 352 - 342)

Supplemental Labeling

For distribution and use only within the State of Virginia

FOR CONTROL OF THRIPS ON NECTARINES AND PEACHES IN THE STATE OF VIRGINIA

KEEP OUT OF REACH OF CHILDREN

DANGER



POISON

PELIGRO

CONTAINS METHOMYL

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT

BEFORE USING DUPONT™ LANNATE® SP, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

DuPont™ LANNATE® SP Insecticide is recommended for control of thrips on nectarines and peaches in Virginia.

The Restricted Entry Interval (REI) is 3 days for nectarines and 4 days for peaches unless personal protective clothing and equipment specified on the LANNATE® SP label for early reentry are worn.

HOW TO USE

Apply 1/2 to 1 lb LANNATE® SP per acre. Apply in sufficient water to give thorough coverage; aerial minimum of 10 gpa.

For product information call 1-888-6-DUPONT

© 2015 E. I. du Pont de Nemours and Company, 974 Centre Rd., Wilmington, Delaware 19801 U.S.A.

SPRAY PREPARATION

Spray equipment must be clean and free of previous pesticide deposits before applying LANNATE® SP. Fill tank 1/4 to 1/2 full of water. Add LANNATE® SP directly to spray tank. To open the outer container lift the flap; do not cut the outer container to open. Invert the outer container so the enclosed water soluble packet falls directly into the spray tank. Do not touch the water soluble packet with your hands. Do not open, rip, tear, cut, or perforate the inner water soluble bag. Mix thoroughly to fully dissolve the insecticide; once dissolved continued agitation is not required.

Use mechanical or hydraulic means; do not use air agitation. Be sure the soluble packet is completely dissolved before adding any other ingredients. Spray mix should not be stored overnight in spray tank.

Do not apply more than 3 lbs LANNATE® SP acre/crop on nectarines; do not apply more than 6 lbs LANNATE® SP acre/crop on peaches. Do not apply more than 3 applications a season on nectarines; do not apply more than 6 applications a season on peaches.

Do not apply within 1 day of harvest for nectarines and within 4 days of harvest for peaches.

Do not apply this product through any type of irrigation system.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

(Replaces R-1132 120110 12-02-10)

Expiration Date: 12/31/20

For product information call 1-888-6-DUPONT

© 2015 E. I. du Pont de Nemours and Company, 974 Centre Rd., Wilmington, Delaware 19801 U.S.A.