



DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
 Revision Date : 02/08/2019

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont™ Steadfast® Herbicide
 Tradename/Synonym : DPX-L1D57 75WG (2:1)
 DPX-747
 NICOSULFURON: (2-[[[(4,6-dimethoxypyrimidin-2-yl)aminocarbonyl]aminosulfonyl]-N,N-dimethyl-3-pyridinecarboxamide)
 RIMSULFURON: N-((4,6-dimethoxypyrimidin-2-yl)aminocarbonyl)-3-(ethylsulfonyl)-2-pyridinesulfonamide

Product Use : Herbicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer/Supplier : DuPont
 974 Centre Road
 Wilmington, DE 19805, USA

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)
 Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
 Transport Emergency : +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Not classified as a hazardous substance or mixture according to the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard 2012.

Other hazards

Information presented in Section 2 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Rimsulfuron	122931-48-0	25 %

**DuPont™ Steadfast® Herbicide**

Version 3.0

Issue Date : 03/18/2019
Revision Date : 02/08/2019

Ref. 130000026946

Nicosulfuron	111991-09-4	50 %
Modified Aromatic Sulfonate Salt		6.16 %
Other Ingredients		18.84 %

Present as an impurity in the clay component of this product:

Titanium dioxide	13463-67-7	0.1 - 0.5 %
------------------	------------	-------------

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-800-441-3637. See Label for Additional Precautions and Directions for Use.
Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.
- Inhalation : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Ingestion : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.

**DuPont™ Steadfast® Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
Revision Date : 02/08/2019

Most important symptoms/effects, acute and delayed : No applicable data available.
Protection of first-aiders : No applicable data available.
Notes to physician : No applicable data available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO₂)
Unsuitable extinguishing media : High volume water jet, (contamination risk)
Specific hazards : No applicable data available.
Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
Further information : (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.
Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid dust formation. Wear suitable protective equipment.
Environmental precautions : Prevent material from entering sewers, waterways, or low areas.
Spill Cleanup : Sweep up and shovel into suitable containers for disposal. Avoid generating dust.
Accidental Release Measures : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**DuPont™ Steadfast® Herbicide**

Version 3.0

Issue Date : 03/18/2019
Revision Date : 02/08/2019

Ref. 130000026946

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition. Avoid dust formation.
- Dust explosion class : No applicable data available.
- Storage : Store in original container. Store in a cool, dry place. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Keep out of the reach of children.
- Storage period : No applicable data available.
- Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Ensure adequate ventilation. Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.
- Personal protective equipment
- Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
Shoes plus socks
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
Coveralls
Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber,


DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019
 Revision Date : 02/08/2019

Ref. 130000026946

neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
 Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

 Exposure Guidelines
 Exposure Limit Values

Rimsulfuron			
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA
AEL *	(DuPont)	2.5 mg/m3	8 & 12 hr. TWA

Titanium dioxide			
PEL (Permissible Exposure Limit)	(OSHA)	15 mg/m3	8 hr. TWA
PEL (Permissible Exposure Limit)	(OSHA)	10 mg/m3	TWA
TLV	(ACGIH)	10 mg/m3	TWA
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA

Modified Aromatic Sulfonate Salt			
No applicable data available.			

Nicosulfuron			
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : solid
 Form : granules
 Color : off-white

Odor : slight

Odor threshold : No applicable data available.

**DuPont™ Steadfast® Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
Revision Date : 02/08/2019

pH : 6

Melting point/freezing point : Melting point/range
141 - 144 °C (286 - 291 °F)

Boiling point/boiling range : No applicable data available.

Flash point : No applicable data available.

Evaporation rate : No applicable data available.

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Specific gravity (Relative density) : 0.63

Bulk density : 560 - 640 kg/m³

Water solubility : dispersible

Solubility(ies) : No applicable data available.

Partition coefficient: n-octanol/water : No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : No applicable data available.

Oxidizing Substance : The product is not oxidizing.


DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
 Revision Date : 02/08/2019

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.
 Chemical stability : Stable at normal temperatures and storage conditions.
 Possibility of hazardous reactions : Polymerization will not occur.
 Conditions to avoid : None reasonably foreseeable.
 Incompatible materials : No materials to be especially mentioned.
 Hazardous decomposition products : No applicable data available.

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont™ Steadfast® Herbicide
 Dermal LD50 : > 5,000 mg/kg , Rat
 Oral LD50 : > 5,000 mg/kg , Rat
 Skin irritation : No skin irritation, Rabbit
 Eye irritation : No eye irritation, Rabbit
 Sensitisation : Animal test did not cause sensitization by skin contact., Local lymph node testMouse
 Further information : Information presented in section 11 conforms to the requirements of the Hazardous Products Regulations (HPR) and WHMIS 2015. See Section 15 for applicable information conforming to the requirements of the Pest Management Regulatory Agency (PMRA).

Rimsulfuron
 Inhalation 4 h LC50 : > 5.4 mg/l , Rat
 Repeated dose toxicity :
 The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
 Oral
 multiple species
 -


DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019

Ref. 130000026946

Revision Date : 02/08/2019

altered blood chemistry, Liver effects, Organ weight changes

Carcinogenicity : Did not show carcinogenic effects in animal experiments.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Did not show mutagenic effects in animal experiments.

Reproductive toxicity : Animal testing did not show any effects on fertility.

Teratogenicity : Evidence suggests the substance is not a developmental toxin in animals.

Nicosulfuron

Inhalation 4 h LC50 : > 5.9 mg/l , Rat

Repeated dose toxicity : Ingestion
multiple species
- 90 d
No toxicologically significant effects were found.Carcinogenicity : Not classifiable as a human carcinogen.
Animal testing did not show any carcinogenic effects.Mutagenicity : Animal testing did not show any mutagenic effects.
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.Reproductive toxicity : No toxicity to reproduction
Animal testing showed no reproductive toxicity.
No effects on or via lactation

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Titanium dioxide

Inhalation 4 h LC50 : > 6.82 mg/l , Rat

Repeated dose toxicity : Oral
Rat
-
NOAEL: 1,000 mg/kg Method: OECD Test Guideline 408
No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.


DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019
 Revision Date : 02/08/2019

Ref. 130000026946

Overall weight of evidence indicates that the substance is not carcinogenic.

Mutagenicity : Animal testing did not show any mutagenic effects.
 Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

Material	IARC	NTP	OSHA
Titanium dioxide	2B		

SECTION 12. ECOLOGICAL INFORMATION
Aquatic Toxicity
Rimsulfuron

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 390 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 390 mg/l

120 h EbC50 : Selenastrum capricornutum (green algae) 1.6 mg/l

48 h EC50 : Daphnia magna (Water flea) > 360 mg/l

90 d : NOEC Oncorhynchus mykiss (rainbow trout) 110 mg/l

21 d : NOEC Daphnia magna (Water flea) 0.82 mg/l

Nicosulfuron

96 h LC50 : Cyprinodon variegatus (sheepshead minnow) > 124 mg/l

7 d EC50 : Lemna gibba (duckweed) 0.0032 mg/l US EPA Test Guideline OPP 122-2 & 123-2


DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
 Revision Date : 02/08/2019

14 d NOEC : Lemna gibba (duckweed) 0.0025 mg/l
 48 h EC50 : Daphnia magna (Water flea) > 1,000 mg/l US EPA Test Guideline OPP 72-2
 90 d : NOEC Oncorhynchus mykiss (rainbow trout) 24 mg/l OECD Test Guideline 210
 21 d : NOEC Daphnia magna (Water flea) 43 mg/l OECD Test Guideline 202

Titanium dioxide

96 h LC50 : Pimephales promelas (fathead minnow) > 1,000 mg/l
 72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 100 mg/l see user defined free text
 72 h NOEC : Algae 5,600 mg/l see user defined free text
 48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Environmental Fate

Rimsulfuron

Biodegradability : According to the results of tests of biodegradability this product is not readily biodegradable.
 Bioaccumulation : Does not bioaccumulate.

Nicosulfuron

Bioaccumulation : Bioaccumulation is unlikely.

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff. Do not apply if a severe storm is expected within 24 hours.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods - Product : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste


DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
 Revision Date : 02/08/2019

disposal facility.

Waste disposal methods - Container : Container Refilling and Disposal:
 Refer to the product label for instructions.
 Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Nicosulfuron, Rimsulfuron)
	Class	: 9
	Packing group	: III
IMDG	Labelling No.	: 9
	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nicosulfuron, Rimsulfuron)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9

Not regulated as a hazardous material by DOT.

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

SECTION 15. REGULATORY INFORMATION

Other regulations : This Safety Data Sheet is for a pesticide product registered by the US Environmental Protection Agency (USEPA) and various state regulatory agencies, and is therefore also subject to certain requirements under US and



DuPont™ Steadfast® Herbicide

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
 Revision Date : 02/08/2019

state pesticide laws, including the Federal Insecticide Fungicide and Rodenticide Act (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is information determined by USEPA, and various states.

CAUTION!

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes and clothing.

SARA 311/312 Hazard classification : No SARA Hazards

SARA 313 Regulated Chemical(s) : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Kaolin, Sucrose, Sodium sulphate

CERCLA Reportable Quantity : Based on the percentage composition of this chemical in the product.:

	Naphthalene
--	-------------

SARA Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

EPA Reg. No. : 352-608
 In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65 : This product can expose you to substances including Naphthalene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Health : NFPA
 1

**DuPont™ Steadfast® Herbicide**

Version 3.0

Issue Date : 03/18/2019 Ref. 130000026946
Revision Date : 02/08/2019

Flammability : 0
Reactivity/Physical hazard : 0

™ Trademark of E.I. du Pont de Nemours and Company.
® Registered trademark of E.I. du Pont de Nemours and Company

Issue Date : 03/18/2019
Revision Date : 02/08/2019

Contact person : DuPont Crop Protection, Wilmington, DE, 19805, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.