

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Duramax<sup>®</sup>

EPA Reg. No. 62719-556

### Use of Hooded Sprayers in Sunflowers (For Distribution and Use Only in the State of South Dakota)

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for this product before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of this product according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the product container.

#### Directions for Use

**Avoid contact of herbicide with foliage, green stems, exposed non-woody roots or fruit of crops, desirable plants and trees, because severe injury or destruction may result.**

Read the Product Information, Herbicide Resistance Management, Spray Drift Management, Mixing Directions, and Application Equipment and Application Methods on the label attached to this product's container.

This product may be used through hooded sprayers for weed control between the rows of sunflowers. Only hooded sprayers that completely enclose the spray pattern may be used. Leave at least an 8 inch untreated strip over the drill row. For example, if the crop row width is 38 inches, the maximum width of the spray hood should be 30 inches. The maximum tractor speed is 5 mph and the maximum wind speed is 10 mph. Use low drift nozzles.

Crop injury may occur when the foliage of treated weeds come into direct contact with leaves of the crop. Do not apply this product when the leaves of the crop are growing in direct contact with target weeds. Droplets, mist, foam or splatter of the herbicide solution that contact the crop will cause discoloration, stunting or destruction.

Contact of this product in any manner to any vegetation to which treatment is not intended may cause damage. Such damage shall be the sole responsibility of the applicator.

For specific rates of application and instructions for control of various annual and perennial weeds, see the Weed Control tables in the label booklet for this product.

#### Precautions and Restrictions:

- **Preharvest Interval:** Do not apply within 14 days of grazing treated areas or harvesting sunflowers for food or feed.
- Do not graze or feed sunflower forage or fodder following application of this product through hooded sprayers.
- Do not apply more than a total of 2.25 quarts per acre per year using hooded sprayer equipment.
- Do not apply more than 24 fl oz of this product per acre per application.
- Sunflowers must be at least 12 inches tall, measured without extending the leaves.

<sup>®</sup><sup>™</sup>Trademark of Dow AgroSciences LLC

R352-019

EPA accepted 11/26/10

Replaces R352-012