



CONSENSUS[®]

SEED TREATMENT

FOR USE ONLY BY COMMERCIAL SEED TREATMENT FACILITIES

A unique seed treatment designed to promote early germination and quicker root development.

ACTIVE INGREDIENTS:

Indole-3-butyric acid: 0.02%

Salicylic Acid: 0.04%

Chitosan: 1.00%

OTHER INGREDIENTS: 98.94%

TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have the person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move the person to fresh air. • If the person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.

EPA REG. NO. 34704-1055

EPA EST. NO. 88031-CA-001

NET CONTENTS 1.0 GAL (3.78 L)

061214 V2D 08G15

CONSENSUS®
EPA REG. NO. 34704-1055

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE):
Applicators and other handlers must wear:

- Long sleeved shirt and long pants,
- Shoes plus socks, and
- Waterproof gloves. Particulate dust mask when mixing.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. **[Additional statements for containers greater than 5 gallons:** Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.] Treated seed exposed on soil surface may be hazardous to wildlife. Cover or collect seeds spilled during loading.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

Exception: After treated seeds are planted, the Worker Protection Standard, under certain circumstances, allows workers to enter the planted areas if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over long-sleeved shirt and long pants,
- Shoes plus socks,
- Waterproof gloves, and
- Protective eyewear.

Not for food use.

Do not use treated seed for food, oil or feed purposes.

Store treated seed away from food and feedstuffs.

Do not allow children, pets or livestock to have access to treated seeds.

Cover or collect treated seeds spilled during loading and planting (such as in row ends).

Dispose all excess treated seed by burying seed away from bodies of water.

Dispose of seed packaging or containers in accordance with local requirements.

GENERAL INFORMATION

Growth Enhancement

Use Consensus® to increase plant health and vigor, to increase root mass, and to enhance crop quality and production.

USE RESTRICTIONS

Not for use on agricultural establishments in hopper-box, planter-box, slurry-box or other seed treatment applications at or immediately before planting.

Coloring

All seed treated commercially with this product must be colored with an EPA-approved dye or colorant of a suitable color to prevent accidental use as food for man or feed for animals.

Mixing with Other Seed Treatment Products

Read and follow the entire label of each product to be used in combination with this product.

Use Promptly

Use product within 8 hours of mixing with water. Reseal unopened containers to minimize exposure to air and moisture.

APPLICATION INSTRUCTIONS

Consensus may be applied as a seed treatment by commercial seed treatment facilities. Mix thoroughly and treat seed. Use application rates as specified on crops listed below. Consensus may be mixed with certain other commercial seed treatments. Use of the resulting mix must be in accordance with the more restrictive label limitations and precautions. Allow treated seeds to dry as appropriate before further handling.

CONSENSUS®
EPA REG. NO. 34704-1055

Slurry Treatment

Consensus may be applied as a water-based slurry through standard slurry or mist-type commercial seed treatment equipment. Add an EPA-approved dye (40 CFR Section 180.910-920) or colorant that imparts unnatural color to resulting slurry. Mix the slurry thoroughly with the seeds to provide uniform coverage.

Consensus must be applied with a total slurry of at least 6.0 fluid ounces per 100 pounds of seeds. Note that this slurry volume may be composed of water or other EPA approved insecticides, fungicides, or other seed treatments. Always apply enough solution to ensure adequate seed coverage.

Seeds	Amount of Consensus solution in fl oz per 100 lbs weight
Soybeans	0.33 to 1.00 fl oz

NOTE:

1. The slurry rate can be adjusted to ensure thorough coverage.
2. Consensus is compatible with other agrochemicals. However, pre-testing evaluation is required.
3. Store in cool, dry and dark conditions.
4. The Federal Seed Act requires that bags containing seed treatment with this product shall be labeled with the following information:
"This seed has been treated with Salicylic acid, Chitosan and Indole-3-butyric acid. Do not use for food, feed or oil purposes."

SPECIMEN

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry location, out of direct sunlight, and away from exposure to air and moisture. Do not store in temperatures over 110 °F for more than seven days.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

For refillable containers: Refill this container with Consensus only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For final disposal, offer for recycling or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC – 1-800-424-9300.

CONSENSUS®
EPA REG. NO. 34704-1055

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS," AND LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, P.O. BOX 1286, GREELEY, CO 80632-1286.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Consensus is a registered trademark of Loveland Products, Inc.

FORMULATED FOR
LOVELAND PRODUCTS, INC.
P.O. BOX 1286, GREELEY, COLORADO 80631-1286

Dyna-Start® Soybean Inoculant + Dyna-Start® Extender Liquid

Directions for Use

Application rates	mL / 45.4 kg seed	Fl oz / 100 lbs seed	Fl oz/ 140, 000 seeds
Dyna-Start Soybean Inoculant	34	1.16	0.58
Extender	10	0.34	0.17
Total	44	1.5	0.75

How to apply

- Ensure that treater has been properly calibrated.
- Pour Dyna-Start® Soybean Inoculant liquid into inoculant tank.
- Add Dyna-Start Extender liquid into inoculant tank.
- Start agitation and agitate lightly if not used within 15 minutes.
- Apply at recommended rate
- Prepare only as much material as will be used that day

Minimum Guarantee

ACTIVE: 1×10^{10} cfu/ml Bradyrhizobium japonicum viable cells per gram

INERT: Aqueous carrier

- Store between 0 – 25°C (32 – 77°F)
- Keep out of direct sunlight

Special recommendations for new ground or adverse conditions

• Land being planted to soybeans for the first time, land coming out of CRP, land not having soybeans planted in the rotation for the past 4 years, and planting in adverse conditions requires special attention. Use Dyna-Start Soybean Inoculant on seed followed by an in-furrow application of another liquid inoculant. Adding in-furrow rhizobia will enhance nodulation on the lateral roots.

Time in tank

- 24 hours when alone in a dedicated mix tank
- 4 hours when combined in the mix tank with fungicide and/or insecticide seed treatments

On-seed stability and seed treatment recommendations

- If used with seed treatments, apply recommended rate to Dyna-Start Soybean Inoculant mixture and agitate.
- We do not recommend the use of additional water, polymers, or dyes beyond what is required with the seed treatment.
- If using additional water with Dyna-Start Soybean Inoculant, use chlorine-free water.
- If using additional water with fungicide and insecticides, use chlorine-free water.
- For a list of compatible seed treatments, contact Loveland Products, Inc. at 1-888-574-2878 or visit: www.lovelandproducts.com.

Special recommendations for molybdenum seed treatments

- 12-hours time on-seed compatibility prior to planting when used with products such as ApronMaxx® + Moly or any molybdenum containing seed treatments, because the concentration of molybdenum in these seed treatments is toxic to *Bradyrhizobium japonicum*.

- For up-to-date information, refer to: www.lovelandproducts.com

Product stability

- Unopened package: 2 years
- Opened unused package: 24 hours

WARNING



Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. See Safety Data Sheet for additional information. In addition, follow precautionary statements on labels of the accompanying pesticide(s).

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL 1-866-944-8565.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Personal protective equipment (PPE) and safety recommendations

The active ingredient in Dyna-Start® Soybean Inoculant is Bradyrhizobium japonicum viable cells. If use of this product by individuals allergic to molds and/or fungi is unavoidable, absorption by eye or skin contact, inhalation, or ingestion must be prevented to minimize the chance of an allergic reaction. Wear standard protective clothing and equipment including gloves, safety glasses and a NIOSH-approved respirator. In case of contact with skin or eyes, immediately flush exposed areas with plenty of water. Get medical attention if irritation occurs.

STORAGE/PRECAUTIONS

Inoculants are live organisms. Store in cool, dry place, and out of direct sunlight. Do not allow product to freeze. For more uniform temperature control, store at floor level. Use before expiration date and only on soybeans. Shake well before use. Open package only when ready for use. Once opened, use within 24 hours. Do not mix with unapproved products. For a list of compatible products, contact Loveland Products, at 1-888-574-2878 or visit: www.lovelandproducts.com

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC: 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS

PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the

Directions for Use, when the product is used in accordance with such Directions for Use under

normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Dyna-Start is a registered trademark of Loveland Products, Inc.

ApronMaxx is a registered trademark of Syngenta.

Manufactured by:

Loveland Products, Inc.

P. O. Box 1286 • Greeley, CO 80632-1286

H0115