ECOBLITZ

INSECTICIDE, MITICIDE, FUNGICIDE & NEMATICIDE

Active Ingredients:	Chitosan	75.0%
	Garlic Oil	10.0%
Inert Ingredients:	Glycerin, Polyglyceryl Oleate	15.0%
Total Ingredients:		00.0%

The product has not been registered by the U.S. Environmental Protection Agency. EcoStadt Technologies LLC represents that it is exempt from registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA 25b) as a minimum risk pesticide.

Not for Aquatic Use

Approved in Florida for use on low-THC cannabis or medical marijuana

SHAKE WELL BEFORE USE

CAUTION

KEEP OUT OF REACH OF CHILDREN



1024 Iron Point Road, Suite 100-1318, Folsom, CA 95630, Phone: (916) 357-6607

NET CONTENT 8 OZ, 32 OZ, 1 Gallon, 2.5 Gallon

ECOBLITZ™

INSECTICIDE, MITICIDE, FUNGICIDE & NEMATICIDE

ACTIVE INGREDIENTS	: Chitosan	. 75.0%
	Garlic Oil	10.0%
INERT INGREDIENTS:	Glycerin, Polyglyceryl Oleate	15.0%
TOTAL INGREDIENTS:		100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

The product has not been registered by the U.S. Environmental Protection Agency. EcoStadt Technologies LLC represents that it is exempt from registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA 25b) as a minimum risk pesticide.

Not for Aquatic Use Approved in Florida for use on low-THC cannabis or medical marijuana

SHAKE WELL BEFORE USE

PRECAUTIONARY STATEMENTS

Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Wear safety glasses or goggles and chemical-resistant gloves when mixing or handling product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ECOBLITZ™: PRODUCT INFORMATION

EcoBlitzTM is an insecticide, miticide, fungicide & nematicide for a broad range of crops. EcoBlitzTM provides contact and fumigation effects on insect pests, mites, nematodes & fungal pathogens. The product also acts as a repellent for all insect pests on crops. The product can be used as a preventive and post infective conditions, but best results are achieved when used as preventive and early in all crops. Read Labels carefully prior to application. The product is allowed for use in all food & non-food crops.

ECOBLITZ™: USE SEGMENTS

All Agricultural crops, including Fruits, Vegetables, Row crops, Hemp, Turf Grass, Ornamentals, Landscapes, Nurseries, Soil-less Crops, Greenhouses, Shadehouses, Trees and Shrubs.

ECOBLITZ™: PREHARVEST INTERVAL & REENTRY RESTRICTIONINTERVALS

EcoBlitz[™] may be applied at any time up to and including the day of harvest. 4 hour reentry restriction interval applies.

ECOBLITZ™: TARGET PESTS

EcoBlitz™ is effective against and suppresses foliar pests such as caterpillars, thrips, aphids, whiteflies, scales, mealy bugs, leafhoppers, beetles and flies (maggot stages).

EcoBlitz™ is effective against plant parasitic nematodes such as root lesion nematodes, root-knot nematodes, cyst nematodes, pin nematodes, ring nematodes and stubby root nematodes.

EcoBlitz™ is effective against fusarium rot, rhizoctonia rot, sclerotium rots, powdery mildew, rust, scab, black root rot, gray mold, anthracnose, leaf rust, stem rust, sheath blight & blast disease.

ECOBLITZ™ SOIL APPLICATION RATES: FOR OUTDOOR CROPS, TURF, LANDSCAPES, ORNAMENTALS, NURSERIES, HEMP, SOIL-LESS CROPS, GREENHOUSES, SHADE CLOTHS, TREES & SHRUBS

The product can be used at following application rates in soil applications for the control of soil borne insects, fungal pathogens & nematodes.

Low infestation : 1-2 Quarts /Acre diluted in 20-200 gallons water Medium infestation : 2-3 Quarts /Acre diluted in 20-200 gallons water High infestation : 3-4 Quarts /Acre diluted in 20-200 gallons water

Repeat applications every 7-14 days. In case of severe infestation reduce application intervals to 3-5 days.

ECOBLITZ™: FOLIAR APPLICATION RATES: FOR OUTDOOR CROPS, TURF, LANDSCAPES, ORNAMENTALS, NURSERIES, HEMP, SOIL-LESS CROPS, GREENHOUSES, SHADE CLOTHS, TREES & SHRUBS

The product can be used at following foliar application rates depending on infestation for the control of insect pests, mites & fungal pathogens.

Low infestation : 1-2 Quarts /20-75 Gallons water Medium infestation : 2-3 Quarts /20-100 Gallons water High infestation : 3-4 Quarts /20-125 Gallons water

- Use 1-4 Pints/acre in tank combination with other products at labelled rates.
- Repeat applications every 7-14 days. In case of severe infestation reduce application intervals to 3-5 days.
- Use lower rates when used in preventive and early applications and higher rates as curative application. When used with other products, use half the recommended rates shown above. Adjust water volume depending on crops.

GENERAL SOIL DRENCH APPLICATION

The product can be soil applied as a soil drench (or) infurrow application using simple irrigation systems and methods in addition to regular chemigation applications.

GENERAL CHEMIGATION REQUIREMENTS

This product may be applied only through drip (trickle) or sprinkler (center pivot, lateral move, end tow, side roll, traveler, big gun, solid set, or hand move), flood (basin) irrigation systems. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non – uniform distribution of treated water.

02 ECOBLITZ™

If you have questions about calibration, you should contact State Extension Service Specialists, equipment manufacturers or other experts. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place. A person knowledgeable of the chemigation system and responsible for its operation or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

SPRINKLER CHEMIGATION REQUIREMENTS

The system must contain a functional check valve, vacuum relief valve and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backward flow. The pesticide injection pipeline must contain a functional, automatic, quick closing valve to prevent flow of fluid backward toward the injection pump. The pesticide injection pipeline must also contain a functional, normally close solenoid operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is automatically or manually shut down. The system must contain functional inter-locking controls to automatically shut off the pesticide injection pump when the pump stops. The irrigation line or water pump must include a functional pressure to the point where pesticide distribution is adversely affected. Systems must use a metering pump such as s positive displacement injection pump (diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. Do not apply when wind speed favors drift beyond the area intended for treatment. Apply this product continuously for the duration of the water application.

A dilution and supply tank should be used with good agitation. When used with supply tank, EcoBlitz™ should be diluted at the rate of 1-4 Quarts/Acre with 20-200 gallons water. Irrigate field first with water and then deliver the product mixture subsequently. When used with other products, please refer tank mixing precautions.

Avoid run off in the field when using the product.

DRIP (TRICKLE) CHEMIGATION REQUIREMENTS

The system must contain a functional interlocking check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow. The pesticide injection pipeline must contain a functional, automatic, quick closing check valve to prevent the flow of the fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side to the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump, (e.g. diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

03

A dilution and supply tank should be used with good agitation. EcoBlitz™ should be diluted at the rate of 1-4 Quarts/Acre with 20-200 gallon water. Irrigate field first with water and then deliver the product mixture subsequently. When used with other products, please refer tank mixing precautions.

Avoid run off in the field when using the product.

ECOBLITZ™: FOLIAR APPLICATION RATES: FOR HOME & GARDENS, SOIL-LESS CROPS AND GREENHOUSE RECIRCULATORYSYSTEMS

The product can be used at following application rates for foliar application in soil-less plants.

Low infestation : 1-2 TSP (or) 5-10 ml/ Gallon water Medium infestation : 2-4 TSP (or) 10-20 ml/ Gallon water High infestation : 4-6 TSP (or) 20-30 ml/ Gallon water

Repeat applications every 7-14 days. In case of severe infestation reduce application intervals to 3-5 days.

ECOBLITZ™: SOIL DRENCH & RECIRCULATORY APPLICATION RATES FOR HOME & GARDENS, SOIL-LESS CROPS & GREENHOUSE RECIRCULATORY SYSTEMS

The product can be used at following application rates for soil drench and recirculatory application.

Low infestation :1TSP (or) 5 ml/ Gallon water Medium infestation:2TSP (or) 10 ml/ Gallon water High infestation :4TSP (or) 20 ml/ Gallon water

Repeat applications every 7-14 days. In case of severe infestation reduce application intervals to 3-5 days.

Use always lower rates when used in preventive and early applications and higher rates at higher pest pressure. When using with other products, use half the recommended rates shown above. Use higher rates when used in mature plants and plants with greater canopy.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in original container in a cool, dry area away from children and pets. CONTAINER DISPOSAL: Do not reuse empty container. If empty: Offer for recycling if available or discard in a sanitary landfill. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY

Manufacturer (or) seller makes no warranty, whether expressed (or) implied, concerning the use of this product other than the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury (or) damage caused by this product due to misuse, mishandling (or) any application not specifically described in this label.

NET CONTENTS

8 Oz, 16 Oz, 32 Oz, 1 Gallon and 2.5 Gallon

MANUFACTURED BY:

ECOSTADT TECHNOLOGIES LLC 1024 Iron Point Road, Suite 100-1318 Folsom, CA 95630 Phone: 916-357-6607

Phone: 916-357-6607 Website: www.ecostadt.com

ECOBLITZ™