

Product Bulletin

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Embed[®] Extra

EPA Reg. No. 62719-726

2(ee) Recommendation[†]

For Distribution and Use Only in the State of Georgia

Pre-Transplant Applications to Plastic Mulch Covered Beds and Row Middles in Broccoli, Collards, Squash and Watermelon

ATTENTION

† This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions, and limitations on the product label attached to the container for this product.

Directions for Use

Apply up to 1.5 pt/A (0.713 lb ai/A) of Embed Extra to pre-formed beds covered with plastic mulch at least 30 days prior to transplanting and up to 2 pt/A (0.95 lb ai/A) when applied at least 45 days prior to transplanting. Following application insure at least 0.5 inch of rainfall or overhead irrigation occurs in a single event at least one week prior to transplanting.

Precaution

- Embed Extra used for weed control prior to planting will likely damage the crop if it comes in contact with herbicide remaining on the mulch or if the herbicide washes into the transplant hole after transplanting.

Restrictions

- Applications can only be made from October 1 through February 15.
- Applications must only be made to beds that allow for irrigation or rainfall to wash the herbicide from the mulch and into the row middle.
- Do not punch new transplant holes until after herbicide application and washing of the mulch occurs. Punch holes at or as close to transplanting date as possible.
- Do not apply if sensitive crops are emerged in adjacent fields in any direction. Contact your local extension agent or Corteva representative to determine sensitivity of neighboring crops.
- Do not exceed 2 pt (0.95 lb ai/A) per acre per year.
- Do not put Embed Extra in any sprayer used to treat any vegetable or fruit crop.
- Do not plant into or within 4 inches of holes in the mulch that existed at the time of application or at the time the herbicide was first washed from the mulch as residual activity from the herbicide could damage the crop.

®™ Trademarks of Corteva Agriscience and its affiliated companies

R436-002

Issued: 10/27/23

Initial Printing