RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators.

For Distribution and Use Only in the State of Georgia

Dicamba	Group	4	Herbicide

FIFRA Sec. 24(c) Special Local Need Label

Engenia®
Herbicide

Additional Training Requirements and Application Methods for Use on Dicamba-tolerant Cotton and Dicamba-tolerant Soybeans

This special local need label expires on December 20, 2020, and must not be used or distributed after this date.

EPA Reg. No. 7969-345
CAUTION/PRECAUTION

EPA SLN No. GA-190003

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Refer to the Engenia® herbicide container label, EPA Reg. No. 7969-345, for complete Directions For Use and all applicable restrictions and precautions. This label and the Engenia container label must be in the possession of the user at the time of pesticide application.

Restrictions and Limitations

In order to apply **Engenia** to dicamba-tolerant cotton and dicamba-tolerant soybeans in Georgia, the following restrictions apply.

Using Pesticides Wisely Training
In Georgia, dicamba or auxin-specific training is only required once every two years after the initial training. The training must be Georgia's "Using Pesticides Wisely" training that is approved by the Georgia Department of Agriculture. For more information on this training, contact the Georgia Department of Agriculture at 404-656-4958 or your local County Cooperative Extension Service office.

Additional Application Methods

Hooded Row-Middle Spray Applications
Applications may be made with any standard spray tip for hoods as long as the system generates droplets that are coarse or larger in size (> 341 microns vmd). Contact University of Georgia Extension or your local BASF representative for questions.

Application requirements

1. Hoods must remain in contact with the soil while the herbicide application is being made.
2. A maximum of 6 mph is required to ensure hoods remain in contact with the soil.
3. Cotton or soybeans must be at least 15 inches tall at time of application.

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

BASF
We create chemistry

Application Timing
DT Cotton: In-crop applications may be made from emergence up to 7 days pre-harvest.

DT Soybean: In-crop applications may be made from emergence (cracking) up to and including beginning bloom (R1 growth stage of soybeans). **DO NOT** make in-crop applications after beginning bloom (R1 growth stage of soybeans).

Directed Layby Applications

Applications may be made with any standard spray tip as long as the system generates droplets that are coarse or larger in size (> 341 microns vmd). Contact University of Georgia Extension or your local BASF representative for questions.

Application requirements

1. Release point for the herbicide must not be more than 10 inches from the soil and the cotton or soybean must be at least 20 inches in height. Spray tip must be angled downward to the soil making sure no spray droplets remain in the air.
2. A maximum of 6 mph is required to ensure herbicide does not lift above the release point.

Application Timing
DT Cotton: In-crop applications may be made from emergence (cracking) up to 7 days pre-harvest.

DT Soybean: In-crop applications may be made from emergence (cracking) up to and including beginning bloom (R1 growth stage of soybeans). **DO NOT** make in-crop applications after beginning bloom (R1 growth stage of soybeans).

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. 1108

Engenia *is a registered trademark of BASF.*

© 2020 BASF Corporation
All rights reserved.

007969-00345.20200227.**NVA 2018-04-385-0154**
Supersedes: NVA 2017-04-385-0248

24(c) registrant:
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

BASF
We create chemistry