

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Entrust<sup>®</sup>

EPA Reg. No. 62719-282

EPA 24(c) Special Local Need Registration SLN CA-110004  
For Distribution and Use Only Within the State of California

### Control of Spotted Wing Drosophila in Cherry

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Entrust<sup>®</sup> Naturalyte<sup>®</sup> insect control before applying. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.
- Use of Entrust according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Entrust.

#### Directions for Use

Refer to product label for Entrust for General Use Precautions, Mixing Directions, and Application Directions. Follow all use precautions and restrictions specified on the label.

**Application Timing:** Treat when pests appear, targeting eggs at hatch or small larvae. Consult your Dow AgroSciences representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

**Application Rate:** Apply 1.25 to 2 oz of Entrust per acre as a foliar spray to control spotted wing drosophila. Use a higher rate in the rate range for larger larvae or moderate to severe pest infestations. Heavy infestations may require repeat applications but follow resistance management guidelines.

**Resistance Management:** Rotate to a different class of insect control products after two applications of Entrust. Do not make more than three applications per acre per year of Group 5 insecticides (spinetoram and spinosad).

#### Specific Use Restrictions:

- **Pre-Harvest Interval:** Do not apply within 3 days of harvest.
- **Treatment Schedule:** If three applications are made, one may be made up to 30 days PHI, another up to 10 days PHI, and the final application at 3 days PHI. If two applications are made, the time interval between applications is restricted to at least 7 days.
- Do not apply more than 2 oz of Entrust (0.1 lb ai) per acre per application.
- Do not apply more than a total of 6 oz of Entrust (0.3 lb ai) per acre per year.
- Do not make more than three foliar applications per acre per year of Group 5 insecticides (spinetoram and spinosad). This restriction supersedes the number of applications on the label affixed to the container of Entrust.
- Follow all other use restrictions and precautions on the Entrust package label.

<sup>®</sup>Trademark of Dow AgroSciences LLC

R184-051

Accepted: 05/13/11

Replaces R184-045.