

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : EQUITY VAYO
Design code. : A23656A
Product Registration number : 100-1726-34704

Manufacturer or supplier's details

Company name of supplier : LOVELAND PRODUCTS, INC.
Address : P.O. Box 1286
Greeley, CO 80632-1286
United States of America (USA)

Telephone : 1-888-574-2878 (Customer Service)

E-mail address : retail-SDS2@nutrien.com

Emergency telephone : CHEMTREC: 1-800-424-9300 (24 hrs)
Medical Emergencies: 1-866-944-8565 (24 hrs)

Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment
Fungicide
Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
thiamethoxam	153719-23-4	17.0396
propane-1,2-diol	57-55-6	>= 5 - < 10
metalaxyl-M	70630-17-0	2.56
propane-1,2,3-triol	56-81-5	>= 1 - < 5
thiabendazole	148-79-8	1.7028
fludioxonil	131341-86-1	0.8515

SAFETY DATA SHEET

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

sedaxane	874967-67-6	0.8514
picarbutrazox	500207-04-5	0.3388
ethanamine, N,N-diethyl-	121-44-8	0 - < 0.1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thiamethoxam	153719-23-4	TWA	5 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
metalaxyl-M	70630-17-0	TWA	5 mg/m ³	Syngenta
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0
thiabendazole	148-79-8	TWA	5 mg/m ³	Syngenta
fludioxonil	131341-86-1	TWA	5 mg/m ³	Syngenta
		TWA (Inhal-)	1 mg/m ³	ACGIH

EQUITY VAYO

Version
1.0Revision Date:
10/11/2022SDS Number:
S00060116440

This version replaces all previous versions.

		able particulate matter)		
sedaxane	874967-67-6	TWA	5 mg/m ³	Syngenta
ethanamine, N,N-diethyl-	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m ³	OSHA Z-1
		STEL	15 ppm 60 mg/m ³	OSHA P0
		TWA	10 ppm 40 mg/m ³	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

SAFETY DATA SHEET

EQUITY VAYO

Version
1.0

Revision Date:
10/11/2022

SDS Number:
S00060116440

This version replaces all previous versions.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : red

Odor : aromatic

Odor Threshold : No data available

pH : 6.2
Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Seta closed cup, Equilibrium method
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.132 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 819 °F / 437 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 483 mPa.s (68 °F / 20 °C)

SAFETY DATA SHEET

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: Expert judgment

Components:

thiamethoxam:

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l
Exposure time: 4 h

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

metalaxyl-M:

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

thiabendazole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

fludioxonil:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

sedaxane:

Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.244 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

picarbutrazox:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.20 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

ethanamine, N,N-diethyl-:

Acute oral toxicity : LD50 (Rat): 730 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7.22 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): 580 mg/kg

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**thiamethoxam:**

Species : Rabbit
Result : No skin irritation

metalaxyl-M:

Species : Rabbit
Result : No skin irritation

thiabendazole:

Species : Rabbit
Result : No skin irritation

fludioxonil:

Species : Rabbit
Result : No skin irritation

EQUITY VAYO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	10/11/2022	S00060116440	

sedaxane:

Species	:	Rabbit
Result	:	No skin irritation

picarbutrazox:

Species	:	Rabbit
Result	:	No skin irritation

ethanamine, N,N-diethyl-:

Species	:	Rabbit
Result	:	Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation**Product:**

Species	:	Rabbit
Result	:	No eye irritation

Components:**thiamethoxam:**

Species	:	Rabbit
Result	:	No eye irritation

metalaxyl-M:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

thiabendazole:

Species	:	Rabbit
Result	:	No eye irritation

fludioxonil:

Species	:	Rabbit
Result	:	No eye irritation

sedaxane:

Species	:	Rabbit
Result	:	No eye irritation

picarbutrazox:

Species	:	Rabbit
Result	:	No eye irritation

ethanamine, N,N-diethyl-:

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

EQUITY VAYO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	10/11/2022	S00060116440	

Respiratory or skin sensitization**Product:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Did not cause sensitization on laboratory animals.

Components:**thiamethoxam:**

Species	:	Guinea pig
Result	:	Did not cause sensitization on laboratory animals.

metalaxyl-M:

Species	:	Guinea pig
Result	:	Did not cause sensitization on laboratory animals.

thiabendazole:

Species	:	Guinea pig
Result	:	Did not cause sensitization on laboratory animals.

fludioxonil:

Species	:	Guinea pig
Result	:	Did not cause sensitization on laboratory animals.

sedaxane:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Not a skin sensitizer.

picarbutrazox:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Germ cell mutagenicity**Components:****thiamethoxam:**

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

metalaxyl-M:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

thiabendazole:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

EQUITY VAYO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	10/11/2022	S00060116440	

fludioxonil:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

sedaxane:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

picarbutrazox:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

ethanamine, N,N-diethyl-:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity**Components:****thiamethoxam:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

metalaxyl-M:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

thiabendazole:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

fludioxonil:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

sedaxane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen. At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

picarbutrazox:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

EQUITY VAYO

Version
1.0Revision Date:
10/11/2022SDS Number:
S00060116440

This version replaces all previous versions.

Reproductive toxicity**Components:****thiamethoxam:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

metalaxyl-M:

Reproductive toxicity - Assessment : No toxicity to reproduction

thiabendazole:

Reproductive toxicity - Assessment : No toxicity to reproduction

fludioxonil:

Reproductive toxicity - Assessment : No toxicity to reproduction

sedaxane:

Reproductive toxicity - Assessment : No toxicity to reproduction

picarbutrazox:

Reproductive toxicity - Assessment : No toxicity to reproduction

ethanamine, N,N-diethyl-:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure**Components:****thiamethoxam:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

ethanamine, N,N-diethyl-:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure**Components:****thiamethoxam:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

metalaxyl-M:

Assessment : The substance or mixture is not classified as specific target

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

organ toxicant, single exposure.

fludioxonil:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

sedaxane:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****thiabendazole:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****thiamethoxam:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l
Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 81.8 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 81.8 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 28 d
Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l
Exposure time: 88 d
Test Type: Early-life Stage

SAFETY DATA SHEET

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 100 mg/l
Exposure time: 21 d
- NOEC (*Chironomus riparius* (Midge larvae)): 0.01 mg/l
Exposure time: 30 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- metalaxyl-M:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
- LC50 (*Cyprinus carpio* (Carp)): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 271 mg/l
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 19.7 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 50 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 25 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- thiabendazole:**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.55 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (*Americamysis*): 0.34 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 14.7 mg/l
Exposure time: 96 h
- NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 0.53 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.012 mg/l

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

icity)	Exposure time: 69 d
	NOEC (Pimephales promelas (fathead minnow)): 0.11 mg/l Exposure time: 33 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.041 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h
fludioxonil:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l Exposure time: 96 h
	LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.4 mg/l Exposure time: 48 h
	EC50 (Americamysis): 0.27 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l Exposure time: 96 h
	EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l End point: Growth rate Exposure time: 96 h
	ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l Exposure time: 96 h
	NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l End point: Growth rate Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l Exposure time: 28 d
	EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l Exposure time: 116 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 21 d
	NOEC (Americamysis): 0.018 mg/l Exposure time: 28 d
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

sedaxane:

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 0.62 mg/l
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.98 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.10 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Lemna gibba (gibbous duckweed)): 6.5 mg/l
Exposure time: 7 d
- NOEC (Lemna gibba (gibbous duckweed)): 2.398 mg/l
End point: Growth rate
Exposure time: 7 d
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.165 mg/l
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.711 mg/l
Exposure time: 21 d

picarbutrazox:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.29 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.28 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (green algae): > 0.25 mg/l
Exposure time: 72 h
- NOEC (green algae): 0.11 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.14 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 28 d

ethanamine, N,N-diethyl-:

EQUITY VAYO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	10/11/2022	S00060116440	

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8 mg/l Exposure time: 72 h

Persistence and degradability**Components:****thiamethoxam:**

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 11 d Remarks: Product is not persistent.

metalaxyl-M:

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 22.4 - 47.5 d Remarks: Product is not persistent.

thiabendazole:

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: > 1 y Remarks: Persistent in water.

fludioxonil:

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 450 - 700 d Remarks: Persistent in water.

sedaxane:

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: > 1 y Remarks: Persistent in water.

ethanamine, N,N-diethyl-:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

Bioaccumulative potential**Components:****thiamethoxam:**

Bioaccumulation	:	Remarks: Low bioaccumulation potential.
-----------------	---	---

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

Partition coefficient: n-octanol/water : log Pow: -0.13 (77 °F / 25 °C)

metalaxyl-M:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

thiabendazole:

Bioaccumulation : Remarks: Does not bioaccumulate.

fludioxonil:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (77 °F / 25 °C)

sedaxane:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.3 (77 °F / 25 °C)

picarbutrazox:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil**Components:****thiamethoxam:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 51 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

metalaxyl-M:

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

thiabendazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 33 d - 2 y
Percentage dissipation: 50 % (DT50)
Remarks: Persistent in soil.

fludioxonil:

Distribution among environmental compartments : Remarks: immobile

EQUITY VAYO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	10/11/2022	S00060116440	

Stability in soil : Dissipation time: 14 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

sedaxane:

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

Stability in soil : Dissipation time: 83 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects**Components:****thiamethoxam:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

metalaxyl-M:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

thiabendazole:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

fludioxonil:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

sedaxane:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

ethanamine, N,N-diethyl-:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.

SAFETY DATA SHEET

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(THIAMETHOXAM AND THIABENDAZOLE)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(THIAMETHOXAM AND THIABENDAZOLE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(THIAMETHOXAM AND THIABENDAZOLE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

SAFETY DATA SHEET

EQUITY VAYO

Version 1.0 Revision Date: 10/11/2022 SDS Number: S00060116440 This version replaces all previous versions.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

thiabendazole 148-79-8 $\geq 1 - < 5 \%$

The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION


Further information

EQUITY VAYO

Version
1.0Revision Date:
10/11/2022SDS Number:
S00060116440

This version replaces all previous versions.

NFPA 704:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

SAFETY DATA SHEET

EQUITY VAYO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	10/11/2022	S00060116440	

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/11/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8