



Where science serves nature

Valagro Usa Inc.
19530 State Hwy 249, Ste 249 - Houston, TX 77070 - USA
Tel: [+1] 281 664 8700 - Fax: [+1] 281 664 8701 - E-mail: nutrecology@valagro-usa.com

Erger: Supplementary letter

The registered Erger Label recommends that **ACTIV ERGER** or Calcium nitrate should be used together with Erger on Table Grape and Cherry.

ACTIVE ERGER is not registered in USA, so Valagro alternatively recommends that **CAN17** can be used in place of the **ACTIV ERGER** or Calcium nitrate that is stated on the label.

Hence, the Erger recommendations would be:

Apply in areas where there are fewer than 500 hours with temperatures <45 F.

Cherry: 5-6 gallons Erger per 100 gallons of solution; apply 45 days (± 5 days) before bud break. Thoroughly wet the branches (100-150 gallons of solution advised per acre depending on tree size). With ERGER, a tank mix of 7.8 gallons of calcium-ammonium nitrate solution (**CAN17**) per 100 gallons of water is recommended.

Table Grape: 6-7 gallons Erger for every 100 gallons of solution; apply 60 days (± 5 days) before bud break. Thoroughly wet the branches (40-65 gallons of solution advised per acre). With ERGER, a tank mix of 15.6 gallons of calcium-ammonium nitrate solution (**CAN17**) per 100 gallons of water is recommended.

Valagro USA 10/31/2013