

ESPLANADE® SURE

Version 2.0 / USA Revision Date: 03/06/2023 102000037646 Print Date: 03/15/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name ESPLANADE® SURE

Product code (UVP) 86699729

SDS Number 102000037646

EPA Registration No. 432-1604

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Carcinogenicity: Category 1B

Specific target organ toxicity - repeated exposure: Category 2 Specific target organ toxicity - single exposure: Category 2

Eye irritation: Category 2B
Acute toxicity(Oral): Category 4
Acute toxicity(Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200







Revision Date: 03/06/2023

Print Date: 03/15/2023

ESPLANADE® SURE

Version 2.0 / USA 102000037646

Signal word: Danger

Hazard statements

May cause cancer.

May cause damage to organs (Nervous system) through prolonged or repeated

May cause damage to organs.

Causes eye irritation.

Harmful if swallowed or if inhaled.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

IF exposed or concerned: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Indaziflam	950782-86-2	24.3
Rimsulfuron	122931-48-0	16.7
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	10.0
Reaction product of naphthalene, propan-2-ol, sulfonated and neutralized by caustic soda	1322-93-6	5.0
Crystalline quartz (respirable)	14808-60-7	0.2



ESPLANADE® SURE

Version 2.0 / USA Revision Date: 03/06/2023 102000037646 Print Date: 03/15/2023

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Move to fresh air. If person is not breathing, call 911 or an ambulance, Inhalation

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Hold eye open and rinse slowly and gently with water for 15-20 Eye contact

> minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

> and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

To date no symptoms are known. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

mixture

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.



ESPLANADE® SURE

Version 2.0 / USA Revision Date: 03/06/2023 102000037646 Print Date: 03/15/2023

Further information Keep out of smoke. Fight fire from upwind position. Contain the spread

of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with

water spray.

Specific hazards from the substance or mixture which can increase the fire

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

Explosivity

No data available

No data available

No data available

No data available

Regulation (EC) No. 440/2008, Annex, A.14

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Keep unauthorized people away. Isolate hazard

area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow product to contact

non-target plants. If the product is accidentally spilled, do not allow to

enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Avoid

dust formation. Handle and open container in a manner as to prevent

spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean



ESPLANADE® SURE

Version 2.0 / USA 102000037646

Revision Date: 03/06/2023 Print Date: 03/15/2023

thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Indaziflam	950782-86-2	0.56 mg/m3 (TWA)		OES BCS*
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA PEL)	10 2016	US CA OEL
(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m3 (TWA)	2000	Z3
(Respirable.) Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA)	03 2016	OSHA
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (OSHA_ACT)	03 2016	OSHA
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (REL)	2016	NIOSH
(Respirable dust.)				
Crystalline quartz (respirable) (Respirable.)	14808-60-7	2.4millions of particles per cubic foot of air (TWA)	2000	Z3
Crystalline quartz (respirable)	14808-60-7	0.050 mg/m3 (TWA)	01 2019	TN OEL
(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (PEL)	03 2016	OSHA Z1
(Respirable dust.)				
Crystalline quartz	14808-60-7	0.025 mg/m3	01 2022	ACGIH



ESPLANADE® SURE

 Version 2.0 / USA
 Revision Date: 03/06/2023

 102000037646
 Print Date: 03/15/2023

(respirable)	(TWA)	
(Respirable fraction.)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form water-dispersible granules

Colour beige

Odour Characteristic
Odour Threshold
No data available

pH 4.8 - 6.8 (10 %) (23 °C) (deionized water)

Melting point/range No data available **Boiling Point** No data available Flash point No data available **Flammability** No data available Auto-ignition temperature No data available Thermal decomposition No data available 358 °C / 676.4 °F Ignition temperature Minimum ignition energy No data available

Self-accelarating No data available



ESPLANADE® SURE

 Version 2.0 / USA
 Revision Date: 03/06/2023

 102000037646
 Print Date: 03/15/2023

decomposition temperature

(SADT)

Upper explosion limit

Lower explosion limit

Vapour pressure

Evaporation rate

Relative vapour density

Relative density

No data available

Bulk density 0.57 - 0.67 g/ml (loose)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Indaziflam: log Pow: 3.7 (20 °C) (pH 7)

Rimsulfuron: log Pow: 0.288 (25 °C) (pH 5)

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableOxidizing propertiesNo data available

Explosivity Not explosive

Regulation (EC) No. 440/2008, Annex, A.14

Dust content

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.



ESPLANADE® SURE

Version 2.0 / USA 102000037646

Revision Date: 03/06/2023 Print Date: 03/15/2023

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Ingestion, Skin contact, Inhalation

Immediate Effects

Eye May cause temporary eye irritation.Skin May be harmful in contact with skin.

Ingestion Harmful if swallowed.

May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) 1,098 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 2.17 mg/l

Exposure time: 4 h

Determined in the form of dust. highest concentration tested

Acute dermal toxicity

Dermal toxicity was assessed based on the result of the oral toxicity

study.

Dermal toxicity study has been waived by competent regulatory

authority.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Indaziflam: May cause damage to organs in nervous system following oral route. Rimsulfuron: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs. Indaziflam: May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Rimsulfuron: Based on available data, the classification criteria are not met.

Assessment mutagenicity

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Rimsulfuron was not genotoxic in a battery of in vitro tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice. Rimsulfuron: Based on available data, the classification criteria are not met.

ACGIH



ESPLANADE® SURE

 Version 2.0 / USA
 Revision Date: 03/06/2023

 102000037646
 Print Date: 03/15/2023

Crystalline quartz (respirable) 14808-60-7 Group A2

NTP

Crystalline quartz (respirable) 14808-60-7

IARC

Crystalline quartz (respirable) 14808-60-7 Overall evaluation: 1

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats.

Rimsulfuron: Based on available data, the classification criteria are not met.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.

Rimsulfuron: Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.572 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient indaziflam.

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) > 9.88 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient indaziflam.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.134 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient indaziflam.

Biodegradability Indaziflam:

Not rapidly biodegradable

Rimsulfuron:

Not readily biodegradable.

Koc Indaziflam: Koc: 496

Bioaccumulation Indaziflam: Bioconcentration factor (BCF) 66

Does not bioaccumulate.

Rimsulfuron:

Does not bioaccumulate.

Mobility in soil Indaziflam: Moderately mobile in soils



10/13

ESPLANADE® SURE

Version 2.0 / USA Revision Date: 03/06/2023 102000037646 Print Date: 03/15/2023

Rimsulfuron: Mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Indaziflam: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Rimsulfuron: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift or runoff from treated areas may adversely affect non-target plants.

Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(INDAZIFLAM MIXTURE)



ESPLANADE® SURE

Version 2.0 / USA Revision Date: 03/06/2023 102000037646 Print Date: 03/15/2023

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(INDAZIFLAM MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1604

US Federal Regulations

TSCA list

Kaolin 1332-58-7 Alkylated Naphthalene sulfonate, sodium 68425-94-5

salt

Water 7732-18-5 Reaction product of naphthalene, propan-1322-93-6

2-ol, sulfonated and neutralized by caustic

soda

Starch 9005-25-8 Polyvinylpyrrolidone 9003-39-8 Polysiloxanes, di-Me 63148-62-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7 Carcinogenic.

US State Right-To-Know Ingredients

Indaziflam 950782-86-2 CT Kaolin 1332-58-7 MN, RI

Synthetic amorphous silica 112926-00-8 CA, CT, MN, RI



12/13

ESPLANADE® SURE

Version 2.0 / USA Revision Date: 03/06/2023 102000037646 Print Date: 03/15/2023

Starch 9005-25-8 MN, RI Polyvinylpyrrolidone 9003-39-8 CA

Environmental CERCLA None.

Clean Water Section 307(a)(1)

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.

Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



ESPLANADE® SURE

Version 2.0 / USA 102000037646

13/13Revision Date: 03/06/2023
Print Date: 03/15/2023

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1* Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 9: Physical and Chemical Properties. Section 11: Toxicological Information. Section 15: Regulatory information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

Revision Date: 03/06/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.