



FIFRA 24(C) Special Local Need Label
FOR DISTRIBUTION AND USE ONLY IN HAWAII

ETHEPHON 2SL

EPA Reg. No. 66222-151

EPA SLN No. HI-160005

HARVEST AID
FOR SYNCHRONIZATION OF NUT DROP IN MACADAMIA NUTS

KEEP OUT OF REACH OF CHILDREN

DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail)

ENVIRONMENTAL HAZARDS

- For Terrestrial Uses: Do not contaminate water used for irrigation or domestic purposes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high- water mark. Do not contaminate water when disposing of equipment wash waters
- Avoid spray drift to nearby crops as this product will cause modifications in plant growth. Plant injury or reduced yields may result.
- Do not plant another crop within 30 days after treatment.
- Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the “Limitation of Warranty and Liability” in the label booklet for ETHEPHON 2SL before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.
- The complete DIRECTIONS FOR USE can be found on the currently registered EPA stamped label.
- Expiration Date: February 15, 2027 or until otherwise amended, withdrawn, canceled, or suspended.

CROP	RATE PER 100 GAL.	DIRECTIONS FOR USE
MACADAMIA NUTS	24-46.2 fluid ounces	<p>HARVEST AID: Apply a foliar spray of ETHEPHON 2SL plant growth regulator to Macadamia trees a minimum of 5 -12 days prior to harvest. Mix 24 – 46.2 fluid ounces of ETHEPHON 2SL in 100gallons of water (450 to 863 ppm Ethepon 2SL). Apply by ground at 100 to 200 gallons per acre depending on spray equipment and tree size.</p> <p>For best results, a thorough uniform spray coverage of leaves and nuts is needed. Some premature leaf drop will be associated with treatment. Do not apply to diseased, low vigor or moisture stressed trees as leaf drop may be excessive.</p>

RESTRICTIONS/PRECAUTIONS

- Do not apply more than 1.44 lbs. ethephon active ingredient per acre per year.
- Do not enter or allow worker entry during the restricted-entry interval (REI) of 48 hours.
- The REI is 72 hours in areas where average rainfall is less than 25 inches per year.
- Do not make more than 1 application per crop per year.
- Do not harvest until at least 5 days after application.
- Do not graze or feed cover crops grown in treated orchards.
- Mix only the amount of spray expected to be used on the day of application.
- Avoid spray drift to nearby crops to avoid temporary effects of the plant growth regulator.
- Use the lower rate during periods of low rainfall.
- Do not apply ETHEPHON 2SL through any type of irrigation system.
- Do not use this product for purposes other than those listed on the label.

Ethepon 2SL is a registered trademark of the Makhteshim Agan Group Company.

24(c) Registrant:

Makhteshim Agan of North America, Inc.
d/b/a ADAMA

3120 Highwoods Blvd, Suite 100
Raleigh, NC 27604

Issue Date: February 16, 2022
Expiration Date: February 15, 2027