



Arysta LifeScience North America LLC
15401 Weston Parkway, Suite 150
Cary, NC 27513

EVITO® 480 SC Fungicide
EPA Reg. No. 66330-64

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) of FIFRA and has not been submitted to or approved by the U. S. Environmental Protection Agency.

FOR USE AND DISTRIBUTION ONLY IN THE FOLLOWING STATES: AL, AR, AZ, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, OH, OK, OR, PA, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions for use, restrictions, precautions and limitations on the product label attached to the container for EVITO 480 SC Fungicide. Also observe all directions, precautions and limitations on the labeling of all other products mentioned below. This recommendation must be in the possession of the user at the time of application.

For control or suppression of diseases of winter, spring and durham wheat when applied at reduced dose rates:

For early-season control of Tan Spot, Septoria leaf and glume blotch, leaf rust, stripe rust and stem rust, apply **1-2 fl ozs per acre** of Evito 480 SC when conditions are favorable to disease development. Evito 480 SC can be applied alone, or in combination with other registered herbicides, insecticides or fungicides. When the reduced rate is applied early season, a second application of Evito 480 SC may be required to protect the flag leaf. Environmental conditions and disease development should be used to determine the need for, timing and use rate for additional applications.

Issue date: 12/08/10