

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA



EPA Reg. No. 279-9615

**FOR CONTROL OF ALLIUM LEAFMINER
IN BULB VEGETABLES (CROP GROUP 3-07)**

*THIS 2(ee) RECOMMENDATION
EXPIRES ON MAY 31, 2024 AND
MUST NOT BE USED AFTER THIS DATE*

2(ee) Recommendation

**FOR DISTRIBUTION AND USE
ONLY IN REGISTERED STATES
(EXCEPT TEXAS)**

**IT IS A VIOLATION OF FEDERAL LAW TO
USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABELING**

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application Rates, Timing, Method and Pest Controlled

EXIREL® insect control is recommended for control of Allium leafminer (*Phytomyza gymnostoma*). Apply EXIREL insect control at 13.5 – 20.5 fl oz/A (0.088 – 0.133 lb ai/A) as a foliar spray.

Initiate foliar applications based on the presence of adult flies or when the initial oviposition marks are observed on crop foliage. Follow local university recommendations for treatment thresholds and optimum application timing.

Thorough spray coverage is essential for best performance. Use a minimum of 10 gal by ground or 5 gal by air. Spray volumes of 15 gal per acre and higher by ground generally improve coverage and insect control.

Use of adjuvants with EXIREL insect control has been shown to improve spray coverage and increase efficacy. Select adjuvants based on experience and known crop safety. If crop safety is unknown, use on a small area before treating larger areas. Refer to the *Tank Mixtures and Crop Safety* section of the EXIREL insect control label for additional information regarding tank mixtures.

EXIREL insect control may be applied by overhead chemigation to bulb vegetables. Refer to the *CHEMIGATION – Overhead Sprinkler* section of the EXIREL insect control label for additional application instructions.



FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104

SPRAY PREPARATION

Acidification of spray tank: If the pH of the spray tank after all products have been added and mixed is above pH 8, then adjust to pH 8 or less using a registered acidifying agent. If the spray tank is 8 or less, no adjustment is necessary. Spray tanks of pH 8 or less can be held up to 8 hours before spraying. Do not store the spray mixture overnight in the spray tank.

RESTRICTIONS AND PRECAUTIONS

- Minimum interval between treatments is 5 days.
- Do not apply a total of more than 0.4 lb ai/A Cyazypyr® active or cyantraniliprole containing products per calendar year whether applications are made to the soil or foliarly.
- The preharvest interval (PHI) is 1 day.
- The field re-entry interval (REI) is 12 hours.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED EXIREL INSECT CONTROL LABEL (EPA REG. NO. 279-9615) MUST BE FOLLOWED. THIS RECOMMENDATION SHOULD BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. FMC will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by FMC. User assumes all risk associated with such non-directed use.

IMPORTANT NOTICE

BEFORE BUYING OR USING FMC PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY, AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of Federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This Bulletin contains supplemental instructions for use of the referenced FMC product. Follow these instructions carefully. This Bulletin must be in the possession of the User at the time of application. **Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using the FMC product(s) covered by this Bulletin. FMC will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated by FMC on the Section 3 label, or other labels, or this Bulletin. User assumes all risks associated with any such nonspecified use. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability of the Section 3 Federal product label.**

FMC and EXIREL are trademarks or registered trademarks of FMC Corporation or an affiliate.