

FS Talyx™ Aerial

Activator Adjuvant for Fungicides

PRINCIPAL FUNCTIONING AGENTS

Phytobland base oil.....	70.0%
Proprietary blend of hydrocarbyl polyalkylene oxides, glycol ethers, emulsifiers and phosphate esters.....	30.0%
TOTAL.....	100.0%

All ingredients are exempt from the requirements of a tolerance under CFR 40, 180.1001(c).

CAUTION: KEEP OUT OF REACH OF CHILDREN. Read PRECAUTIONARY STATEMENTS and MSDS for important information.

PRECAUTIONARY STATEMENTS—Before using this product, read the entire label, including the Disclaimer of Warranties and Limitation of Liability. Contact may cause eye, skin and respiratory irritation. Ingestion may cause nausea, abdominal discomfort and vomiting. Very toxic to aquatic organisms. Do not apply directly to standing water.

PERSONAL PROTECTIVE EQUIPMENT—Applicators and other handlers of this chemical must wear: **Eye Protection:** splash-proof chemical safety goggles. Contact lenses should not be worn when working with chemicals. **Skin Protection:** coveralls or long-sleeved shirt and pants, shoes, socks and chemical-resistant gloves. **Inhalation Protection:** Not required under normal use. Consult the MSDS for further information.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting unless directed to do so by medical personnel. Never give fluids or force vomiting if the person is unconscious, is having convulsions or has no gag reflex. If large quantities are swallowed, seek immediate medical attention.

If Inhaled: Move individual to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek immediate medical attention.

If In Eyes: Check for and remove contact lenses. Immediately flush eyes with water for at least 15 minutes. Cold water may be used. Seek medical attention if irritation occurs.

If On Skin: Remove contaminated clothing. Wash affected area with plenty of soap and water. Cold water may be used. Seek medical attention if irritation develops.

GENERAL INFORMATION—FS Talyx Aerial is an activator adjuvant specifically formulated to enhance the performance of a wide range of fungicides, and their tank mixes, when applied by aerial application equipment. FS Talyx Aerial combines the proven fungicide activation technology of FS Talyx with phytobland oils and phosphate esters to buffer the spray solution, improve compatibility and enhance deposition of fungicides and insecticides into the target crop canopy. Use FS Talyx Aerial when a phytobland crop oil is required.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, RIGHTS-OF-WAY, TURF AND OTHER APPROPRIATE USES. NOT FOR AQUATIC USE.

DIRECTIONS FOR USE—FS Talyx Aerial increases the activity of many pesticides; therefore, take care when treating sensitive crops during periods of drought stress, high temperatures, or high humidity. It is critical that this product be used and mixed only as specified on this label. Follow directions carefully. Buyer and user assume all risk of use and/or handling. These risks include, but are not limited to damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use and label directions are followed. Timing, mixing, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of GROWMARK. SHAKE WELL BEFORE USING.

APPLICATION RATES

Aerial Applications: Apply FS Talyx Aerial at ½ pint in 2–3 gallons of water per acre.

Apply FS Talyx Aerial at 1 pint in 4–5 gallons of water per acre.

Ground applications: FS Talyx Aerial is not recommended. Instead, use FS Talyx at 1 pint per 100 gallons of spray solution. See FS Talyx label for details

MIXING INSTRUCTIONS—Always mix this product in accordance with the instructions found on the pesticide label concerning adjuvants. In the absence of specific mixing instructions, fill the spray tank 1/2 to 3/4 full of desired water volume. While the water is agitating, add tank mix ingredients in the following order:

1. If foaming is anticipated, use an antifoam/defoamer.
2. Water-soluble packets, dry flowables, and dispersible granule pesticides.
3. Ammonium sulfate, fertilizers and micronutrients.
4. Flowable pesticides.
5. Water-soluble pesticides.
6. FS Talyx Aerial.
7. Emulsifiable concentrate pesticides.
8. Continue agitation and finish filling spray tank to desired level.

STORAGE AND DISPOSAL—Store in original container, in a cool, dry, well ventilated and secure area away from ignition sources (flame or spark). Keep container tightly closed and sealed when not in use. Do not reuse empty container. Rinse container thoroughly, disposing of rinsate and the container in accordance with federal, state and local regulations. Recycling decontaminated containers is the best option for container disposal. The Agriculture Container Recycling Council (ACRC) operates a national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrcycle.org.

DISCLAIMER OF WARRANTIES—THIS PRODUCT IS SOLD AS IS. EXCEPT WHERE PROHIBITED BY LAW, GROWMARK DISCLAIMS ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES AGAINST HIDDEN AND LATENT DEFECTS. WHERE SUCH WARRANTIES CAN NOT BE DISCLAIMED, THEN ALL SUCH WARRANTIES SHALL BE LIMITED TO THE REMEDIES OF REPLACEMENT OR REFUND.

LIMITATION OF LIABILITY—Except to the extent prohibited by applicable law, GROWMARK shall not be liable for indirect, special, incidental or consequential damages arising from the sale or use of this product, including any lost revenues or profits, consequential and/or incidental damages, business interruption or damage to business reputation, regardless of the theory upon which any claim may be based. GROWMARK's entire liability to the purchaser shall not exceed the purchase price actually paid by the purchaser.

S P E C I M E N L A B E L