

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02
Version: 6.0

Page: 1/16
(30618994/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Fastac CS Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide
Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 652000
EPA Registration number: 7969-364
Synonyms: Alphacypermethrin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Flam. Liq.	3	Flammable liquids
Acute Tox.	4 (oral)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 2/16

(30618994/SDS_CPA_US/EN)

Carc.	2	Carcinogenicity
STOT RE	2	Specific target organ toxicity — repeated exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H373	May cause damage to organs through prolonged or repeated exposure.
H351	Suspected of causing cancer.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P280	Wear eye protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/gas/mist/vapours.
P202	Do not handle until all safety precautions have been read and understood.
P243	Take action to prevent static discharges.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P240	Ground and bond container and receiving equipment.

Precautionary Statements (Response):

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 3/16

(30618994/SDS_CPA_US/EN)

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P308 + P313	IF exposed or concerned: Get medical attention.
P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P330	Rinse mouth
P332 + P313	If skin irritation occurs: Get medical attention.
P391	Collect spillage.
P331	Do NOT induce vomiting.
P337 + P313	If eye irritation persists: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P405	Store locked up.
P403 + P235	Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

May cause paraesthesia. alpha-Cypermethrin

May produce an allergic reaction. Contains: P-MDI, 3,6,9-triazaundecamethylene-1,11-diamine, Diphenylmethane-4,4'-diisocyanate (MDI), mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

alpha-cypermethrin

CAS Number: 67375-30-8

Content (W/W): 9.9 %

Synonym: FASTAC® techn.

bronopol

CAS Number: 52-51-7

Content (W/W): < 0.1%

Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

naphthalene

CAS Number: 91-20-3

Content (W/W): 1.0 - 3.0%

Synonym: Naphthalin

Naphthalene, 1-methyl-

CAS Number: 90-12-0

Content (W/W): 1.0 - 3.0%

Synonym: No data available.

Alcohols, C9-11-iso-, C10-rich, ethoxylated

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 4/16

(30618994/SDS_CPA_US/EN)

CAS Number: 78330-20-8
Content (W/W): 1.0 - 3.0%
Synonym: Lutensol ON 70

2-heptanone

CAS Number: 110-43-0
Content (W/W): 10.0 - 15.0%
Synonym: 2-Heptanone; Methyl n-amyl ketone

solvent naphtha

CAS Number: 64742-94-5
Content (W/W): 5.0 - 10.0%
Synonym: Solvent naphtha, petroleum, heavy arom.

Naphthalene, 2-methyl-

CAS Number: 91-57-6
Content (W/W): 3.0 - 5.0%
Synonym: No data available.

Isotridecanol, branched, ethoxylated

CAS Number: 69011-36-5
Content (W/W): 3.0 - 5.0%
Synonym: Lutensol TO 10

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02
Version: 6.0

Page: 5/16
(30618994/SDS_CPA_US/EN)

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, halogenated compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 6/16

(30618994/SDS_CPA_US/EN)

not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

naphthalene	ACGIH TLV	TWA value 10 ppm ; Skin Designation ; Danger of cutaneous absorption
2-heptanone	OSHA PEL ACGIH TLV	PEL 100 ppm 465 mg/m3 ; TWA value 100 ppm 465 mg/m3 ; TWA value 50 ppm ;
solvent naphtha	ACGIH TLV	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption
Naphthalene, 1-methyl-	ACGIH TLV	TWA value 0.5 ppm ; Skin Designation ; Danger of cutaneous absorption
Naphthalene, 2-methyl-	ACGIH TLV	TWA value 0.5 ppm ; Skin Designation ; The substance can be absorbed through the skin. Skin Designation ; Danger of cutaneous absorption
naphthalene	ACGIH TLV	TWA value 10 ppm ; Skin Designation ; Danger of cutaneous absorption

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02
Version: 6.0

Page: 7/16
(30618994/SDS_CPA_US/EN)

2-heptanone	OSHA PEL	PEL 100 ppm 465 mg/m3 ; TWA value 100 ppm 465 mg/m3 ;
	ACGIH TLV	TWA value 50 ppm ;
solvent naphtha	ACGIH TLV	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption
Naphthalene, 1-methyl-	ACGIH TLV	TWA value 0.5 ppm ; Skin Designation ; Danger of cutaneous absorption
Naphthalene, 2-methyl-	ACGIH TLV	TWA value 0.5 ppm ; Skin Designation ; The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards., nitrile rubber (NBR) - 0.4 mm coating thickness, chloroprene rubber (CR) - 0.5 mm coating thickness, butyl rubber (butyl) - 0.7 mm coating thickness

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 8/16

(30618994/SDS_CPA_US/EN)

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	strong, aromatic	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	off-white	
pH value:	approx. 4 - 6 (20 °C)	
Melting temperature:	The product has not been tested.	
boiling temperature:	approx. 100 °C The product has not been tested.	
Flash point:	57.0 °C	(DIN EN ISO 13736, closed cup)
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	433 °C	(DIN EN 14522)
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Vapour pressure:	approx. 23 hPa (approx. 20 °C) Information based on the main components.	
Density:	approx. 1.01 g/cm3 (20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	280 °C, 210 kJ/kg (DSC (OECD 113)) (onset temperature) 405 °C, > 100 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 62 - 89 mPa.s (20 °C)	
Viscosity, kinematic:	approx. 39 mm2/s (40 °C)	
Solubility in water:	dispersible	

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 9/16

(30618994/SDS_CPA_US/EN)

Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

280 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature)

405 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Oral

Type of value: LD50

Species: rat (male)

Value: > 500 - 2,000 mg/kg (OECD Guideline 423)

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 10/16

(30618994/SDS_CPA_US/EN)

Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 1.4 mg/l (OECD Guideline 403)

Exposure time: 4 h

No mortality was observed.

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation. Not irritating to the skin.

Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Eye

Species: rabbit

Result: Irritant.

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing.

Method: OECD Guideline 429

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02
Version: 6.0

Page: 11/16
(30618994/SDS_CPA_US/EN)

Information on: naphthalene

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. The substance may cause damage to the olfactory epithelium after repeated inhalation. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: bronopol

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Information on: Diphenylmethane-4,4'-diisocyanate (MDI)

Assessment of repeated dose toxicity: The substance may cause damage to the olfactory epithelium after repeated inhalation. The substance may cause damage to the lung after repeated inhalation. These effects are not relevant to humans at occupational levels of exposure.

Information on: diphenylmethane-2,4'-diisocyanate

Assessment of repeated dose toxicity: The substance may cause damage to the olfactory epithelium after repeated inhalation. These effects are not relevant to humans at occupational levels of exposure.

Repeated exposure may affect certain organs.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. Based on available Data, the classification criteria are not met.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol

Assessment of mutagenicity: The substance was mutagenic in a mammalian cell culture test system. No mutagenic effect was found in various tests with bacteria and mammals.

Information on: naphthalene

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.

Information on: Diphenylmethane-4,4'-diisocyanate (MDI)

Assessment of mutagenicity: The substance was mutagenic in various bacterial test systems; however, these results could not be confirmed in tests with mammals.

Information on: P-MDI

Assessment of mutagenicity: The substance was mutagenic in various bacterial test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: P-MDI

Assessment of carcinogenicity: A carcinogenic potential cannot be excluded after prolonged exposure to severely irritating concentrations. These effects are not relevant to humans at occupational levels of exposure. IARC Group 3 (not classifiable as to human carcinogenicity).

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02
Version: 6.0

Page: 12/16
(30618994/SDS_CPA_US/EN)

Information on: solvent naphtha

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

Information on: naphthalene

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: alpha-cypermethrin

LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Aquatic invertebrates

Information on: alpha-cypermethrin

EC50 (48 h) 12,6 ng/l, Chironomus riparius

Aquatic plants

Information on: alpha-cypermethrin

EC50 (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD guideline 221, static)

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 13/16

(30618994/SDS_CPA_US/EN)

EC50 (72 h) > 0.027 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)

Chronic toxicity to fish

Information on: alpha-cypermethrin

No observed effect concentration (34 d) 0,03 µg/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: alpha-cypermethrin

No observed effect concentration (21 d) 0,03 µg/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: alpha-cypermethrin

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: alpha-cypermethrin

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 14/16

(30618994/SDS_CPA_US/EN)

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Hazard class:	C
Packing group:	III
ID number:	NA 1993
Hazard label:	CBL, EHSM
Proper shipping name:	COMBUSTIBLE LIQUID, N.O.S. (contains HEPTAN-2-ONE, ALPHA-CYPERMETHRIN) Classified as combustible liquid in containers greater than 119 gallons.

Sea transport

IMDG

Hazard class:	3
Packing group:	III
ID number:	UN 1993
Hazard label:	3, EHSM
Marine pollutant:	YES
Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (contains HEPTAN-2-ONE, ALPHA-CYPERMETHRIN)

Air transport

IATA/ICAO

Hazard class:	3
Packing group:	III
ID number:	UN 1993
Hazard label:	3
Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (contains HEPTAN-2-ONE, ALPHA-CYPERMETHRIN)

15. Regulatory Information

Federal Regulations

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 15/16

(30618994/SDS_CPA_US/EN)

Registration status:

Crop Protection TSCA, US released / listed

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS Number

91-20-3

Chemical name

naphthalene

CERCLA RQ

100 LBS

CAS Number

91-20-3

Chemical name

naphthalene

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 2

Fire: 2

Reactivity: 0

Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

HARMFUL IF ABSORBED THROUGH SKIN.

HARMFUL IF INHALED.

HARMFUL IF SWALLOWED.

May cause moderate but temporary irritation to the eyes.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

Wash thoroughly with soap and water after handling and before eating, drinking and using tobacco.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2020/06/02

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

Fastac CS Insecticide

Revision date : 2020/06/02

Version: 6.0

Page: 16/16

(30618994/SDS_CPA_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET