

Fastrack®



LIQUID AMS REPLACEMENT WITH A BUILT IN SURFACTANT

KEEP OUT OF REACH OF CHILDREN

WARNING

READ ENTIRE LABEL BEFORE USING

GHS CLASSIFICATIONS

Health - Acute Toxicity (Oral), Category 5
Acute Toxicity (Dermal), Category 5
Skin Irritation, Category 3
Eye Irritation, Category 2A



GHS HAZARD STATEMENTS

May be harmful if swallowed or when in contact with skin. Causes mild skin irritation. Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

Wash hands, face, and other affected areas thoroughly after handling. Wear protective gloves, protective clothing, eye protection, and face protection. Read and follow all precautionary statements on the accompanying pesticide label(s).

FIRST AID

CALL A POISON CONTROL CENTER OR DOCTOR IF YOU FEEL UNWELL

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

PRINCIPAL FUNCTIONING AGENTS

Potassium salts of hydroxyl carboxylic, and phosphoric acid, alkyl amine alkoxyate, alkyl polyoxyethylene phosphate, urea ammonium nitrate	62%
Constituents Ineffective as Spray Adjuvants	38%
TOTAL	100%

SURFACTANT CONTENT: 26%

Components exempt from tolerance under 40CFR 180

GENERAL INFORMATION

Fastrack® is a water conditioning and surfactant system that replaces AMS and surfactant for glyphosate tank mixes. The easy-to-use low use rate liquid formulation of Fastrack® is designed to hasten and improve herbicidal uptake. Fastrack® offers superior water conditioning by improving the characteristics of hard water and neutralizing metal cations which can negatively affect performance of certain pesticides. Fastrack® contains surfactants which lower surface tension on the leaf surface and create greater spreading, wetting and penetration of the pesticide into the target plant. Do not use Fastrack® with herbicides that are not compatible in acidic conditions or low pH. Do not use with sulfonyle urea or DSMA based herbicides. Do not use with tank mixes utilizing fixed copper fungicides such as cupric hydroxide, basic copper, copper count N or copper oxychloride.

DIRECTIONS FOR USE

Prior to use read all directions on this label and on the label of the product used. The product label for specific usages and restrictions have precedence over directions for uses referred to on this label.



MIXING INSTRUCTIONS

SHAKE WELL OR RECIRCULATE BEFORE USE.

- (Recirculate bulk if stored below 32°F)
1. Fill sprayer 1/3 to 1/2 full of water
 2. Add Fastrack® to agitating spray tank
 3. Add dry flowables or dispersible granules
 4. Add emulsifiable concentrates
 5. Continue to agitate until tank is full

RECOMMENDED RATES

The optimal rate of Fastrack® will vary with environmental conditions and spray water quality. As growing and application conditions change, rates may be adjusted accordingly.

General Use Rates (ground and aerial application): 2 quarts per 100 gallons (0.5% v/v) for use with glyphosate and other herbicides that require additions of surfactant and water conditioning adjuvants OR when additional surfactant and water conditioning are desired.

1 quart per 100 gallons (0.25% v/v) for increased translocation and surfactant activity with post-emergent herbicides, fungicides and insecticide sprays. At this rate, additional water conditioner may be necessary to meet specific label requirements.

Use Rate Range: 2-8 pints per 100 gallons of spray solution (0.25 to 1.0 % v/v). Consult pesticide label for surfactant requirements and adjust rate accordingly. Use 50% of the Fastrack® rate as a guide to calculate surfactant requirements (i.e. Add 2 quarts of Fastrack® for 1 quart of surfactant activity)

STORAGE AND DISPOSAL

Storage: Store in original container. Keep container tightly closed. Do not allow water or other chemicals to be introduced into contents of container. Do not contaminate water sources with equipment wash water, spray disposal waste or by cleaning of equipment. Keep away from food, feed or other product to prevent contamination.

Disposal: Do not reuse product containers. Triple rinse (or equivalent), then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by local, state, and federal regulations.

NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

DISTRIBUTED BY:

WINFIELD SOLUTIONS, LLC,

P.O. BOX 64589

ST. PAUL, MN 55164-0589 1/0801/7