

3.4375"

2.25"



Fenstop®

FUNGICIDE

ACTIVE INGREDIENT:

Fenamidone: (5S)-3,5-dihydro-5-methyl-2-(methylthio)-5-phenyl-3-(phenylamino)-4H-imidazol-4-one.....	44.4%
OTHER INGREDIENTS:	55.6%

TOTAL:

Equivalent to 500 g/L or 4.13 lbs. active ingredient per gallon.

EPA Reg. No. 432-1389

Net Contents

32 Fl. Oz.

84983705

84965472A 160316AV2

A fungicide used for the prevention and control of certain diseases of commercially grown ornamentals in greenhouses. Not for residential use.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

For MEDICAL and TRANSPORTATION Emergencies ONLY

Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-800-331-2867

See back panel for First Aid Instructions and leaflet for complete Precautionary Statements and Directions for Use.

3.4375"

2.25"

FIRST AID	
If swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Have person sip a glass of water if able to swallow.• Do not give anything to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
For MEDICAL Emergencies Call 24 Hours A Day 1-800-334-7577. Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
NOTE TO PHYSICIAN: Possible mucosal damage may contraindicate the use of gastric lavage. May pose an aspiration pneumonia hazard.	

2

3.4375"

2.25"

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING


Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing spray mist. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Remove contaminated clothing and wash before reuse.


PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants, chemical resistant-gloves made of any waterproof material, shoes plus socks, and protective eyewear. Remove contaminated clothing and wash before reuse.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.






AGRICULTURAL USE REQUIREMENTS


Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.


Do not enter or allow worker entry into treated areas during the restricted entry interval of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear.

PRODUCT INFORMATION

FENSTOP® FUNGICIDE is a sprayable, broad-spectrum foliar fungicide for control of certain plant diseases of ornamentals. It can be applied as a drench or foliar application to greenhouse grown ornamental plants. Use of FENSTOP FUNGICIDE should be integrated into an overall disease, pest management, or IPM program. FENSTOP FUNGICIDE may be used with disease forecasting or extension advisory programs, which







3.4375"


2.25"

CHEMIGATION INFORMATION

Apply this product only through pressurized drench (flood), sprinkler, or drip (trickle) irrigation systems. Do not apply this product through any other type of irrigation system. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers, or other experts. Do not connect any irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place. A person knowledgeable of the chemigation system and responsible for its operation or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise. Pesticide supply tanks are recommended for the application of this product. See label instructions for dilution use rates and timing of application. Agitate continuously during application.

OVERHEAD, MICROJET, OR DRIP IRRIGATION APPLICATION


FENSTOP FUNGICIDE alone or in tank mixture with other pesticides which are registered for overhead, microjet, or drip application may be applied in irrigation water at rates recommended on this label. Follow the label directions for the most restrictive of label limitations and precautions. This product cannot be mixed with any product containing a label prohibition against such mixing. Apply this product only through an overhead, microjet, or drip irrigation system. Do not apply this product through any other type of irri-



gation system. Plant injury or lack of effectiveness can result from nonuniform distribution of treated water. If you have questions about calibration, you should contact State Extension specialists, equipment manufacturers, or other experts. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety device for public water systems are in place. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise. Public water system means a system for the provision to the public of piped water for human consumption if such system has a least 15 service connections or regularly serves an average of at least 25 individuals daily or at least 60 days out of the year.

OPERATION INSTRUCTIONS

- The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow. Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, back-flow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe.
- The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to pre-



3.4375"

2.25"

Precaution for irrigation applications: Where distribution patterns do not overlap sufficiently, unacceptable control may result. Where distribution patterns overlap excessively, injury to desirable plants may result.

ORNAMENTALS


Use FENSTOP FUNGICIDE on ornamentals Alyssum, Azalea, Bee Balm (Monarda), Easter Lily, English Ivy, Geranium, Hybrid Tea roses, Ivy, Lilac, Pelargonium, Poinsettia, Rhododendron, Spathiphyllum and Vinca, grown in greenhouses for control of diseases caused by Pythium, Phytophthora, and downy mildew. Applications should be made prior to disease development and should be made in conjunction with good cultural management practices. Use the higher rate and/or shorter interval when disease pressure is severe. Do not exceed recommended rates or apply more frequently than at specified intervals or plant injury may occur.


APPLICATION INFORMATION


FOLIAR APPLICATIONS: For Downey Mildew and foliar Phytophthora control, dilute 7.0-14.0 fl. oz. of product in no more than 100 gallons of water per acre. Spray foliage to point of drip. Repeat as necessary on a 28-day spray schedule. Do not apply more than four applications of the maximum rate per year. Do not apply more than 56 fl. oz. of product per acre per year.


DRENCH APPLICATIONS: For Pythium and Phytophthora control, mix 7.0 to 14.0 fl. oz. of product with


11











3.4375"
Book Placement



Fenstop[®] FUNGICIDE

ACTIVE INGREDIENT:

Fenamidone: (5S)-3,5-dihydro-
5-methyl-2-(methylthio)-5-phenyl-3-
(phenylamino)-4H-imidazol-4-one44.4%

OTHER INGREDIENTS:.....55.6%

TOTAL:100%

Equivalent to 500 g/L or 4.13 lbs. active
ingredient per gallon.

EPA Reg. No. 432-1389

KEEP OUT OF REACH OF CHILDREN

WARNING

Net Contents

32 Fl. Oz.

84983705

84965472A 160316AV2

Bayer

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC****ANIMALS****WARNING**

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing spray mist. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Remove contaminated clothing and wash before reuse.

See Back Panel for First Aid Instructions and Booklet for Complete Precautionary Statements and Directions for Use.

Produced for:

Bayer Environmental Science
A Division of Bayer CropScience LP
2 T. W. Alexander Drive
Research Triangle Park, NC 27709

PULL HERE TO OPEN

Product of Germany

2.25"

4.25"

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not give anything to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
<p>For MEDICAL Emergencies Call 24 Hours A Day 1-800-334-7577. Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p>	

NOTE TO PHYSICIAN: Possible mucosal damage may contraindicate the use of gastric lavage. May pose an aspiration pneumonia hazard.

84980285A 160316AV2

STORAGE AND DISPOSAL
<p>Do not contaminate water, food, or feed by storage or disposal.</p> <p>PESTICIDE STORAGE Store in original container and keep tightly closed when not in use. Store in a cool dry place. Avoid cross-contamination with other pesticides.</p> <p>PESTICIDE DISPOSAL Pesticides wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste representative at the nearest EPA regional office for guidance in proper disposal methods.</p> <p>CONTAINER HANDLING Non refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.</p>

2.25"

4.25"