

FIFRA §2(ee) RECOMMENDATION FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS



EPA REG. NO: 10163-373
Expiration Date: 12-31-2026

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

PRODUCT INFORMATION

FENSTOP FUNGICIDE is a sprayable, broad-spectrum foliar fungicide for control of certain plant diseases of ornamentals. It can be applied as a drench or foliar application to greenhouse and saran house grown ornamental plants. Use of FENSTOP FUNGICIDE should be integrated into an overall disease, pest management, or IPM program. FENSTOP FUNGICIDE may be used with disease forecasting or extension advisory programs, which direct application timings, based on environmental factors favorable to disease development. Applications may be made at the longer spray intervals or lower rates under low to moderate disease pressure while the higher rates in the rate range or shorter spray intervals may be required under conditions of heavy infection pressure, highly susceptible varieties, or when disease conducive environmental conditions exist. FAILURE TO FOLLOW THE DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DISEASE CONTROL, AND/OR CROP INJURY.

APPLICATION DIRECTIONS

CROP	DISEASE	APPLICATION INFORMATION
Ornamentals including but not limited to Alyssum, Azalea, Bee Balm (Monarda), Easter Lily, English Ivy, Geranium, Hybrid Tea roses, Ivy, Lilac, Pelargonium, Poinsettia, Rhododendron, Spathiphyllum and Vinca, grown in greenhouses, outdoor nurseries, shade houses, and saran houses.	Phytophthora aerial blight	<p>FOLIAR APPLICATIONS (greenhouses, outdoor nurseries, shade houses, and saran houses): For Downy Mildew and foliar Phytophthora control, dilute 7.0-14.0 fl. oz. (0.226-0.452 lb. AI) of product in no more than 100 gallons of water per acre. Spray foliage to the point of drip. Repeat no less than 28 days after each application as needed. Do not apply more than four applications of the maximum rate per year. Do not apply more than 56 fl. oz. of product per acre per year (no more than 1.807 lb. AI per acre per year).</p> <p>DRENCH APPLICATIONS (greenhouses, outdoor nurseries, shade houses, and saran houses): For Pythium and Phytophthora control, mix 7.0 to 14.0 fl. oz. of product with 100 gallons of water (Drench Solution). Apply as a drench (see Table below for volume) and repeat no less than 28 days after each application as needed to protect the new root growth and the crown of the plant. Use sufficient volume to wet potting medium without loss of liquid from the bottom of the container. Do not apply more than 4 applications of the maximum rate per year. Do not apply more than 56 fl. oz. of FENSTOP FUNGICIDE per crop production cycle for greenhouse and container grown ornamentals in nurseries.</p>

VOLUME OF FENSTOP FUNGICIDE DRENCH BY CONTAINER SIZE

Pot Diameter inches	Drench Solution (fl oz) per Container
4	4
5	5
6	6
8	10
10	20
12	30

AMOUNT OF FENSTOP FUNGICIDE TO ACHIEVE DESIRED VOLUME OF DRENCH SOLUTION

DILUTION TABLE FOR DESIRED VOLUME OF DRENCH SOLUTION				
Gallons of water	7 fl. Oz		14 fl. Oz.	
	Amount of FENSTOP FUNGICIDE to add in oz.	Lb. ai. In solution	Amount of FENSTOP FUNGICIDE to add in oz.	Lb. ai in solution
5 gallons	0.35	0.01	0.7	0.02
10 gallons	0.7	0.02	1.4	0.05
25 gallons	1.75	0.06	3.5	0.11
50 gallons	3.5	0.11	7.0	0.23
75 gallons	5.25	0.17	10.5	0.34
100 gallons	7	0.23	14	0.45

Fenstop® is a registered trademark used under license by Gowan Company, L.L.C.

