FertiCare ManCoat

A liquid manganese, molybdenum & boron coating for granular fertilizer with PAC** chelation technology

GUARANTEED ANALYSIS:

Boron (B)0.45%
Manganese (Mn) 5.5%
5.5% Chelated Manganese
Molybdenum (Mo)

Derived from manganese sulfate chelated with PolyAldoCarbosate*, boric acid and sodium molybdate

For use as a micronutrient coating product for applications to granular fertilizer to supplement manganese, boron and molybdenum levels on agricultural crops.

*PAC refers to NutriAg's "PolyAldoCarbosate" Technology

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html.

DIRECTIONS FOR USE (Use only as Directed):

- FertiCare ManCoat should be used on the basis of soil and/or leaf analysis. The user should seek the advice of an agricultural representative or a professional agricultural consultant prior to use.
- This product may be used as a coating on all fertilizer blends (including urea or urea blends).
- Apply 1-4 qt of FertiCare ManCoat per ton of fertilizer.
- Do not exceed 2 qt/ton if applying FertiCare ManCoat to urea.
 Higher application rates could lead to melting, cracking or reduced efficacy.
- To apply, pour the required rate on to the fertilizer as it is being blended. Allow the product to mix thoroughly with the blend for several minutes. Do not mix in a concentrated form with other fertilizers or pesticides.
- Consult a NutriAg representative for specific crop recommendations, application timings and necessity of its use.

SUGGESTED RATES

APPLICATION TYPE: Applied with granular fertilizer

APPLICATION RATE (ALL CROPS): 1-4 US quarts per ton of granular fertilizer

MAXIMUM NUMBER OF APPLICATIONS PER SEASON: 3

ATTENTION: This fertilizing material contains boron (B). The use of this fertilizing material on any crops other than those recommended may result in serious injury to crop(s).

ATTENTION: This product contains molybdenum (Mo). The application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

DO NOT FREEZE.

KEEP OUT OF REACH OF CHILDREN.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg is not liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.





DANGER

Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure. Contains 14-16% of ingredients of unknown toxicity (inhalation and dermal). Contains 4-5% of ingredients of unknown toxicity (oral).

Do not breathe mist, spray. Wash hands and skin thoroughly after handling. Wear protective gloves. Wear eye protection/face protection.

IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local, regional, national and international regulations.

Net Contents:

Net Weight/
Gallon:

Net Weight: Batch No.:

Rev: 101321_US_CA



