

FERTIACTYL® GZ-GTO-ZERO 0-0-5

GUARANTEED ANALYSIS

• Soluble Potash (K2O) 5%

DERIVED FROM: Potassium Hydroxide

F 1550

NON PLANT FOOD INGREDIENTS:

 Humic acid
 10 %

 Fulvic acid
 5 %

 Seaweed extract
 20 %

PLEASE READ CAREFULLY BEFORE USING - KEEP OUT OF REACH OF CHILDREN RECIRCULATE WELL BEFORE USE

DIRECTIONS FOR USE:

- Do not spray during periods of frost. In hot conditions it is better to spray at the beginning or at the end of the day. Fill tank half full with clean water then add FERTIACTYL® GZ-GTO-ZERO and continue to agitate while mixing. Keep agitating until the end of the application. Dilute into at least 0.33 to 0.5 Gal/1000 sq. ft.
- FERTIACTYL® GZ-GTO-ZERO is intended as a supplement to a regular fertilization program and may not by itself provide all the nutrients normally required by crops or other intended plants.

| CROP | APPLICATION STAGES | APPLICATION RATE (/1000 sq. ft.) |
|--------------------------|-----------------------|-------------------------------------|
| Turfgrass | Every 30 days | 1 – 2 oz. |
| Turfgrass – Weak areas | Every 14 days | 1 – 2 oz. |
| & high stress conditions | | |
| Tree, Landscape & | Every 30 days | 1 – 2 oz. |
| Ornamental | | |
| Nursery & Greenhouse | Every 30 days | Use a dilution of |
| plants | , | 32-64 oz/100 Gal* |

^{*} Apply into foliar application in the range of 1 to 3 Gal/1000 sq. ft. Indoor greenhouses should always irrigate lightly before foliar application and lightly after application.

COMPATIBILITY AND STORAGE:

- FERTIACTYL® GZ-GTO-ZERO is compatible with many liquid fertilizers and a wide range of agrochemicals. In all cases, test the compatibility prior to treatment.
- Do not store under 32°F (0°C).

NET VOLUME: 264 Gal (1000L) - **NET WEIGHT:** 2491 lb (1130 kg)

Timac Agro USA, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on the label when used in accordance with directions under normal use conditions. Crop Injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Timac Agro USA, Inc. In no case shall Timac Agro USA, Inc. be liable for consequential, special or indirect damages resulting from the use, handling, or shipping of this product. All such risk shall be assumed by the Buyer. Timac Agro USA, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

MANUFACTURED BY TIMAC AGRO USA -P.O. Box 888 - Route 724 & I-176 Reading, PA 19607 - 0888 - USA

