

Revision date: 2020/11/03 Page: 1/9
Version: 4.0 (30587337/SDS\_GEN\_US/EN)

# 1. Identification

# Product identifier used on the label

# Flo Rite 1127 C

#### Recommended use of the chemical and restriction on use

Recommended use\*: Seed coating

# Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932
USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

## Other means of identification

# 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

No need for classification according to GHS criteria for this product.

# Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2020/11/03 Page: 2/9
Version: 4.0 (30587337/SDS GEN US/EN)

# Hazards not otherwise classified

## Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 19 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 8 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 23 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 23 % Inhalation - mist

# 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

talc

CAS Number: 14807-96-6 Content (W/W): 10.0 - 25.0%

Synonym: hydrated magnesium silicate

#### 4. First-Aid Measures

# **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water

# If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

# If swallowed:

Rinse mouth and then drink 200-300 ml of water.

# Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

Revision date: 2020/11/03 Page: 3/9
Version: 4.0 (30587337/SDS GEN US/EN)

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

# Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

# **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

# Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

# 7. Handling and Storage

# Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

# Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Revision date : 2020/11/03 Page: 4/9
Version: 4.0 (30587337/SDS\_GEN\_US/EN)

# 8. Exposure Controls/Personal Protection

# Components with occupational exposure limits

talc

ACGIH TLV TWA value 2 mg/m3 Respirable fraction;

The value is for particulate matter containing no

asbestos and <1% crystalline silica.

## Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

# Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

# Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

## Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

# **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid Odour: odourless

Odour threshold: not applicable, odour not perceivable

Colour: off-white pH value: approx. 4.1 ( 20 °C)
Melting temperature: approx. 0 °C

Information applies to the solvent.

boiling temperature: approx. 100 °C

Information applies to the solvent.

Flash point: > 100 °C

Revision date: 2020/11/03 Page: 5/9
Version: 4.0 (30587337/SDS GEN US/EN)

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: Based on the water content the

product does not ignite.

Vapour pressure: approx. 23.4 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.0 - 1.3 g/cm3

(20°C)

Vapour density: Heavier than air. Partitioning coefficient n- not applicable

octanol/water (log Pow):

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.
Forms a viscous solution.

Viscosity, kinematic: Forms a viscous so Solubility in water: soluble

Evaporation rate: soluble not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

# **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

# Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents

# Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Revision date : 2020/11/03 Page: 6/9 Version: 4.0 (30587337/SDS GEN US/EN)

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### **Acute toxicity**

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: ATE Value: > 5,000 mg/kg

# Inhalation

Type of value: ATE Value: > 20.0000 mg/l Determined for vapor

Type of value: ATE Value: > 5.0000 mg/l Determined for mist

# Dermal

Type of value: ATE Value: > 5,000 mg/kg

# Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

#### <u>Sensitization</u>

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

# **Chronic Toxicity/Effects**

# Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organization was observed after repeated administration to animals.

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: talc

Assessment of carcinogenicity: Not classified, due to lack of data.

Revision date : 2020/11/03 Page: 7/9
Version: 4.0 (30587337/SDS GEN US/EN)

-----

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

# Persistence and degradability

### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components. Colourants are by their nature very stable and are therefore not readily biodegradable under conditions prevailing in surface water or in effluent treatment plants.

# **Bioaccumulative potential**

# Assessment bioaccumulation potential

The product has not been tested.

#### Bioaccumulation potential

Significant accumulation in organisms is not to be expected.

# Mobility in soil

#### Assessment transport between environmental compartments

Adsorption to solid soil phase is expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

# **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# 13. Disposal considerations

## Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Revision date: 2020/11/03 Page: 8/9
Version: 4.0 (30587337/SDS GEN US/EN)

# Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transport Information

## Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

# Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

# Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

#### **Federal Regulations**

#### Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

## State regulations

State RTK	CAS Number	<b>Chemical name</b>
PA	57-55-6	Propylene glycol
	14807-96-6	talc
MA	14807-96-6	talc
NJ	14807-96-6	talc
	57-55-6	Propylene glycol

# 16. Other Information

# SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2020/11/03

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our

Revision date : 2020/11/03 Page: 9/9
Version: 4.0 (30587337/SDS\_GEN\_US/EN)

operations on society and the environment during production, storage, transport, use and disposal of our products.

**END OF DATA SHEET**