

STOLLER® FOLI-ZYME 8-0-3

Specimen Label

STOLLER Foli- Zyme
Foliar Nutrient Compound
With 3.0% Calcium

(Contains N + Calcium)

FOLI-ZYME



Manufactured for Stoller Enterprises, Inc.
4001 W. Sam Houston Parkway North, Suite 100
Houston Texas 77043 USA
Phone: 1-800-539-5283 or 713-461-1493 | Fax: 713-461-4467
E- Mail: stoller@stollerusa.com | Website: www.StollerUSA.com

www.stollerusa.com
1-800-539-5283

DIRECTIONS FOR USE

Stoller's Foli- Zyme

Field row crops and vegetables: To supplement soil applied fertilizer

Guaranteed Analysis

8-0-3

Total Nitrogen (N).....	8.0%
Soluble Potash (K ₂ O).....	3.0%
Calcium (Ca).....	3.0%

Derived from urea, potassium chloride, calcium monocarbamide, monohydrogen chloride and N + Calcium.
Freezing temperatures less the 200F.

Foli- Zyme GA balances hormones in the plants.

This enables plants to use water and fertilizer more effectively.

You can see the difference in one application.

General Information

Foli- Zyme is formulated as a soluble concentrate that requires a minimum 1 to 10 dilution with water for all applications.

Foli- Zyme is a fluid nutrient compound designed to prevent nutrient deficiencies in plants.

Foli- Zyme is a valuable supplement to soil- applied nutrients and is particularly beneficial under conditions where soil nutrients are not readily available.

Foli- Zyme will provide nutrients at periods of fruit or flower development.

Foli- Zyme has a pH of 2.0 to 3.5 and will buffer spray tank water. The use of additional buffering agents may result in crop damage.

Foli- Zyme will disperse in water with little agitation. Many pesticides can be added and applied while spraying **Foli- Zyme**.

Follow this mixing procedure: 1. Water, 2. **Foli- Zyme**, 3. Pesticide

CAUTION: Be sure to conduct "Jar Test" using all products in proper proportion in order to establish physical compatibility.

Storage and Disposal

Do not store in direct sunlight. Avoid freezing temperatures. Do not contaminate water, food or feed by storage or disposal.

Disposal

Pesticide disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container**

disposal: Triple rinse or equivalent, then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by the state authorities, by burning. If burned, stay out of smoke.

Field row crops and vegetables: To supplement soil- applied fertilizer, foliar spray **Foli- Zyme** on the following schedule: Apply 1 gallon per acre (9 liters per hectare). Use a row- directed spray. Start applications when the crop has 2 to 3 leaves or is 20 days old. Continue sprays at 10 to 14 day intervals.

Tree, fruits and nuts: Apply 1 gallon per acre (9 liters per hectare) 5 to 6 times annually, beginning with delayed dormant spray. Spray intervals of 15 days are suggested for best results. **AVOID PERIODS WHEN FRUIT IS EXTREMELY SENSITIVE TO SPRAY DAMAGE.**

Citrus: Apply 1 gallon per acre (9 liters per hectare) every 30 days. Do not mix with petroleum spray oils or ammoniated copper compounds.

Solid- seeded field crops: Apply 1 gallon per acre (9 liters per hectare) when the crop is 3 inches high. Continue on 15- day intervals until crop in 15 days from harvest.

Recommended for use: Foli- Zyme may be used on the following crops:

Alfalfa, Almonds, Apples, Artichokes, Asparagus, Avocados, Barley, All beans, Broccoli, Cabbage, Carrots, Cauliflower, Celery, Citrus, Corn, Cotton, Grapes, Hops, Lettuce, Melons, Milo, Nectarines, Peaches, Peanuts, Peas, Pecans, Peppers, Pistachios, Potatoes, Rice, Soybean, Sorghum, Strawberries, Sugar beets, Sugar cane, Sunflowers, Sweet corn, Tobacco, Tomatoes, Turnips, Walnuts, Watermelons, Wheat and most other crops.

WARNING: Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, and/ or skin. Avoid contact with eyes, skin and clothing. **IF SWALLOWED:** Induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention. **IF IN EYES:** Wash eyes with plenty of clear water for at least 15 minutes. Get medical attention.

CAUTION: Keep Out Of Reach Of Children SHAKE OR STIR WELL BEFORE USING

Storage Instructions: Store 3 pails high per pallet. Do not stack pallets.

Precautionary Statements: Hazardous to humans and domestic animals.

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

For terrestrial use, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high- water mark. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwater.

Physical or Chemical Hazards

Store out of direct sunlight. Protect from freezing.

Conditions Of Sale: 1. Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one other than an officer of Seller is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.