

# Foliar Supreme

## 0-16-10

Low Chloride  
30% Sulfur Suspension

### GUARANTEED ANALYSIS

Available Phosphate ( $P_2O_5$ ).....	16.00%
Soluble Potash ( $K_2O$ ).....	10.00%
Sulfur (S) .....	30.00%

**Derived From:** Monopotassium Phosphate and Elemental Sulfur.

Contains 3.7 pounds of Sulfur (S) per gallon.

**KEEP OUT OF REACH OF CHILDREN**



## WARNING

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**F1548**

**FOR AGRICULTURAL OR COMMERCIAL USE ONLY**



GUARANTEED BY:

LOVELAND PRODUCTS, INC. • PO BOX 1286 • GREELEY, CO 80632-1286

**DENSITY 12.60 LBS/GALLON @ 68° F**

**NET WEIGHT 31.50 LBS (14.29 kg)**

**LIQUID MEASURE 2.5 US GALLONS (9.46 L)**

foliar supreme\_D0815 product code: 1000237595

## GENERAL INFORMATION

**FOLIAR SUPREME** is a foliar nutritional fertilizer of macronutrients. It may be applied alone or in tank mixes containing pesticides. However, when use of an unfamiliar mix is made, a compatibility test is always recommended. Foliar fertilization is a supplement to a regular fertilizer program and will not supply the total nutrients required by a crop. **FOLIAR SUPREME** is recommended as foliar nutrition to be applied to crops where insufficient nutrient levels are indicated by laboratory tissue analysis.

## MIXING DIRECTIONS

Add approximately  $\frac{1}{2}$  water to tank before adding **FOLIAR SUPREME**. Agitate thoroughly while adding remaining water. Do not allow mixture to stand. Failure to maintain agitation will cause **FOLIAR SUPREME** to settle and may necessitate manual stirring to redisperse. If used in combination with pesticides, add pesticides last.

## COMPATIBILITY

**FOLIAR SUPREME** is compatible with most pesticides and can be applied in existing spray programs. When using a chemical mixture that has not been used before, always try a small sample rate before application, or check compatibility by doing a jar test. Due to its acidic nature, adding **FOLIAR SUPREME** to the spray solution can lower the pH of the finished spray solution. Adhere to pesticide manufacturer's recommendations regarding appropriate pH range.

## SUGGESTED USE RATES AND TIMING:

**Alfalfa:** 3-6 pts/acre. Apply as soon as soil temperature reaches 55° at 6" and repeat after cutting as required. **Almonds, Pistachios:** 3-6 pts/acre. 2-3 applications as required from post bloom to hull split. **Apples:** 3-6 pts/acre. 2-3 applications starting at immediate post bloom through early sizing, including 14-21 days post harvest. **Apricots, Nectarines, Peaches:** 3-6 pts/acre. 2-3 applications starting at blossom drop to early color, including post harvest. Use lower rates when fruit begins to color. **Avocados:** 3-6 pts/acre. Multiple applications as required. **Carrots:** 3-6 pts/acre. 2-3 applications during the season as recommended. **Cranberries:** 3-6 pts/acre. 2 applications, one each immediately post bloom and 21-30 days later. **Chicory:** 3-6 pts/acre. 2-3 applications during

the season as required. **Cherries, Plums, Prunes:** 3-6 pts/acre. 2-3 applications starting at blossom drop to early color, including post harvest. Use lower rates when fruit begins to color. **Citrus:** 3-6 pts/acre. Multiple applications as required. **Cotton:** 3-6 pts/acre. 2-3 applications from squaring to full boll development. **Cucurbit Vegetables such as:** Cucumber, Cantaloupe, Watermelon, Summer and Winter Squash and Pumpkin: 3-6 pts/acre. 2-3 applications from bloom through fruit sizing. **Dry Beans including:** Kidney, Pinto, Lima: 3-6 pts/acre. 2 applications, one each immediately pre-bloom and again 30-45 days later. **Grapes:** 3-6 pts/acre. 2-3 applications from post shatter through early ripening. **Hops:** 3-6 pts/acre. 3-4 applications from first runner through berry sizing as required. **Kiwi:** 3-6 pts/acre. 2-3 applications from pre-bloom to full sizing. **Leafy Vegetables and Brassica (Cole) Leafy Vegetables such as:** Broccoli, Cabbage, Cauliflower, Celery, Lettuce and Spinach: 3-6 pts/acre. 2-4 applications from thinning to pre-harvest. **Mint:** 3-6 pts/acre. Multiple applications as required. **Mustard Greens:** 3-6 pts/acre. Multiple applications as required. **Ornamentals: Woody Plants:** 2-6 pts/acre. Multiple applications as required during growing season with one application after September 1st for winter hardiness. **Pears:** 3-6 pts/acre. 3 applications, one each at post bloom, 30-45 days pre-harvest, and 14-21 days post harvest. **Peppers, Tomatoes:** 3-6 pts/acre. 2-3 applications from bloom to first color. **Strawberries:** 3-6 pts/acre. 2 applications, one each at bloom and 21-30 days later. **Root and Tuber Vegetables such as:** Carrot, Potato, Onion, Garlic, Radish, Rutabaga, Sugar Beet, Sweet Potato, Turnip and Yams: 3-6 pts/acre. 2-3 applications during the season as required. **Turf:** 3-6 ounces per 1000 sq. feet in a minimum of 2.25 gallons of water. Apply as required based on desired color and growth. **Walnuts:** 3-6 pts/acre. 2-3 applications as required from catkin elongation until June 15th. For aerial application use a maximum of 4 pints of Foliar Supreme per 10 gallons of water.

GUARANTEED BY:

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY, CO 80632-1286

  
**Loveland**  
PRODUCTS  
foliar supreme\_D0815

## FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

## STORAGE and DISPOSAL

**STORAGE:** Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. **DISPOSAL:** Do not reuse container. Plastic: Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal. **HANDLING:** Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

CALIFORNIA PROPOSITION 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lpi.com>

Widespread is a registered trademark of Loveland Products, Inc.

# Foliar Supreme

## 0-16-10

Low Chloride  
30% Sulfur Suspension

### GUARANTEED ANALYSIS

Available Phosphate ( $P_2O_5$ ) .....	16.00%
Soluble Potash ( $K_2O$ ) .....	10.00%
Sulfur (S) .....	30.00%

**Derived From:** Monopotassium Phosphate and Elemental Sulfur.

Contains 3.7 pounds of Sulfur (S) per gallon.

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**F1548**

**FOR AGRICULTURAL OR COMMERCIAL USE ONLY**



GUARANTEED BY:

LOVELAND PRODUCTS, INC. • PO BOX 1286 • GREELEY, CO 80632-1286

**DENSITY 12.60 LBS/GALLON @ 68° F**

**NET WEIGHT 31.50 LBS (14.29 kg)**

**LIQUID MEASURE 2 x 2.5 US GALLONS (9.46 L)**

foliar supreme\_D0815