

### FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA

GROUP 21A INSECTICIDE



EPA Reg. No. 71711-4

**Pest:** Hazelnut-Filbert Bud Mite  
**Crop:** Hazelnut (Filbert)  
**States:** Oregon and Washington

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling and the EPA approved container label must be in the possession of the user at the time of application.

Read the label affixed to the container for **FUJIMITE® SC** miticide/insecticide before applying. Use of **FUJIMITE SC** miticide/insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **FUJIMITE SC** miticide/insecticide.

### APPLICATION RATE CHART

Hazelnut (Filbert)		
Pest	Rate/Acre	Use Directions
Hazelnut-Filbert Bud Mite	2.0 to 4.0 pints	<b>USE RESTRICTIONS</b> <ul style="list-style-type: none"><li>• Apply by ground using a minimum of 100 gallons of water per acre.</li><li>• Do not apply by air.</li><li>• Do not apply through any type of irrigation system.</li><li>• Do not make more than 2 applications per growing season.</li><li>• Do not apply more than 4.0 pints per acre per growing season.</li><li>• Allow 14 days between applications.</li><li>• Preharvest Interval (PHI): 14 days</li></ul>

©2017 Nichino America, Inc. FujiMite and Nichino America logo are registered trademarks of Nichino America, Inc.

**NICHINO**  
**AMERICA®**

Nichino America, Inc.  
4550 Linden Hill Road, Suite 501  
Wilmington, DE 19808  
888-740-7700