

Alt  
7-12-10

# SPECIAL LOCAL NEED SECTION 24(c) SUPPLEMENTAL LABELING

## **Fyfanon® ULV AG** **ULTRA LOW VOLUME CONCENTRATE INSECTICIDE**

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF FLORIDA

Follow all applicable directions, restrictions, worker protection standard requirements, and precautions on the EPA registered label.

EPA Reg. No. 67760-35

EPA SLN No. FL- 100004

**ACTIVE INGREDIENT:**

Malathion** .....	96.5%
INERT INGREDIENTS .....	3.5%
TOTAL .....	100%

\*\*O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate  
(1 gallon contains 9.9 pounds of malathion)

## **CAUTION**

### **PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**Keep Out of Reach of Children**

Harmful by swallowing, inhalation or skin contact. Avoid contact with skin. Avoid breathing spray mist. Do not contaminate food or feed products.

**IN CASE OF A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL TOLL  
FREE, DAY OR NIGHT, 1-866-303-6950.**

### **FIRST AID**

**This product is an organophosphate and is a cholinesterase inhibitor.**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** This pesticide is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-303-6950 for emergency medical treatment information.

**PERSONAL PROTECTIVE EQUIPMENT:** Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Chemical-resistant gloves such as Barrier-Laminate, Butyl Rubber, Nitrile Rubber, or Viton.
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintain PPE. If no such instructions for washable, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS STATEMENTS:** When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**User Safety Recommendations:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**IMPORTANT NOTICE**

All applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered label are to be followed. Undiluted spray droplets of Fyfanon ULV will permanently damage vehicle paint finishes

This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label.

**DIRECTIONS FOR USE**

It is a violation of both State and Federal Law to use this product in a manner inconsistent with

its labeling.

This label must be in the possession of the user at time of pesticide application.

#### **CARIBBEAN FRUIT FLY CONTROL IN CITRUS**

Crop/Site:	Citrus groves and adjacent non-crop lands
Target Pest:	Caribbean Fruit Fly
Application Rate:	2.4 oz. Malathion formulation to 9.6 oz protein hydrolysate per acre
Method of Application:	Aerial or ground
Timing of Application:	7 - 10 day intervals
Other Requirements:	Citrus foliage must be dry when application is made
Use Restriction:	Aerial application is prohibited to adjacent non-croplands containing humans, domestic animals or occupied structures unless prior written informed consent is obtained from landowner(s) and occupant(s). Ground application to adjacent non-croplands containing humans, domestic animals or occupied structures must be made with spray application directed away from occupied structures/humans/animals.

The interaction of equipment and weather related factors determines the potential for spray drift. Apply only when weather conditions are favorable. Wind and rising air currents may cause undesirable spray drift and reduce insect control. Temperature inversions can restrict vertical air mixing. Do not make aerial applications during temperature inversions due to the high potential for drift.

This product may not be applied through any type of irrigation equipment.

FYFANON® ULV is a registered trademark of Cheminova A/S

24(c) Registrant: Cheminova, Inc.  
One Park Drive  
Suite 150  
Research Triangle Park, NC  
27709

6-16-10

0/F16/1