

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

GF-120 Fruit Fly Bait

24(c) Special Local Need Registration SLN HI-000003

For selective attractance and control of multiple species of tephritid fruit flies infesting specified tree, vine, and vegetable crops.

(For Distribution and Use Only in the State of Hawaii)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for GF-120 before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of GF-120 according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for GF-120.

Directions for Use

GF-120 fruit fly bait may be applied for selective attractance and control of multiple species of tephritid fruit flies in the following tree, vine, and vegetable crops:

acerola	jaboticaba	Spanish lime
atemoya	longan	star apple
avocado	lychee	starfruit
biriba	mango	sugar apple
canistel	papaya	wax jambu
cherimoya	pulasan	
citrus crop group (crop group 10)	rambutan	brassica (cole) leafy vegetables (crop group 5)
corn (sweet, field, seed or pop)	sapodilla	fruiting vegetables except cucurbits (crop group 8)
cucurbit vegetables (crop group 9)	sapote, black	leafy vegetables except brassica vegetables (crop group 4)
custard apple	sapote, mamey	legume vegetables succulent or dried (crop group 6)
feijoa	sapote, white	
guava	sorghum	
ilama	sour sop	

Crop Borders

GF-120 can also be used to treat non-crop foliage along field edges or adjacent ornamentals that may serve as a resting site for adult flies. Use rates and volumes indicated below.

Pests and Application Rates for Control of Fruit Flies:

Pests Controlled	Amount of Diluted GF-120 Spray Solution			
	Broadcast Application		Spot Spray of Individual Plants	
	fl oz/acre	liters/hectare	fl oz/tree	ml/tree
Malaysian fruit fly Mediterranean fruit fly melon fly oriental fruit fly	26 to 52	2 to 4	1 to 3	30-90

Note: Adjust rate in rate range according to severity of infestation and amount of foliage requiring coverage.

Expiration Date:

This labeling is valid until August 21, 2005, or until otherwise amended, withdrawn, cancelled, or suspended.

D06-134-002
Amended date: 12/06/00
Replaces D06-134-001.

Revisions: Included additional crops (corn, sorghum, brassica, leafy, and legume vegetables). Vegetables section was re-worded and expanded to resemble the crop grouping headings more closely. Added allowance for treatment of crop border areas.