

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

GoalTender™

EPA Reg. No. 62719-447

Third Party 24(c) Special Local Need Registration SLN CA-080020

CA Artichoke Research Association

1636 E. Alisal St. Salinas, CA 93905

**For Pre-Transplanting and Post-Crown Planting Applications To Artichokes
(For Distribution and Use Only in the State of California)**

Conditions and Risks of Use for Special Local Need

USE OF GoalTender® HERBICIDE (THE "PRODUCT") ON ARTICHOKE (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP.

This Product is available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that, to the extent permitted by law:

- (1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) CA Artichoke Research Association and Dow AgroSciences does not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- (3) CA Artichoke Research Association and Dow AgroSciences does not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- (4) CA Artichoke Research Association and Dow AgroSciences disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) these Conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by CA Artichoke Research Association and Dow AgroSciences, or its respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

These Conditions and Risks of Use for Special Local Need are required by CA Artichoke Research Association and Dow AgroSciences and not specified by the US EPA or the State of California.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read this SLN labeling and the label affixed to the container for GoalTender™ herbicide before applying. All applicable use directions, precautions and restrictions on this SLN labeling and the label affixed to the product container must be followed.

Directions for Use

GENERAL INFORMATION

GoalTender™ herbicide may be applied for pre-emergence and post-emergence control of listed broadleaf weeds, applied pre-transplant for annual artichokes, and post-transplant for perennial artichokes. GoalTender also may be used for layby applications, as described on the Section 3 product label.

DOSAGE AND TIMING

The rates listed on this label are broadcast rates. For banded applications, reduce these rates proportionally to the band width.

For pre-transplant applications for annual artichokes, apply 8 to 32 fluid ounces of GoalTender per acre, at least two days before transplanting.

For post-plant applications over the top of perennial artichokes after planting of crowns, apply 8 to 32 fluid ounces of GoalTender per acre, within two days after crown planting and before irrigation.

Including layby applications, the total amount of oxyfluorfen applied per acre per season must not exceed 2 pounds active ingredient (equivalent to 64 fl oz/acre of GoalTender). For layby applications, refer to instructions on the GoalTender Section 3 product label.

Higher rates in this rate range will provide a longer interval of weed control, but may increase the potential for crop injury. During cold, wet growing conditions, the crop is more susceptible to crop injury. In these situations, the lower end of the rate range should be considered. Do not use if the risk of crop injury under these conditions is considered unacceptable.

WEEDS CONTROLLED PREEMERGENCE

annual sowthistle (*Sonchus oleraceus*)
bermuda buttercup (*Oxalis* sp.; suppression)
cheeseweed (*Malva* sp.)
common groundsel (*Senecio vulgaris*)
lambsquarters (*Chenopodium album*)
mustard (*Sisymbrium* sp.)
shepherdspurse (*Capsella* sp.)

WEEDS CONTROLLED POSTEMERGENCE

annual sowthistle (*Sonchus oleraceus*)
bermuda buttercup (*Oxalis* sp.)
burning nettle (*Urtica* sp.)
cheeseweed (*Malva* sp.)
common groundsel (*Senecio vulgaris*)
mustard (*Sisymbrium* sp.)
shepherdspurse (*Capsella* sp.)

METHOD OF APPLICATION

Ground application is recommended. For broadcast applications, a minimum spray volume of 40 gallons of water per acre is recommended. For aerial application, use a minimum of 10 gallons of water per acre. Control may be reduced if thorough soil coverage is not achieved.

Use Restrictions

In addition to the general use restrictions on the GoalTender section 3 label:

- Do not apply more than 2.0 lb active ingredient oxyfluorfen per acre per season as a result of a single application or multiple applications. This is equivalent to 64 fluid ounces of GoalTender per acre.
- Do not apply within 90 days of harvest.

™Trademark of Dow AgroSciences LLC

R204-033

Approved: 10/30/08

Initial printing.