



# FIFRA Section 24(c) Special Local Need Label

**For Distribution and Use Only in the State of Oregon**

## **Goal® 2XL Herbicide**

EPA Reg. No. 92894-2-71368  
EPA SLN No. OR-200015

**For Control of Broadleaf Weeds (Cheeseweed, Filaree, Groundsel, Henbit and Speedwell) in Red Clover and White Clover Grown for Seed**

**Expiration Date:** This label is valid until December 31, 2025, or until otherwise amended, withdrawn, canceled, or suspended.

### Active Ingredient

oxyfluorfen: 2-chloro-1-(3-ethoxy-4-nitrophenoxy) 4-(trifluoromethyl)benzene.....	22.3%
Other Ingredients .....	77.7%
Total .....	100.0%

Contains 2 lb active ingredient per gallon

Contains petroleum distillates

**KEEP OUT OF REACH OF CHILDREN**

## **WARNING / AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### **Environmental Hazards**

This product is toxic to aquatic invertebrates and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. See Directions for Use for additional restrictions. Do not contaminate water when disposing of equipment wash water.

### **Directions for Use**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need (SLN) label and the federal label for this product must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for Goal® 2XL Herbicide before applying, and follow all applicable directions, restrictions, precautions, and Worker Protection Standard requirements.
- Use of Goal® 2XL Herbicide according to this SLN labeling is subject to all use precautions and limitations imposed by the label affixed to the product container.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

## Use Instructions for Red Clover and White Clover Grown for Seed

### Application Rate and Spray Volume

Goal® 2XL Herbicide may be applied at 2 to 6 fl oz (0.03 to 0.09 lb a.i.) per acre. Use lower rate in the rate range to control labeled weeds when applied preemergence or early postemergence up to the 6-leaf stage. Use higher rate for longer residual control of labeled weeds. Use a maximum of 6 fl oz of product per growing season.

Apply Goal® 2XL Herbicide in a minimum spray volume of 20 gallons of water per acre. Spray volume should be increased as weed height and density increase. Use a low-pressure sprayer equipped with flat fan nozzles.

### Application Timing

Make applications from December 1 through February 15 to established, dormant clover. Post emergence applications will cause burning, crinkling or bronzing of clover foliage, particularly to the youngest trifoliates or buds present at the time of application. Temporary growth suppression may also result.

### Specific Use Restrictions:

- Do not apply more than 6 fl oz (0.09 lb a.i.) of Goal® 2XL Herbicide per acre per application or more than 6 fl oz per acre per growing season.
- Apply with ground application equipment only.
- Apply only to healthy red clover or white clover. Do not apply to clover that has been weakened by disease, drought, excessive fertilizer or soil salts, freezing, nematodes, soil insects, winter injury, frost damage, flooding, hail or previously applied pesticides as severe injury may result.
- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Refer to the label affixed to the container for Goal® 2XL Herbicide for additional information concerning early entry of workers to treated areas.

### Spray Drift Buffer Restrictions

- A 25 foot vegetative buffer strip must be maintained between all areas treated with this product and lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not allow spray to drift from the application site and contact people, structures people may occupy at any time and the associated property, parks and recreation areas, non-target crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals.
- For ground boom applications, apply with nozzle height no more than 4 feet above the ground or crop canopy when wind speed is 10 mph or less at the application site as measured by an anemometer.
- Use coarse spray according to ASAE 572 definition for standard nozzles or VMD of 475 microns for spinning atomizer nozzles.
- The applicator also must use all other measures necessary to control drift.

### Rotation Crop Restrictions

- **Do not** rotate to small grain crops (includes barley, buckwheat, corn, pearl millet, proso millet, oats, popcorn, rice, rye, sorghum, triticale, wheat, wild rice) within 10 months following an application with Goal® 2XL Herbicide.
- **Do not** direct seed any crops, other than for which Goal® 2XL Herbicide is labeled, within 60 days following an application of Goal® 2XL Herbicide.
- **Do not** transplant seedling crops, other than those for which Goal® 2XL Herbicide is labeled, within 30 days following an application of Goal® 2XL Herbicide.
- **IMPORTANT:** Treated soil must be thoroughly incorporated to a depth of 4 inches after harvest (or abandoning) of the treated crop but prior to planting of the rotational crop. Failure to achieve this thorough and complete incorporation or to follow the required minimum plant-back interval may result in crop injury, stand reduction and/or vigor reduction of the plant-back crop. See product label for specific fallow bed crop planting requirements for applications of Goal® 2XL Herbicide made to a fallow bed or fallow field.

### **Special Crop Use Restrictions**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

### **Conditions and Risks of Use for Special Local Need**

**USE OF Goal® 2XL HERBICIDE (THE "PRODUCT") ON CLOVER GROWN FOR SEED (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP.**

**This Product is available for use in the manner described in this Special Local Need (SLN) Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this SLN Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.**

**By purchasing the Product for use, or using the Product, in the manner described in this SLN Labeling, you acknowledge and accept that:**

- (1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Nufarm Inc does not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this SLN labeling;
- (3) Nufarm Inc does not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- (4) Nufarm Inc disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) these Conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Nufarm Inc, or its respective agents or representatives, and any provisions in

or on any Product literature or labeling including any provisions on the label affixed to the Product container.

**If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.**

**These Conditions and Risks of Use for Special Local Need are required by Nufarm Inc and not specified by the US EPA or the State of Oregon.**

®Trademark of Nutrichem Co, Ltd.

Approved: 12/xx/2020

**Distributor:**

Nufarm Inc.  
11901 S. Austin Avenue  
Alsip, IL 60803

**Section 24(c) Registrant:**

Adaura, LLC  
4780 Ashford Dunwoody Road  
Ste 540-267  
Atlanta, GA 30338