

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Goal<sup>®</sup> 2XL

EPA Reg. No. 62719-424

**For Non-Dormant Application in Almonds With a 30 to 15 Day PHI**

**(For Distribution and Use Only Within the State of California)**

### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Goal<sup>®</sup> 2XL herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Goal 2XL according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Goal 2XL.
- When used for non-dormant application in almonds, directions on this Section 3 supplemental label supersede the non-dormant use restrictions on the existing Section 3 package label.

### Directions for Use

#### Dosage

Goal<sup>®</sup> 2XL herbicide broadcast may be applied at a rate of no more than 5 pts/acre (1.25 lbs a.i.) before February 15, and/or no more than 0.5 pt/acre (0.125 lb a.i.) up to 30 days before harvest and/or no more than 0.5 pt/acre (0.125 lb a.i.) between 30 and 15 days before harvest. Do not apply more than 6 pints of Goal 2XL or 1.5 lb oxyfluorfen a.i. per broadcast acre during the non-dormant season.

**Tank Mixing:** For broader spectrum grass and broadleaf weed control in tree row middles, Goal 2XL may be tank mixed with registered postemergence herbicides such as paraquat (Gramoxone) or glyphosate (Glyphomax<sup>®</sup>, Roundup<sup>®</sup>). Refer to Mixing Directions section for Tank Mixing Precautions. Follow applicable use directions, precautions, and limitations on the respective product labels. In interpreting the labels of tank mixed products, the most restrictive label limitations must apply.

**Chemigation:** Follow chemigation instructions in General Information section of main label.

**Flood (Basin) Irrigation:** For flood (basin) irrigation systems, meter continuously into the water during the entire irrigation period. Best weed control results are obtained when a uniform distribution and flow of irrigation water is maintained over level land. Irrigation water treated with Goal 2XL must be contained on the treated area until the water is absorbed by the soil.

**Low Volume Sprinkler (Microsprinkler) and Drip (Trickle) Irrigation:** Apply only through low-volume sprinkler or drip systems designed to uniformly distribute irrigation water beneath the tree canopy. Applications should be made prior to weed emergence; otherwise postemergence activity may be inconsistent due to uneven coverage. Meter Goal 2 XL at a continuous rate during the middle 1/3 of the irrigation period and discontinue application during the final 1/3 of the irrigation period to insure proper flushing of the irrigation system. Use of Goal 2XL through low-volume sprinklers or drip emitters helps to

reduce the "ring effect" of weed escapes in areas around sprinklers or emitters where previously applied broadcast or directed treatments begin to break down.

**Precautions:**

- Direct spray toward the base of trees. Avoid direct contact with foliage or nuts.
- Goal 2XL should be applied only to healthy growing trees

**Crop-Specific Use Restrictions:**

- When applied as a non-dormant treatment, Goal 2XL can only be applied to almond plantings between April 1 and September 30.
- Do not apply Goal 2XL within 15 days of harvest of almonds.
- Do not apply more than 6 pints of Goal 2XL or 1.5 lb oxyfluorfen active ingredient per acre during the non-dormant season.

**Key Weeds Suppressed and/or Controlled**

cheeseweed (malva)	morningglory species, annual
fiddleneck, coast	mustard, black
filaree, broadleaf	nettle, burning
filaree, redstem	pigweed, redroot
filaree, whitestem	purslane, common
groundsel, common	redmaids
henbit	rocket, London
minerslettuce	sowthistle, annual

**Additional Weeds Controlled in Tank Mix with Glyphosate or Paraquat**

barnyardgrass	horseweed (marestail)
bluegrass, annual	rocket, London
chickweed, common	ryegrass, Italian

®Trademark of Dow AgroSciences LLC  
®Roundup is a registered trademark of Monsanto Company  
R843-079  
EPA accepted: 09/11/08  
Initial printing.