

Product Bulletin



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

GoldSky[®]

EPA Reg. No. 62719-582

Special 2(ee) Recommendation[†]

(For Distribution and Use in Montana, North Dakota, and South Dakota)

Use Recommendations for the Control of Persian Darnel

ATTENTION

[†]This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for GoldSky[®] herbicide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of GoldSky according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for GoldSky.

Directions for Use

Refer to product label for GoldSky for General Use Precautions, Mixing Directions and Application Directions.

Apply 1 pint GoldSky per acre to actively growing wheat (including spring, winter, and durum) or triticale from the 3-leaf to jointing stage (Zadoks scale 31). When GoldSky is applied alone use a non-ionic surfactant with at least 80% active ingredient at 0.5% v/v (2 quarts per 100 gallons of spray solution). Additionally, include spray grade ammonium sulfate at 1.5 lbs/acre or urea ammonium nitrate (UAN) at 1 to 2 quarts per acre. For control of Persian darnel apply from emergence up to 4-leaf (pre-tillering) stage of growth. Applications to Persian darnel at later growth stages will result in partial control or suppression.

Refer to the label affixed to the container for GoldSky for resistance management recommendations, all use directions, precautions, and restrictions.

[®]Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R365-005

Issued: 3/22/13

Initial printing.