



Specimen Label

Golden Harvest Plus GA

5-18-2

Foliar nutrient compound with added micronutrients.

F2399

Z-GH

Manufactured and Guaranteed by Stoller Enterprises, Inc.,
9090 Katy Freeway, Suite 400
Houston, Texas 77024
Phone: 1-800-539-5283 or 713-461-1493

StollerUSA.com

GOLDEN HARVEST Plus GA

5-18-2

Guaranteed Analysis 5-18-2

Total Nitrogen (N)	5.00%
5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	18.00%
Soluble potash (K ₂ O)	2.00%
Boron (B)	0.10%
Cobalt (Co)	0.02%
Copper (Cu)	0.10%
0.10% Water Soluble Copper (Cu)	
Iron (Fe)	0.40%
0.40% Water Soluble Iron (Fe)	
Manganese (Mn)	0.40%
0.40% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.05%
Zinc (Zn)	0.60%
0.60% Water Soluble Zinc (Zn)	

Derived from urea, phosphoric acid, potassium chloride, boric acid, cobalt sulfate, copper sulfate, ferrous chloride, manganese chloride, sodium molybdate and zinc chloride.

Chlorine (Cl) maximum

CAUTION

KEEP OUT OF REACH OF CHILDREN; MAY BE HARMFUL IF SWALLOWED, INHALED OR IN CONTACT WITH SKIN; MAY CAUSE EYE IRRITATION. MAY CAUSE DAMAGE THROUGH PROLONGED EXPOSURE.

PRECAUTIONS: Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in well-ventilated area. Avoid release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight.

If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage and disposal of this product as well as additional hazards and first aid measures, please obtain the current Safety Data Sheet at www.stollerusa.com.

STORAGE AND DISPOSAL

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. **DISPOSE** of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

CAUTION: This product contains boron and the use of the product on any crop other than those recommended by this label may result in serious injury to the crop.

CAUTION: This product is to be used only on crops, which respond to molybdenum. Crops high in molybdenum are toxic to grazing animals (ruminants). Avoid use with basic copper fungicides.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aanfco.org/metals.html>

Notice: The information contained herein is true and accurate to the best of our knowledge and belief, but is presented without guarantee since field conditions and use are beyond our control. Neither the manufacturer nor the seller make any warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instruction. Read and follow the label directions carefully.

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond sellers control, Sellers liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Density: 10.9 lb/gal (1.3 kg/L) @ 68°F (20°C)

NET CONTENT

- 2.50 gal (9.5 L)
- 2.64 gal (10.0 L)
- 5.00 gal (18.9 L)
- 5.28 gal (20.0 L)

NET WEIGHT

- 27.3 lb (12.3 kg)
- 29.0 lb (13.0 kg)
- 55.0 lb (24.6 kg)
- 57.6 lb (26.4 kg)

GENERAL INFORMATION

GOLDEN HARVEST PLUS GA 5-18-2 is a fluid nutrient compound designed to prevent nutrient deficiencies in plants. **GOLDEN HARVEST PLUS GA 5-18-2** is a valuable supplement to soil applied nutrients and is particularly beneficial under conditions where soil nutrients are not readily available. **GOLDEN HARVEST PLUS GA 5-18-2** has a pH of 1 to 1.5.

DIRECTIONS FOR USE

It may be a violation of federal law to use this product inconsistent with its labeling.

GOLDEN HARVEST PLUS GA 5-18-2 can be foliar applied; and/or applied through flood, drip, overhead, pivot and micro irrigation systems. It is formulated as a soluble concentrate that requires a minimum 1 to 10 dilution with water for all applications. Apply the recommended amount in a volume sufficient to provide uniform coverage.

RECOMMENDED USES

FOR FERTIGATION: Apply through irrigation system every 7-14 days using 2 to 4 quarts per planted acre, throughout the entire growing season. Repeat as often as needed.

FOR FOLIAR APPLICATION: For field crops, apply 1 to 2 quarts per acre when crops reach 2 to 4 leaf stage. Repeat as needed every 7-21 days. On vegetables, spray 1 to 4 quarts per acre at weekly intervals. Start when crops have leaves sufficient to have adequate nutrient uptake, typically 2-4 weeks after planting. Continue up to 2 weeks before final harvest. For tree fruit and nuts, spray 1 to 4 quarts per acre beginning with delayed dormant spray, through harvest. For citrus, apply 6 to 8 quarts per acre, four times annually with first application at pre-bloom.

Use **GOLDEN HARVEST PLUS GA 5-18-2** the recommended rate on the following crops:

FIELD CROPS: Alfalfa, bean crops, canola, clover, corn, cotton, forage grasses, peanut, potato, rape (canola), rice, sorghum, soybean, sugar beet, sugarcane, sunflower, tobacco, and wheat, barley, oat, or other cereal grain.

VEGETABLE CROPS: Artichoke, asparagus, broccoli, cauliflower, cabbage, kale, and other cruciferous vegetables; leaf lettuce, head lettuce, dandelion, radicchio, arugula, and other leafy vegetables; cucumber, melon, pumpkin, squash, and other cucurbits, onion, garlic, and other bulb vegetables; tomato, pepper, eggplant and other fruiting vegetables; strawberry; carrot, sweet potato, radish, beet and other root and tuber vegetables.

FRUIT AND NUT CROPS: Apple, avocado, blueberry and other bush berries, blackberry, raspberry and other cane berries, sweet orange, lemon, mandarin and other citrus, date palm, fig, grapes, hops, nectarines, oil palm, olive, persimmon, cherry, peach, plums, prune, nectarine, apricot and other stone fruit, almond, pecan, pistachio, walnut and other tree nuts, pear, pomegranate, and subtropical fruit.

TURF GRASSES: Use 1 quart in 20 to 100 gallons for every 5,000 square feet. Start when grass turns green. Repeat every 3-4 weeks until grass goes into dormancy.

MIXING INSTRUCTIONS: Follow this mixing order. (1). Water (2) **Golden Harvest Plus GA 5-18-2** (3) Pesticide. **Golden Harvest Plus GA 5-18-2** will disperse in water with little agitation. **Golden Harvest Plus GA 5-18-2** is compatible with most pesticides and spray additive and may be used up to final harvest. The use of buffering agents may result in crop damage. Always conduct a jar test when using new or untried combinations.

Notice: The information contained herein is true and accurate to the best of our knowledge and belief, but is presented without guarantee since field conditions and use are beyond our control. Neither the manufacturer nor the seller make any warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instruction. Read and follow the label directions carefully.

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond sellers control, Sellers liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.