

# Gomex 5-0-0

2.4 Mg, 2.0 B

#### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	5.00%
5.00% Urea Nitrogen	
Magnesium (Mg) .....	2.40%
2.40% Water Soluble Magnesium	
Sulfur (S) .....	3.20%
Boron (B) .....	2.00%
Molybdenum (Mo) .....	0.02%

Derived from: Urea, Magnesium Sulfate, Boric Acid, and Sodium Molybdate

**KEEP OUT OF REACH OF CHILDREN**



**WARNING**

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

F1548

FOR AGRICULTURAL OR COMMERCIAL USE ONLY



GUARANTEED BY:

LOVELAND PRODUCTS, INC. • PO BOX 1286 • GREELEY, CO 80632-1286

DENSITY 10.50 LBS/GALLON @ 68° F

NET WEIGHT 26.25 LBS(11.90 kg)

**LIQUID MEASURE 2.5 US GALLONS (9.46 L)**

Gomex5-0-0\_11315

product code: 1000364729

**CAUTION:** This fertilizer is to be used only on soil which responds to molybdenum. Crops high in molybdenum are toxic to grazing animals (ruminants).

**CAUTION:** This product contains Boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions.

## DIRECTIONS FOR USE

### VEGETABLE CROPS

**Fruit-bearing vegetables:** For fruit-bearing vegetable crops not specifically listed on label, apply **Gomex 5-0-0** at pre-bloom, bloom and every 1 to 2 weeks thereafter at a rate of 3 pints to 2 quarts per acre.

**CUCURBITS, PEPPERS, TOMATOES, AND OTHER FRUITING VEGETABLES:** 3 pints per acre per application. 1st application at first flower. 2nd application 1 to 2 weeks later. 3rd application 1 to 2 weeks later.

**POTATOES (Irish):** 3 pints per acre per application. 1st application at 100% sprouting. 2nd application 15 days after first treatment.

**EDIBLE BEANS, PEAS, SNAPBEANS, & OTHER LEGUMES:** 1 quart per acre per application: 1st application at early bloom with an optional 2nd application at early pod.

**SWEET POTATOES:** 3 pints per acre per application. 1st application at Tuber initiation. 2nd application 2 to 3 weeks after first treatment.

**SUGARBEET:** 3 pints per acre per application. 1st application at 8 to 10 leaf stage followed by a 2nd application 2 to 3 weeks later.

### ROW & NUT CROPS

**COTTON:** 1 quart per acre per application. Apply at early to mid bloom.

**SOYBEAN:** 2 to 3 pints per acre per application. Apply at R1 to R3.

**PEANUTS:** 1 quart per acre per application. 1st application at pegging. 2nd application 10 to 14 days after.

**ALMONDS & PISTACHIOS:** 2 quarts per acre per application. 1st application at pre-bloom to early bloom. 2nd application at full bloom to petal fall, or 1 to 3 quarts per acre application at full bloom.

**ENGLISH WALNUTS AND PECANS:** 2 quarts per acre per application. 1st application at early pistillate bloom. 2nd application at full pistillate bloom, or 1 to 3 quarts per acre application at full pistillate bloom.

### FRUIT CROPS

Apply **Gomex 5-0-0** to most fruit crops at pre-bloom, full bloom and soon after fruit set at a rate of 1 quart, 3 pints or 2 quarts per acre depending on the fruit crop.

**APPLES & PEARS:** 3 pints per acre per application. 1st application at pre-bloom. 2nd application at early king bloom (for apples); bloom (for pears). 3rd application at post bloom (petal fall-fruit set).

**STONEFRUIT (Apricots, Nectarines, Peaches, Plums):** 3 pints per acre per application. 1st application at early bloom. 2nd application at petal fall. 3rd application 10 to 20 days later (dependent upon variety).

**GRAPES (Raisin, Table and Wine):** 1 quart per acre per application. 1st application at 12 to 18 inch shoot growth. 2nd application at bloom stage. 3rd application after fruit set.

**Concord, Niagara and other American cultivars:** 2 quarts per acre per application. 1st application at early bloom. 2nd application at full bloom.

**POMEGRANATE:** 2 quarts per acre per application. 1st application at early bloom. 2nd application at petal fall.

**CHERRIES:** 2 quarts per acre per application. 1st application at first white flower. 2nd application at petal fall. 3rd application at shuck fall.

**OLIVES:** 3 pints per acre per application. 1st application at bud differentiation. 2nd application at early to full bloom. 3rd application at first growth stage of fruit.

**STRAWBERRIES:** 1 quart per acre per application. 1st application within 14 days of transplant. 2nd application at first bloom. 3rd application 2 to 3 weeks later. Subsequent applications every 2 to 3 weeks thereafter.

**BLUEBERRY, CANEBERRY AND CRANBERRY:** 1 quart per acre per application. 1st application at swollen bud. 2nd application at first bloom. 3rd application at full bloom. 4th application at petal fall.

**AVOCADOS:** 2 quarts per acre per application. 1st application at pre-bloom to early bloom. 2nd application at full bloom to petal fall.

**CITRUS:** 2 quarts per acre per application. 1st application at pre-bloom to early bloom. 2nd application at full bloom to 2/3 petal fall. 3rd application at fall spray (late August for early varieties to late October for late varieties).

GUARANTEED BY:

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY, CO 80632-1286

  
**Loveland**  
PRODUCTS

Gomex5-0-0\_J1315

## OIL SEED CROPS

Apply **Gomex 5-0-0** to most oil seed crops at budding to early bloom at a rate of 1.5 pints to 2 pints per acre.

**CANOLA:** 1.5 pints per acre per application. One application at beginning of stem elongation.

**CAMELINA:** 2 pints per acre per application. One application at budding to early flower.

**FLAX:** 2 pints per acre per application. One application before onset of flowering.

**MUSTARD:** 2 pints per acre per application. One application at budding to early flower

**SUNFLOWER:** 2.5 pints per acre applied at 3 pairs of true leaves to flower bud appearance.

## SOIL APPLICATION

Apply 2 to 3 pints per acre anytime during the growing season. Repeat as needed. May be applied via fertigation or with all conventional spray equipment including side dress application. At least one post-harvest application is recommended for all permanent crops. **Gomex 5-0-0** can be blended with most commonly used fertilizers, pesticides and fungicides.

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL 1-866-944-8665.**

## STORAGE and DISPOSAL

**STORAGE:** Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. **DISPOSAL:** Do not reuse container. Plastic: Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

**HANDLING:** Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

**For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.**

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**  
BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

**CALIFORNIA PROPOSITION 65: WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lpl.com>

GUARANTEED BY:

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY, CO 80632-1286



Gomex5-0-0\_J1315