



## Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

MALATHION GROUP 1B INSECTICIDE

### Gowan® Malathion 8F Insecticide

EPA Reg. No. 10163-21 / EPA SLN NO. OR-130011

#### FOR CONTROL OF SPOTTED WING DROSOPHILA IN CANEBERRIES

This label is valid until December 31, 2027, or until otherwise amended, withdrawn, canceled or suspended.

##### ACTIVE INGREDIENT: MALATHION

% By Wt.

(O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate): .....79.5%

INERT INGREDIENTS : .....20.5%

TOTAL 100.0%

Contains Petroleum Distillates

Contains 8 lbs. Malathion per gallon

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

#### ENVIRONMENTAL HAZARDS

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Gowan Malathion 8F.

#### DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and the label affixed to the main container of Gowan Malathion 8F must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the label affixed to the main container of Gowan Malathion 8F.

CROP	REI	RATE (PTS/ACRE)	PEST	RESTRICTIONS
BLACKBERRIES, BOYSENBERRIES, DEWBERRIES, LOGANBERRIES, RASPBERRIES	12 hours	Up to 2 (2.0 lbs ai/acre)	Spotted Wing Drosophila	The maximum application rate is 2.0 pints of product per acre; the maximum number of applications per year is 4; and the minimum retreatment interval is 7 days.  Do not exceed a total maximum use rate of malathion from all sources of 8 lbs. ai per acre per year.  Do not apply within 1 (one) day of harvest.  Use specified rate in 100 to 800 gallons of water per acre.  Buffer Zones for Aerial Application: When making a Non-ULV application with aerial application equipment, a minimum buffer zone of 25 feet must be maintained along any water body. Refer to the Spray Drift Requirements section of the label affixed to the main container of Gowan Malathion 8F for additional directions, restrictions, and precautions.

**IMPORTANT:** This product is sold subject to the Conditions of Sale and Warranty and Liability Limitations set forth on the container label.

**SECTION 24(c) REGISTRANT:** Gowan Company, LLC

P.O. Box 5569

Yuma, AZ 85366-5569