

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS ONLY– NOT TO BE
USED BY UNCERTIFIED PERSONS WORKING UNDER THE SUPERVISION OF A
CERTIFIED APPLICATOR.**

syngenta.

INTIRA

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MICHIGAN

**Gramoxone® SL 2.0
For Row Middle Weed Control in Lettuce (Head and Leaf)**

**EPA Reg. No. 100-1431
EPA SLN No. MI-120002**

**This label expires and must not be distributed or used in accordance with this SLN
registration after June 8, 2026.**

**KEEP OUT OF REACH OF CHILDREN /
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.**



**DANGER / POISON
PELIGRO / VENENO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail. See additional
precautionary statements and directions for use inside booklet.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.

Specific Use Directions

Use Pattern	Maximum No. of Applications per Season	Rate per Acre	Application Timing	Minimum Total Spray Volume per Acre
Shielded Row Middle Application	1	1.5 pints	2-3 weeks after seeding	40 gallons

Application Instructions

- Apply with conventional ground equipment directing spray between the rows and using shields to prevent spray contact with crop plants.
- Apply when weeds and grasses are succulent and weed growth is 1 to 6 inches high.
- Do not allow spray to contact crop as injury or excessive residues may result.
- Add a nonionic surfactant at 0.25% v/v or 32 fl oz/100 gal of spray mix.

Restrictions

- Do not allow animals to graze in treated areas.
- Do not apply where Gramoxone SL 2.0 (or other paraquat-containing products) has been used as a preplant preemergent spray.
- Do not apply more than 1.5 pints/A per season.
- DO NOT apply this product through any type of irrigation system.

Precautions

- Weeds emerging after application will not be controlled.
- Outer leaves should be stripped at the time of harvest.

©2021 Syngenta

Gramoxone® and the Syngenta logo are trademarks of a Syngenta Group Company.

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: MI1431048DA0821