

#### RESTRICTED USE PESTICIDE

## **Due to Acute Toxicity**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's Certification

# FIFRA 24(c) Special Local Need Label (SLN) FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF CALIFORNIA

For Use as a Harvest Aid in Alfalfa Grown for Seed

# **GRAMOXONE® SL 2.0**

This label expires and must not be distributed or used in accordance with this SLN registration after July 31, 2022

EPA Reg. No. 100-1431

**EPA SLN No. CA-120005** 

**KEEP OUT OF REACH OF CHILDREN** 

DANGER/PELIGRO POISON



FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DESICCATION, ILLEGAL RESIDUES AND/OR CROP INJURY.

### **Directions for Use**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA-registered label for Gramoxone® SL 2.0, EPA Reg No. 100-1431 and this label.

#### Alfalfa (Grown for Seed)

Crop	Use Pattern	Rate Per Treated Acre	Minimum Spray Volume gal/acre	Preharvest Interval (Days)
Alfalfa  Desiccation of alfalfa to facilitate harvest of alfalfa seed	Broadcast	2.5 - 4.0 pts. Gramoxone® SL 2.0	Ground: 20-25 gals. Air: 5-10 gals.	See precautions below

#### Always Add One of the Following:

Add a nonionic surfactant containing 75% or more surface-active agent at 0.125% v/v (1 pint per 100 gallons), OR add a nonionic surfactant containing 50-74% surface-active agent at 0.25% v/v (2 pints per 100 gallons) of the finished spray volume for ground applications. For aerial applications, add a nonionic surfactant at 0.25% v/v (2 pints per 100 gallons) of the finished spray volume.

#### **Precautions, Restrictions, and Comments:**

- DO NOT harvest until at least 4 days after application.
- Maximum of 2 applications per year.
- DO NOT apply when weather conditions favor drift from treated areas.
- DO NOT apply by ground equipment within 25 ft. or by air within 75 ft. of lakes; reservoirs; rivers; permanent streams, marshes or natural ponds; estuaries; and commercial fish ponds.
- For use only on fields in production of alfalfa seed. Not for use on fields producing alfalfa for livestock feed. No portion of the treated field, including seed, seed screenings, hay forage, or stubble, may be used for human or animal feed.
- Make aerial or ground applications when the wind velocity favors on target product deposition, (approximately 3-10 mph). Do not apply when wind velocity exceeds 10 mph for ground applications or 7 mph for aerial applications.
- For aerial applications, the spray boom should be mounted on the aircraft so as to minimize drift caused by wingtip or rotor vortices. Boom length must not exceed 75% of wingspan or rotor diameter.
- Use flat fan nozzles for the most effective application.
- Follow recommended spray volumes listed. These are minimum volumes only, and spray volumes should be increased as necessary to obtain complete coverage of the target weed or plant without runoff from the foliage.
- DO NOT apply this product through any type of irrigation system.
- DO NOT enter treated field within 24 hours of application.

- DO NOT cut current years treated alfalfa seed crop for hay or forage
- Screenings from alfalfa seed processing are prohibited from feed channels. All Gramoxone® SL 2.0 treated alfalfa seed screenings must be removed from the feed market.

#### SPECIAL REQUIREMENTS FOR CROPS GROWN FOR SEED:

- DO NOT graze animals in treated areas or feed cleanings or crop residues to livestock.
- Treated alfalfa seed shall not be used for sprouting.
- All alfalfa seed treated with Gramoxone SL 2.0 is to be tagged at processing plants, "NOT FOR HUMAN CONSUMPTION OR ANIMAL FEED". It shall be the grower's responsibility to notify the processing plants of any seed crop treated with Gramoxone® SL 2.0.
- Per Section 12832 of the California Food and Agriculture Code, the attached Seed Conditioner Notification Form shall be completed upon delivery of alfalfa seed treated with Gramoxone SL 2.0 or any other crop protection chemical governed by this statute.

This form outlines the requirements for handling of crops grown for seed and their cleaning by-products to prevent movement of any treated portion to animal or human feed chains.

EPA SLN No.: CA-120005

Gramoxone® is a trademark of a Syngenta Group Company

© 2017 Syngenta

Section 24(c) Registrant: Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, North Carolina 27419 Phone number: 1-800-334-9481

CA1431161CA0317

# **SEED CONDITIONER NOTIFICATION**

STATEMENT TO BE COMPLETED UPON DELIVERY OF ALFALFA SEED TREATED WITH CROP PROTECTION CHEMICALS GOVERENED BY CALIFORNIA CODE OF REGULATIONS (CCR) SECTION 12832,

## **GROWER STATEMENT**

This serves as no		om and varieties d list detailing grower, field	d and variety	
Grower Name		Signe	Signed	
Dated	(printed)			
	CONDI	TIONER STATEMENT		
	d conditioning season a	escribed above was receive nd the following requireme	ed on this (Date) ents and restrictions will be	
or used for disposal the direct a controll	or food or feed. The stor three years from the or upon request. Disp	seed conditioner shall ke ne date of disposal and s posal records shall cons e, incinerator, cogenerat	ney cannot be distributed eep records of screenings shall furnish the records to sist of documentation from tion plant, composting	
meal, wh		g, but not limited to, greeded, or seed screenings s	en chop, hay, pellets, shall be used or distributed	
	g or container label th	as a nonfood or nonfeed at forbids the use of see	site, in this State, shall ed for human consumption	
_	or conditioned as a no d for human consump	onfood or nonfeed site, i otion or animal feed.	n this State, may be	
(Signature of Con	ditioner)	Title	Date	