

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

# 1 Identification

· Product Identifier

· Trade Name: 5-10-40 STD

· Relevant identified uses of the substance or mixture and uses advised against: Fertilizer

· **Product Description:** Fertilizer

· Details of the Supplier of the Safety Data Sheet:

· Manufacturer/Supplier:

**Grow More** 

15600 New Century Drive Gardena, CA 90248 (310) 515-1700

www.growmore.com

· Emergency telephone number: (310) 515-1700

## 2 Hazard(s) Identification

· Classification of the substance or mixture:



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

- · Label elements:
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



Signal word: Warning

· Hazard-determining components of labeling:

Ammonium Sulfate

Ammonium phosphate monobasic

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

#### Trade Name: 5-10-40 STD

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

10 % of the mixture consists of component(s) of unknown toxicity.

- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0

REACTIVITY O Physical Hazard = 0

Hazard(s) not otherwise classified (HNOC): None known

# 3 Composition/Information on Ingredients

· Non-hazardous con	nponents:	
CAS: 7778-80-5	Potassium Sulfate	25-50%
RTECS: TT5900000		

- · Chemical characterization: Mixtures
- **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:		
CAS: 7783-20-2	Ammonium Sulfate	15-35%
RTECS: BS 4500000	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 7722-76-1	Ammonium phosphate monobasic	15-35%
	♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
CAS: 7757-79-1	Potassium Nitrate	5-10%
RTECS: TT 3700000	🕸 Ox. Sol. 3, H272	
CAS: 10043-35-3	Boric Acid	≤2.5%
RTECS: ED 4550000		

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## 4 First-Aid Measures

- · Description of first aid measures:
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

#### · After eve contact:

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# 5 Fire-Fighting Measures

- Extinguishing media:
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

## · Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Sweep up the material.

Dispose contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### Protective Action Criteria for Chemicals

PAC-1:		
7778-80-5	Potassium Sulfate	20 mg/m
7783-20-2	Ammonium Sulfate	13 mg/m
7722-76-1	Ammonium phosphate monobasic	17 mg/m
7757-79-1	Potassium Nitrate	9 mg/m³
10043-35-3	Boric Acid	6 mg/m³
PAC-2:		·
7778-80-5	Potassium Sulfate	220 mg/m
7783-20-2	Ammonium Sulfate	140 mg/m
7722-76-1	Ammonium phosphate monobasic	190 mg/m
7757-79-1	Potassium Nitrate	100 mg/m
10043-35-3	Boric Acid	23 mg/m³
PAC-3:		
7778-80-5	Potassium Sulfate	1,300 mg/m
		(Contd. on page



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

7783-20-2	Ammonium Sulfate	840 mg/m <sup>3</sup>
7722-76-1	Ammonium phosphate monobasic	1,100 mg/m <sup>3</sup>
7757-79-1	Potassium Nitrate	600 mg/m <sup>3</sup>
10043-35-3	Boric Acid	830 mg/m³

# 7 Handling and Storage

- · Handling
- Precautions for safe handling:

Avoid contact with skin, eyes and clothing

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities:
- Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool, dry place in tightly closed receptacles.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

# 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 10043-35-3 Boric Acid

TLV Short-term value: 6\* mg/m³
Long-term value: 2\* mg/m³
\*as inhalable fraction

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

# 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Color:
Blue green
Odour:
Not determined
Not determined.

PH-value:
Not applicable.

· Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: ≥400 °C (≥752 °F)

· Flash point: None

Flammability (solid, gaseous): Not determined.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Vapor pressure: Not applicable.

· Density:

Relative density:Not determined.Vapor density:Not applicable.Evaporation rate:Not applicable.

· Solubility in / Miscibility with:

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

Solvent content:

VOC content: 0.00 %

· Other information: No further relevant information available.

# 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

	- 7		
· LD/LC50 values that are relevant for classification:			
7778-80-5	Potassium Su	lfate	
Oral	LD50	6,600 mg/kg (Rat)	
Inhalative	LC50/96 hours	680 mg/l (Pimephales)	
7783-20-2	Ammonium Su	ulfate	
Oral	LD50	2,840 mg/kg (Rat)	
Inhalative	LC50/96 hours	36.7 mg/l (Trout)	
		433 mg/l (Water flea)	
7722-76-1	Ammonium ph	nosphate monobasic	
Oral	LD50	5,750 mg/kg (Rat)	
Dermal	LD50	7,640 mg/kg (Rabbit)	
7757-79-1 Potassium Nitrate			
Oral	LD50	3,750 mg/kg (Rat)	
10043-35-3 Boric Acid			
Oral	LD50	2,660 mg/kg (Rat)	
		· · · · · · · · · · · · · · · · · · ·	

- · Primary irritant effect:
- On the skin: Irritant to skin and mucous membranes.
- · On the eve: Irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):		
None of the ingredients are listed.		

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

· NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

# 12 Ecological Information

· Toxicity:

· Aquatic toxicity:

7757-79-1 Potassium Nitrate

EC50 226 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

# 13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport Information

· UN-Number:

DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· **DOT, ADR/ADN, IMDG, IATA**Non-Regulated Material

Environmental hazards: Not applicable.Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

(Contd. on page 8)



Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

# 5 Regulatory Information Safety, health and environmental regulations/legislation specific for the substance or mixture:

Section 355	5 (extremely hazardous substances):
	ingredients are listed.
Section 313	3 (Specific toxic chemical listings):
7783-20-2	Ammonium Sulfate
7757-79-1 I	Potassium Nitrate
TSCA (Tox	ic Substances Control Act):
7778-80-5	Potassium Sulfate
7783-20-2	Ammonium Sulfate
7722-76-1	Ammonium phosphate monobasic
7757-79-1	Potassium Nitrate
15708-41-5	EDTA feric sodium complex
15375-84-5	Mn EDTA, Diammonium Salt
14025-15-1	Copper EDTA
10043-35-3	Boric Acid
California F	Proposition 65:
Chemicals	known to cause cancer:
None of the	ingredients are listed.
Chemicals	known to cause reproductive toxicity for females:
None of the	ingredients are listed.
Chemicals	known to cause reproductive toxicity for males:
None of the	ingredients are listed.
Chemicals	known to cause developmental toxicity:
None of the	ingredients are listed.
New Jersey	r Right-to-Know List:
7757-79-1	Potassium Nitrate
New Jersey	/ Special Hazardous Substance List:
None of the	ingredients are listed.
Pennsylvar	nia Right-to-Know List:
7783-20-2 Ammonium Sulfate	
7757-79-1 I	Potassium Nitrate
Pennsylvar	nia Special Hazardous Substance List:

· Carcinogenic categories:

7783-20-2 Ammonium Sulfate

EPA (Environmental Protection Agency):	
10043-35-3 Boric Acid	l (oral)
· TLV (Threshold Limit Value established by ACGIH):	
10043-35-3 Boric Acid	A4

(Contd. on page 9)

Ε



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

## · NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

#### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



· Signal word: Warning

## Hazard-determining components of labeling:

Ammonium Sulfate

Ammonium phosphate monobasic

### · Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

## Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## National regulations:

None of the ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- Date of preparation / last revision: 03/20/2018 / 2
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018 Reviewed on 03/20/2018

Trade Name: 5-10-40 STD

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Sol. 3: Oxidizing solids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106