

RESTRICTED USE PESTICIDE

Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.



FIFRA 2(ee)

Recommendation

EPA Reg. No. 279-3315

**NOT FOR USE IN AK, CA, DC, IN,
NH, NM, NY & TX**

**THIS RECOMMENDATION, WHICH
CONTAINS ADDITIONAL DIRECTIONS
FOR USE, IS MADE AS PERMITTED
UNDER FIFRA SECTION 2(ee) AND HAS
NOT BEEN SUBMITTED TO OR
APPROVED BY THE EPA.**

This recommendation for HERO Insecticide is valid until 03/25/2025, or until withdrawn, cancelled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Soybeans	Kudzu bug or Bean Plataspid	6.4 to 10.3 oz/A

DIRECTIONS FOR USE:

Apply 6.4 to 10.3 oz/A HERO insecticide by ground or air equipment using sufficient water to obtain full coverage of foliage (minimum of 10 gallons by ground and 2 gallons by air). Thorough coverage is essential to achieve control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic threshold levels. Under heavy outbreak conditions tank mixing with another insecticide or use of HERO insecticide in a sequential insecticide program with an insecticide labeled for this insect pest is recommended. HERO insecticide may be used in a sequential insecticide program with STALLION insecticide where sequential applications are made no earlier than 7 days apart.

RESTRICTIONS:

- Do not apply more than 10.3 fl oz/A or 0.10 lb ai/A per application.
- Do not apply more than 41.2 fl oz/A or 0.40 lb ai/A per season.
- Do not sequentially apply HERO insecticide less than 30 days apart.
- Do not graze or harvest treated soybean forage, straw, or hay for livestock feed.
- Do not harvest soybeans within 21 days of a HERO insecticide application.



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000