


# SAFETY DATA SHEET HUMA GRO® Huma Pro® 6%



HMIS				
HEALTH	1			
FLAMMABILITY	0			
PHYSICAL HAZARD	0			
PPE	В			

PRODUCT IDENTIFIER: HUMA GRO® Huma Pro® 6% Product # 610

**GENERAL USE:** Used as a part of a plant nutrition program.

**PRODUCT DESCRIPTION:** A dark brown to black liquid having no characteristic odor.

INFORMATION PROVIDED BY: Bio Huma Netics, Inc.

1331 W Houston Avenue Gilbert, AZ 85233

PHONE: (480) 961-1220

,

**EMERGENCY PHONE NUMBERS** 

CHEMTREC: (In the USA) 800-424-9300

(International) 703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

HAZARDS OVERVIEW:

For additional SDS call:

A dark brown to black, slightly alkaline liquid having no characteristic odor. The liquid and mists may be irritating to the eyes and skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of

this product may cause gastrointestinal irritation.

**CLASSIFICATION: HAZARD CATEGORY 3 - MILD SKIN IRRITATION** 

**SIGNAL WORD: WARNING** 

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation

PRECAUTIONARY STATEMENT: P332+P313; If skin irritation occurs: Get medical attention/advice.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS							
				ACC	SIH	OSHA	
COMPONENT	CAS#	OSHA HAZARD	<u>WT %</u>	$TLV_{(TWA)}$	STEL	$PEL_{(TWA)}$	STEL
Humic Acid (HA)	1415-93-6	Eye, Skin & Respiratory Irritant.	6 ± 0.5	None	None	None	None
Proprietary polymerous hydrosol leachate and chelated nutrients	N/A	Eye, Skin & Respiratory Irritant.	70 ± 2	None	None	None	None
Water and other components	7732-18-5	None of the remaining components contribute significant health hazards at the concentrations present in this product. All pertinent hazard information has been provided in this document, per the requirements of OSHA Standard 29 CFR 1910.1200, U.S.	Balance	None	None	None	None
				NDA =	No Data Available	N/A = N	ot Applicable

#### **SECTION 4: FIRST AID MEASURES**

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If

breathing is difficult, give oxygen. Call a physician.

**EYE CONTACT:** In case of contact, immediately flush eves with plenty of clean running water for at least 15 minutes, lifting the

upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.

**SKIN CONTACT:** In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and

wash before reuse. If irritation occurs and persists, get medical attention.

**INGESTION:** If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless

directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

**NOTE TO PHYSICIANS:** Based on component information, this product is slightly toxic by ingestion. If a large amount is ingested,

consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage

with an endotracheal tube in place should be considered. Treat exposure symptomatically.

#### **SECTION 5: FIRE FIGHTING MEASURES**

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: No data available Upper: No data available

Autoignition Temperature: Not determined

GENERAL HAZARD: This product is an aqueous, slightly alkaline solution of organic and inorganic compounds with small amounts

of mineral salts. The Uniform Fire Code health hazard classification for this product is: Irritant. It may

produce hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water fog, foam, CO<sub>2</sub> or dry chemicals.

Use a water fog or spray to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

**HAZARDOUS COMBUSTION PRODUCTS:** When heated to dryness and decomposition, it emits toxic Ammonia gas, chloride

compounds, carbon dioxide, carbon monoxide, and nitrogen oxides with trace or ultratrace toxic oxide amounts of iron, sulfur, manganese, magnesium, potassium, calcium,

phosphorus, zinc, cobalt, boron, and sodium.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**RELEASE TO** LAND:

Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of the liquid using pumps or vacuum truck for disposal in accordance with Federal, State and local regulations. Absorb the remaining liquid using sand, or commercially absorbent material; dispose as Federal, State and local requirements dictate.

Flush the spill area with water; collect the rinsates for disposal as the regulations require.

**RELEASE TO** 

Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or WATER: divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all

downstream users of possible contamination.

## **SECTION 7: HANDLING AND STORAGE**

**STORAGE TEMPERATURE:** Ambient STORAGE PRESSURE: Ambient

GENERAL: Store in a cool, dry, well-ventilated, area away from incompatible materials and products. Protect eyes, skin and

> clothing from contact with product. Wear recommended personal protective equipment when handling this product. Avoid breathing vapors or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly

closed when not in use. Wash thoroughly after handling this product.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work

**MEASURES:** area, below the ACGIH-TLV, AIHA WEEL or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use creates mists or aerosols, or if an ACGIH-TLV is

exceeded, a NIOSH approved full facepiece or half mask air-purifying cartridge respirator equipped with an organic vapor cartridge and a dust / mist pre-filter or supplied air is required. **Note:** Always consult the respirator

manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note:

Always consult the protective eyewear manufacturer's data when determining the suitability of protective

eyewear prior to use.

GLOVES: Wear Butyl Rubber, Neoprene or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

CLOTHING & Wear a Butyl Rubber, Neoprene or Natural Rubber apron when handling this product. An eye wash station and

**EQUIPMENT:** 

safety shower should be available in the work area. **Note:** Always consult the clothing/equipment

safety shower should be available in the work area. **Note:** Always consult the clothing/equipme manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Butyl Rubber, Neoprene or Natural Rubber boots. Note: Always consult the footwear manufacturer's

permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
Appearance:	Dark brown to black	Bulk Density (pounds/ft³):	Not applicable			
Physical State:	Liquid	Vapor Pressure:	No data available			
Odor:	None	Vapor Density (air=1):	No data available			
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	No data available			
Molecular Formula:	Mixture	VOC Content / Organic Matter:	Nil / 10.0%			
Molecular Weight:	Not applicable	% Volatile:	No data available			
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Soluble			
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available			
Specific Gravity:	1.05 – 1.15 @ 20° C.	pH (as is):	8.0 - 9.0			
Density (pounds/gallon):	Approximately 8.76	pH (1% solution):	No data available			

#### **SECTION 10: STABILITY AND REACTIVITY**

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

**INCOMPATIBLE MATERIAL:** Alkaline solutions, reducing agents, non-ferrous metals, strong oxidizers, combustible materials.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas and

chloride compounds plus toxic oxides of carbon, nitrogen and cobalt with trace or ultra-trace toxic oxide amounts, of, iron, sulfur, manganese, magnesium,

potassium, calcium, phosphorus, boron, zinc and sodium.

**SENSITIVITY TO MECHANICAL IMPACT:** This product is <u>not</u> sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is <u>not</u> sensitive to static discharge.

#### SECTION 11: TOXICOLOGICAL INFORMATION (additional toxicological information in section 16)

Components: <u>Humic Acid 6%</u> <u>Proprietary polymerous hydrosol leachate and chelate</u>

<u>nutrients</u>

Eye Contact:No data availableNo data availableSkin Contact:No data availableNo data availableOral Rat LD50:2,217 mg/kgNo data availableDermal Rabbit LD50:No data availableNo data availableInhalation Rat LC50:No data availableNo data available

Human Data:No data availableNo data availableOther Toxicological Data:No data availableNo data available

Carcinogenicity: No data available No data available

Teratogenicity: No data available No data available

Mutagenicity:No data availableNo data availableSynergistic Products:None reportedNone reported

Target Organs: Eyes, Skin, Mucous membranes Eyes, Skin, Mucous membranes

**Medical Conditions** 

Aggravated By Exposure:

Skin or Respiratory disorders

Skin or Respiratory disorders

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### **ENVIRONMENTAL FATE:**

This product is completely soluble in water and is not expected to affect the pH of water. No specific environmental fate data is available, but the organic portion of this product is expected to be biodegradable.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

RCRA 40 CFR 261 CLASSIFICATON: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

**SECTION 14: TRANSPORTATION INFORMATION** 

DOT PROPER SHIPPING NAME: NOT DOT REGULATED (UNITED STATES)

Hazard Class: Not applicable UN Number: Not applicable Packing Group: Not applicable

Primary Label: None Required Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not listed RQ for Product: Not applicable

Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: NOT RESTRICTED

Hazard Class: Not applicable UN Number: Not applicable Packing Group: Not applicable

Primary Label: None Required Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None Required

TDG Reportable Quantity (RQ): \* Not applicable TDG Schedule XII: Not listed

Regulated Limit (RL): ## Not listed RL for Product: Not applicable

Other Shipping Information: None

# Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ## Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

## **SECTION 15: REGULATORY INFORMATION**

COMPONENTS: <u>Humic Acid 6%</u> <u>Proprietary polymerous hydrosol leachate and</u>

chelate nutrients

OSHA Target Organs: Eyes, Skin, Mucous Eyes, Skin, Mucous

membranes membranes

Carcinogenic Potential:

 Regulated by OSHA:
 No
 No

 Listed on NTP Report:
 No
 No

 Listed by IARC:
 No
 No

IARC Group:

ACGIH Appendix A:

A1 Confirmed Human:

A2 Suspected Human:

Not applicable

**U.S. EPA Requirements** 

**Release Reporting** 

**CERCLA** (40 CFR 302)

**Listed Substance:** Not listed Not listed Not applicable Reportable Quantity: Not applicable Category: Not applicable Not applicable RCRA Waste No.: Not applicable Not applicable **Unlisted Substance:** Not applicable Not applicable Reportable Quantity: Not applicable Not applicable Characteristic: Not applicable Not applicable RCRA Waste No.: Not applicable Not applicable

**SARA TITLE III** 

Section 302 & 303 (40 CFR 355):

Listed Substance:Not listedNot listedReportable Quantity:Not applicableNot applicablePlanning Threshold:Not applicableNot applicable

Section 311 & 312 (40 CFR 370):

Planning threshold: 10,000 pounds 10,000 pounds

**SECTION 15: REGULATORY INFORMATION (Continued)** 

COMPONENTS: <u>Humic Acid 6%</u> <u>Proprietary polymerous hydrosol leachate and</u>

chelate nutrients

Section 313 (40 CFR 372):

Listed Toxic Chemical:Not listedNot listedReporting Threshold:Not applicableNot applicable

U.S. TSCA Status

Listed (40 CFR 710): No No

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No No No Reproductive Toxin: No No No

**Other Regulations** 

State Right To Know Laws: None known

**Canadian Regulations** 

**Product Information:** 

Controlled Product: Yes

WHMIS Hazard Symbols: Corrosive Material

WHMIS Class & Division: E

Ingredient Information:

 IDL Substance:
 No
 No

 DSL or NDSL Lists:
 DSL
 DSL

**SECTION 16: OTHER INFORMATION** 

EPA Registration number: Not applicable

**Approved Product Uses:** Used as a part of a plant nutrition program.

**Special Notes:** 

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Special Instructions:**

Store Huma Pro® 6% in a cool, dry, well ventilated, area away from incompatible materials and products.

**SDS Revision Information:** Revised Date: 9/03/2020

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Frank S. Pidgeon, Sr. EHSS Director Date Prepared: October 20, 2014

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.