


# SAFETY DATA SHEET HUMA GRO® RIO PECAN BLEND



HMIS			
HEALTH	3		
FLAMMABILITY	0		
PHYSICAL HAZARD	0		
PPE	В		

	SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION				
PRODUCT HUMA GRO® RIO PECAN BLEND Product# 999					
GENERAL USE:	Used as a part of a plant nutrition program.				
PRODUCT DESCRIPTION:	A dark tan liquid having a distinctive odor.				
SUPPLIER	Bio Huma Netic Inc				

SUPPLIER Bio Huma Netic, Inc. INFORMATION: 1331 W Houston Avenue

Gilbert, AZ 85233

For Additional SDS call: PHONE: (480) 961-1220

**EMERGENCY PHONE NUMBERS** 

CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887

### **SECTION 2: HAZARDS IDENTIFICATION**

HAZARDS OVERVIEW: A dark tan liquid having a distinctive odor. The vapors, mists and liquid may cause severe irritation or burns to all tissues contacted. Phosphoric Acid may generate flammable Hydrogen gas on contact with most metals. The NIOSH I.D.L.H. for

Phosphoric Acid is: 1,000 mg/m3.

工家

**CLASSIFICATION: SKIN CORROSION - CATEGORY 1A** 

SIGNAL WORD: DANGER

**HAZARD STATEMENT:** H314; causes severe skin burns and eye damage

PRECAUTIONARY STATEMENT: P260; Do not breathe dusts/mist/vapors. P280; Wear protective gloves/protective

clothing/eye protection/face protection P264; Wash hands thoroughly after handling

## **SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS**

COMPONENT	<u>CAS#</u> <u>C</u>	OSHA HAZARD		ACGIH		OSHA	
			<u>WT %</u>	$TLV_{(TWA)}$	STEL	$PEL_{(TWA)}$	STEL
Ferrous Sulfate	007720-78-7	Eye Corrosive; Skin, & Respiratory Irritant; Moderately Toxic by Ingestion	1.0% ± 0.5%	1 mg/m³ (as Fe)	None	None	None
Zinc Sulfate	7733-02-0	Eye, Skin & Respiratory Irritant; Cardiovascular, ; Blood & Central Nervous System toxin	5.0% ± 1.0%	None	None	None	None
Nickel Sulfate	10101-97-0	Corrosive; Eye, Skin & Respiratory Hazard; Lung toxin; Toxic by Ingestion	1.0% ± 0.5%	0.1 mg/m3	NDA	1 mg/m3	NDA
Boric Acid	10043-35-3	Eye, Skin & Respiratory Irritant; Toxic by Ingestion; Kidney, Gastrointestinal & Central Nervous Systems toxin	0.6% ± 0.2%	2 mg/m³ Inhalable Fraction	6 mg/m³ Inhalable Fraction	None	None
Phosphoric Acid	7664-38-2	Corrosive; Lung Toxin	4.5% ± 2.0%	1 mg/m <sup>3</sup>	3 mg/m³	1 mg/m <sup>3</sup>	None
Manganese Sulfate	7785-87-7	Eye, Skin & Respiratory Irritant; Central Nervous System toxin; Moderately toxic by Ingestion	4.0% ± 1.0%	0.2 mg/m³ Proposed: 0.02 mg/m³ Respirable fraction	None	Ceiling 5 mg/m <sup>3</sup>	None
Monopotassium Phosphate	7778-77-0	Eye, Skin & Respiratory Irritant	2.0% ± 0.5%	10 mg/m <sup>3</sup>	None	15 mg/m <sup>3</sup>	None
				NDA = No Data Avail	able N/A = No	ot Applicable	

#### **SECTION 4: FIRST AID MEASURES**

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper

respiratory device. If breathing is difficult, give oxygen. Call a physician.

**EYE CONTACT:** In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention immediately.

SKIN CONTACT: In case of contact, immediately flush skin with plenty of clean running water for at least 15 minutes, while removing

contaminated clothing and shoes. If burn or irritation occurs, call a physician.

INGESTION: If swallowed, DO NOT induce vomiting. Get medical attention immediately. If victim is fully conscious, give plenty

of water to drink. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS:

Phosphoric Acid has a low oral toxicity, but it can be severely irritating and/or corrosive to the eyes, skin and mucous membranes. If ingested, consideration should be given to careful endoscopy as stomach or esophageal burns,

perforations or strictures may occur. Careful gastric lavage with an endotracheal tube in place should be considered.

Treat exposure symptomatically.

### **SECTION 5: FIRE FIGHTING MEASURES**

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: Not applicable Upper: Not applicable

**Autoignition Temperature:** Not Determined

**GENERAL HAZARD:** This product is an aqueous solution of inorganic salts, an organic acid, and other organic and inorganic plant

nutrients, that are in an acidic solution. The Uniform Fire Code health hazard classification for this product is:

Irritant. This product may produce hazardous mists or hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: EXTINGUISHING MEDIA: Water, foam, CO2 or dry chemicals.

Use a water spray or fog to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

**HAZARDOUS COMBUSTION PRODUCTS:** When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon

> dioxide, zinc, manganese, iron and copper oxides, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt

and sodium plus irritating smoke.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**RELEASE TO** LAND:

Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent

appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as

appropriate.

**RELEASE TO** 

Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert WATER: water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream

users of possible contamination.

## **SECTION 7: HANDLING AND STORAGE**

STORAGE TEMPERATURE: Ambient STORAGE PRESSURE: Ambient

**GENERAL:** Store in a cool, dry, well-ventilated area away from incompatible materials and products. Avoid getting this product in eyes,

on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed

when not in use. Wash thoroughly after handling this product.

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

**CONTROL** Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,

**MEASURES:** below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: For exposure above the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation, wear a NIOSH-

approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability

of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note:

Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear

prior to use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

**CLOTHING &**Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this material. An eve wash station and safety shower should be available in the work area. **Note:** Always consult the

material. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to

use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. Note: Always consult the footwear manufacturer's

permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Dark tan	Bulk Density (pounds/ft³):	Not applicable	
Physical State:	Liquid	Vapor Pressure:	No data available	
Odor:	Distinctive, decayed citrus	Vapor Density (air=1):	No data available	
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1	
Molecular Formula:	Mixture	VOC Content / Organic Matter:	≤1gm/Liter / 7.74%	
Molecular Weight:	Not applicable	% Volatile:	No data available	
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Complete	
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available	
Specific Gravity:	1.25 – 1.35 @ 20° C.	pH (as is):	1.0 - 2.0	
Density (pounds/gallon):	Approximately 10.43	pH (1% solution):	No data available	

## **SECTION 10: STABILITY AND REACTIVITY**

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

**INCOMPATIBLE MATERIAL:** Contact caustics & alkali, strong oxidizers, sulfides, sulfites, cyanides and chlorine releasers.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic oxides of carbon, zinc,

manganese, iron and copper, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt and

sodium plus irritating smoke.

**SENSITIVITY TO MECHANICAL IMPACT:** This product is <u>not</u> sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is <u>not</u> sensitive to static discharge.

		SECTION 11: TOXICOLOGICAL INFORMATION		
Components:	Phosphoric Acid	Zinc Sulfate	Manganese Sulfate	
Eye Contact:	Rabbit: 119 mg; Severe	Rabbit: 420 ug; Moderate	No data available	
Skin Contact:	Rabbit: 595 mg/24 hours; Severe	No data available	No data available	
Oral Rat LD <sub>50</sub> :	1,530 mg/kg	1,710 mg/kg	2,150 mg/kg	
Dermal Rabbit LD <sub>50</sub> :	2,740 mg/kg	No data available (Subcutaneous LD <sub>Lo</sub> : 300 mg/kg)	No data available	
Inhalation Rat LC <sub>50</sub> :	Greater than 850 mg/m³/1 hour	No data available	No data available	
Human Data:	Unreported Route Man LD <sub>Lo</sub> : 220 mg/kg	Oral Human TD <sub>Lo</sub> : 45 mg/kg/7 Days; Cardiac & Blood Effects	No data available	
Other Toxicological Data:	Oral Man TD <sub>Lo</sub> : 1,286 uL/kg	Subcutaneous Rat LD <sub>Lo</sub> : 330 mg/kg	Oral Mouse LD <sub>50</sub> : 2,330 mg/kg	
Carcinogenicity:	No data available	Subcutaneous Rabbit LD <sub>Lo</sub> : 3,625 ug/kg/5 Days – Tumorigenic – Tumors at site of application	Intraperitoneal Mouse TD <sub>Lo</sub> : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria	
Teratogenicity:	No data available	Oral Rat TD <sub>Lo</sub> : 333 mg/kg (female 1- 18 Days pregnant) Effects on fertility – Post implantation mortality	Intraperitoneal Mouse TD <sub>Lo</sub> : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality	
Mutagenicity:	No data available	Human DNA Inhibition, HeLa cell: 1 umol/Liter/4 hours	Bacteria B Subtilis DNA Repair: 50 mmol/ Liter	
Synergistic Products:	None reported	None reported	None reported	
Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Gastrointestinal tract	Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems	
Medical Conditions Aggravated By Exposure:	Skin, Respiratory or Gastrointestinal disorders	Skin, Respiratory or Heart disorders	Skin or Respiratory disorders	
Components:	Ferrous Sulfate	Monopotassium Phosphate	Nickel Sulfate	
Eye Contact:	No data available	No data available	Causes eye irritation.	
Skin Contact:	No data available	No data available	May be harmful if absorbed through skin. Causes skin irritation.	
Oral Rat LD₅₀:	319 mg/kg	No data available (Oral Rat LD <sub>Lo</sub> : 4,640 mg/kg)	361 mg/kg	
Dermal Rabbit LD <sub>50</sub> :	No data available	Greater than 4,640 mg/kg	No data available	
Inhalation Rat LC <sub>50</sub> :	No data available	No data available	4 hour - 2.48mg/L	
Human Data:	Oral Woman TD <sub>Lo</sub> : 10,560 ug/kg; Gastrointestinal effects	No data available	No data available	
Other Toxicological Data:	Oral Mouse LD <sub>50</sub> : 680 mg/kg	No data available	No data available	
Carcinogenicity:	Subcutaneous Mouse TD <sub>Lo</sub> :1,600 mg/kg/16 Weeks; Equivocal Tumorigenic Agent, Tumors at application site	No data available	Human carcinogen. May cause cancer by inhalation	
Teratogenicity:	Oral Rat TD <sub>Lo</sub> : 7,200 mg/kg (9-14 Days pregnant); Effects on Embryo or Fetus – Fetal death	No data available	Presumed human reproductive toxicant. May damage the unborn child	
Mutagenicity:	Cytogenetic Analysis – Hamster, Ovary: 5 mmol/ Liter	No data available	In vitro tests showed mutagenic effects	
Synergistic Products:	None reported	None reported	No data available	
Target Organs:	Eyes, Skin, Lungs, Liver, Gastrointestinal Tract & Lymphatic System	Eyes, Skin & Mucous membranes	Inhalation - Causes damage to organs through prolonged or repeated exposure.	
Medical Conditions Aggravated By Exposure:	Skin, Liver or Respiratory disorders	Skin or Respiratory disorders	Gastrointestinal disorders, may cause allergic respiratory and skin reactions	

**SECTION 11: TOXICOLOGICAL INFORMATION (Continued from Page 4)** 

Components: Boric Acid

Eve Contact: No data available

Skin Contact: Human Standard Draize Test: 15 mg/3 Days ; Mild

**Oral Rat LD**<sub>50</sub>: 2,660 mg/kg

Dermal Rabbit LD<sub>50</sub>: No data available (Dermal Infant TD<sub>Lo</sub>: 1,200 mg/kg)

Inhalation Rat LC<sub>50</sub>: 28 mg/m<sup>3</sup>/4 hours

Human Data: Oral Woman LD<sub>Lo</sub>: 200 mg/kg

Other Toxicological Data: Oral Child TD<sub>Lo</sub>: 500 mg/kg; Gastrointestinal Effects:

Nausea or vomiting

Carcinogenicity: No data available

**Teratogenicity:** Oral Rat TD<sub>Lo</sub>: 6,600 mg/kg (female 1 – 21 Days

pregnant); Effects on Embryo or Fetus – Fetotoxicity; Specific Developmental Abnormalities – Musculoskeletal

system

Mutagenicity: Bacteria – E Coli Mutations in Microorganisms: 17,000

ppm/24 hours (-S9)

Synergistic Products: None reported

Target Organs: Eyes, Skin, Lungs, Kidneys, Gastrointestinal & Central

Nervous Systems

**Medical Conditions** 

Skin, Respiratory, Kidney or Gastrointestinal disorders

Aggravated By Exposure:

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### **ENVIRONMENTAL FATE:**

This product is completely soluble in water and can affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

RCRA 40 CFR 261 CLASSIFICATON: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

### **SECTION 14: TRANSPORTATION INFORMATION**

DOT PROPER SHIPPING NAME: Corrosive liquids, n.o.s. (Contains phosphoric acid, nickel sulfate, zinc sulfate, and manganese sulfate)

Hazard Class: 8 UN Number: UN1760 Packing Group:

Primary Label: Corrosive Subsidiary Label(s): None

**Primary/Subsidiary Placards:** Corrosive

DOT Reportable Quantity (RQ): 100 pounds (Nickel Sulfate) RQ for Product: 908 pounds

Marine Pollutant: Yes (Severe Marine Pollutant) Applicable to transport by water & in any bulk packaging.

2012 North American Emergency Response Guidebook No.: 154

TDG PROPER SHIPPING NAME: Corrosive liquids, n.o.s. (Contains phosphoric acid, nickel sulfate, zinc sulfate, and manganese sulfate)

Hazard Class: 8 UN Number: UN1760 Packing Group: ||

Primary Label: Corrosive Subsidiary Label(s): None

Primary/Subsidiary Placards: Corrosive

TDG Reportable Quantity (RQ): \* At least 1kg
TDG Schedule XII: Not listed

Regulated Limit (RL): \*\* Not Listed RL for Product: Not Applicable

Other Shipping Information: Note: In a packaging holding 395 pounds, or more, the shipping name must be preceded by: "RQ,". All the

hazardous material shipping descriptions, for this product, must be followed by "(Marine Pollutant)". The Marine

Pollutant marking must be on all tote size packaging.

## SECTION 15: REGULATORY INFORMATION

COMPONENTS:	Phosphoric Acid	Zinc Sulfate	Manganese Sulfate	Ferrous Sulfate
OSHA Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Gastrointestinal tract	Eyes, Skin, Lungs, Cardiovascular, Blood & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Lungs, Liver, Gastrointestinal & Lymphatic Systems
Carcinogenic Potential:				
Regulated by OSHA:	No	No	No	No
Listed on NTP Report:	No	No	No	No
Listed by IARC:	No	No	No	No
IARC Group:	Not applicable	Not applicable	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable	Not applicable	Not applicable
HC EDAD '				

#### U.S. EPA Requirements

Release Reporting CERCLA (40 CFR 302)

**Listed Substance:** Yes (Manganese Yes Yes Yes Compounds) Reportable Quantity: 5,000 pounds 1,000 pounds 1,000 pounds 1 pound Not listed Category: RCRA Waste No.: Not listed Not listed Not listed None listed **Unlisted Substance:** Not applicable Reportable Quantity: Not applicable Not applicable Not applicable Not applicable Characteristic: RCRA Waste No.: Not applicable Not applicable Not applicable Not applicable

<sup>\*</sup> Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

020	TION 13. REGULATOR	INFORMATION (C	Continued from Page #6)	
SARA TITLE III	Phosphoric Acid	Zinc Sulfate	Manganese Sulfate	Ferrous Sulfate
Section 302 & 303 (40 CFR 355):				
Listed Substance:	Not listed	Not listed	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable	Not applicable	Not applicable
ŭ	. tot applicable		. tot appoaz.c	
Section 311 & 312 (40 CFR 370):	Fire N. Oudden Balana			Observate Healths N
Hazard Categories ( <b>product</b> ):	_	_	eactive: N Acute Health: Y	_
Planning threshold:	10,000 pounds	10,000 pounds	10,000 pounds	10,000 pounds
Section 313 (40 CFR 372): Listed Toxic Chemical:	No (Delisted in June 2000)	Yes (Zinc Category)	Yes (Manganese	Not listed
Reporting Threshold:	Not applicable	10,000 pounds	Category) 10,000 pounds	Not applicable
U.S. TSCA Status				
<b>Listed</b> (40 CFR 710):	Yes	Yes	Yes	Yes
State Regulations				
State of California: Safe Drinking	Water and Toxins Enforceme	nt Act, 1986 (Propositio	on 65):	
Carcinogen:	No	No	No	No
Reproductive Toxin:	No	No	No	No
·				
Other Regulations				
State Right To Know Laws:	MA, NJ, PA	None known	None known	None known
Canadian Regulations Product Information: Controlled Product: WHMIS Hazard Symbols:	Yes Material Causing Other Toxio	c Effects		
WHMIS Class & Division:	D.2B			
Ingredient Information:				
IDL Substance:	Yes	Yes	Yes	No
DSL or NDSL Lists:	DSL	DSL	DSL	DSL
COMPONENTS:	Monopotassium Phosphate	Nickel Sulfate	Boric Acid	
OSHA Target Organs:	Eyes, Skin & Mucous membranes	Eyes, Skin, Lungs, & Gastrointestinal tract	Eyes, Skin, Lungs, Kidneys, Gastrointestinal & Central Nervous Systems	
Carcinogenic Potential:				
Regulated by OSHA:	No	Yes	No	
Listed on NTP Report:	No	Yes	No	
Listed by IARC:	No	Yes	No	
IARC Group:	Not listed	2B	Not applicable	
ACGIH Appendix A:	Not listed	Listed	Not listed	
A1 Confirmed Human:	Not applicable	Yes	Not applicable	
A2 Suspected Human:	Not applicable	Not applicable	Not applicable	
U.S. EPA Requirements				
Release Reporting				
<b>CERCLA</b> (40 CFR 302)				
Listed Substance:	Not listed	Not listed	Not listed	
Reportable Quantity:	Not applicable	Not applicable	Not applicable	
Category:	Not applicable	Not applicable	Not applicable	
RCRA Waste No.:	Not applicable	Not applicable	Not applicable	
Unlisted Substance:	Not applicable	Yes	Not applicable	
Reportable Quantity:	Not applicable	Not applicable	Not applicable	
Characteristic:	Not applicable	Corrosive	Not applicable	
RCRA Waste No.:	Not applicable	D002	Not applicable	

SECTION 15: REGULATORY INFORMATION (Continued from Page 7)

COMPONENTS: Monopotassium Nickel Sulfate Boric Acid

Phosphate

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance:Not listedNot listedNot listedReportable Quantity:Not applicableNot applicableNot applicablePlanning Threshold:Not applicableNot applicableNot applicable

Section 311 & 312 (40 CFR 370):

Planning threshold: 10,000 pounds 10,000 pounds 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical:Not listedNoNot listedReporting Threshold:Not applicableNot applicableNot applicable

**U.S. TSCA Status** 

Listed (40 CFR 710): YES Yes Yes

**State Regulations** 

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No Yes No Reproductive Toxin: No Yes No

Other Regulations

State Right To Know Laws: CA, MA, NJ, PA MA, NJ, PA MA, NJ, PA MA, NJ, PA

Canadian Regulations

**Product Information:** 

Controlled Product: Yes

WHMIS Hazard Symbols: Corrosive Material

WHMIS Class & Division:

Ingredient Information:

 IDL Substance:
 No
 Yes
 Yes

 DSL or NDSL Lists:
 DSL
 DSL

**SECTION 16: OTHER INFORMATION** 

EPA Registration number: Not applicable

Approved Product Uses: Used as a complete microbial nutritional program for soil and water remediation

**Special Notes:** 

This product is not formulated to contain any material, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains small amounts of mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

**Special Instructions:** 

When making solutions, always add HUMA GRO® Max Pak® to water, or other solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers or chlorinated cleaners as this liberates toxic Chlorine gas. Do not add this product to strong alkali or caustic materials and products, as this can liberate a lot of heat and toxic Ammonia gas.

**SDS Revision Information:** 

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Anna Carpenter Date Prepared: March 25, 2020

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.